56995-1-u

VITAL STATISTICS
ANNUAL REPORT
1988

The Honorable Bruce Sundlun, Governor

Division of Vital Records

RHODE ISLAND DEPARTMENT OF HEALTH

Barbara A. DeBuono, MD, MPH
Director of Health

STATE
OF
RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF HEALTH

VITAL STATISTICS
ANNUAL REPORT
1988

The Honorable Bruce Sundlun, Governor

Barbara A. DeBuono, MD, MPH
Director of Health

Roberta A. Chevoya
State Registrar

Joseph J. Aldorisio
Assistant Registrar

PREFACE

The 1988 Vital Statistics Annual Report contains data that has been derived from certificates filed in the Division of Vital Records, as required by state law, for vital events, such as births, deaths, marriages, divorces, and fetal deaths occurring in Rhode Island. Information was also extracted from transcripts of certificates filed in other states for births and deaths occurring to Rhode Island residents in other locales.

Filing and editing vital records, as well as extracting and converting data to machine-readable form, were performed by the Division of Vital Records, with partial support from the federal government. Our contract with the National Center for Health Statistics enables the Rhode Island Department of Health to participate in the Vital Statistics Cooperative Program in the United States.

The publication of data in this book is only the final stage of a long process. The prompt and accurate recording of vital events is a complicated and time-consuming task which serves two purposes: First, these vital documents are collected, kept safe, and made available to individuals when needed for documentation of the events in which they were personally involved. Second, the data derived from vital records provides information about health and social changes occurring in our state. It is an organized system of vital records covering the entire population of Rhode Island. The data collection is a highly cooperative endeavor in which a great many people, e.g., city/town clerks, physicians, funeral directors, hospital personnel, and the courts, play an important part.

This report is intended primarily for reference. The 1988 edition has been redesigned to make it easier to use; Definitions of Terms and Technical Notes have been added. Where space permits, 1988 data are accompanied by figures for the previous year or years so comparisons may be made. Only information of general interest is published here; however, more detailed data may be available. Inquiries should be addressed to the Division of Vital Records, 101 Cannon Building, Three Capitol Hill, Providence, Rhode Island, 02908-5097.

Barbara A. DeBuono

Barbara A. DeBuono, MD, MPH
Director of Health

October 1991

ACKNOWLEDGEMENTS

This report is the product of the efforts of many individuals. Thanks are extended to Charlie Haskell and Geri Palazzo for computer production of tables and graphs; and to Wayne Aldrich and his staff, of the Division of Management Services, for printing the report.

TABLE OF CONTENTS

		Page
Definitions		i
Technical Notes		iv
Introduction		1
Table A	Vital Statistics Summary: Rhode Island, 1984-1988 and 1974-1978	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to 1980 Census	2
Figure 1A	Rhode Island Population by Age and Sex, 1980	4
Figure 1B	Rhode Island Population by Age and Sex, 1970	5
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1959-1988	6
Figure 2A	Natural Increase - Number of Persons Added to Rhode Island Population (Births Minus Deaths), 1974-1988	7
Table B	Rhode Island Occurrence Births at Home, 1979-1988	8
Table C	Fertility Rates by Age of Mother 1960, 1965, 1970 and 1980	8
Figure 3	Rates for First Live Births, Rhode Island Residents by Age of Mother, 1970, 1975, 1980, 1985 and 1988	9
Table D	Most Popular Names for Babies, 1986-1988	10
Figure 3A	Birth Out of Wedlock Ratios Per 1,000 Live Births, by Age of Mother: Rhode Island Residents, 1979-1988	11
Table E	Infant Mortality by Race, Rhode Island Residents 1979-1988	12
Table F	Neonatal and Post-Neonatal Mortality, Rhode Island Residents, 1979-1988	12
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1964-1988	13
Table G	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1988	14

TABLE OF CONTENTS

		Page
Table H	Five Leading Cancer Sites by Sex, Rhode Island Residents, 1988	14
Figure 5	Leading Causes of Death by Sex: Rhode Island Residents, 1988	15
Figure 6	Five Leading Primary Sites, Malignant Neoplasms, by Sex, 1988	16
Figure 7	Rates from the Five Leading Causes of Death in 1988 with Comparable Rates for 1979-1987, Rhode Island Residents	17
Figure 8	Rates from the Sixth to Tenth Leading Causes of Death in 1988, with Comparable Rates for 1979-1987, Rhode Island Residents	18
Figure 9A	Leading Causes of Death by Specified Age Group: Under 5 Years -- Rhode Island Residents, 1988	19
Figure 9B	Leading Causes of Death by Specified Age Group: 5-19 Years -- Rhode Island Residents, 1988	20
Figure 9C	Leading Causes of Death by Specified Age Group: 20-44 Years -- Rhode Island Residents 1988	21
Figure 9D	Leading Causes of Death by Specified Age Group: 45-64 Years -- Rhode Island Residents 1988	22
Figure 9E	Leading Causes of Death by Specified Age Group: 65 and over -- Rhode Island Residents 1988	23
Table I	Resident Accidental Deaths by Type by Sex: Rhode Island, 1988	24
Table J	Deaths from Motor Vehicle Accidents, Rhode Island Residents 1979-1988	24
Figure 10	Leading Causes of Death from Accidents: Rhode Island, 1988	25
Table K	Rhode Island Resident Deaths and Death Rates for Twenty Leading Causes in 1988, with Provisional U.S. Rates	26
Table L	Ten Leading Causes of Death, R.I. Residents, Compared to Ten Leading Causes Ranked by Years of Potential Life Lost, 1988	28

TABLE OF CONTENTS

Page

Figure 11 Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1979-1988 29

Figure 12 Divorce Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1979-1988 30

Table 1 United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980 31

Table 2 Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980, and 1988 Estimate 32

Table 3 Number of Live Births, Deaths, and Marriages, with Rates by City and Town: Rhode Island, 1988 33

Table 4 Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1959-1988 34

Table 5 Number of Infant, Neonatal, Perinatal, and Maternal Deaths with Rates, Rhode Island Residents, 1959-1988 35

Table 6 Resident Deaths by City or Town of Residence by Age, Race, and Sex, Rhode Island, 1988 36

Table 7 Deaths and Death Rates for Leading Causes in 1988, and for Comparable Causes in 1979-1987 42

Table 8 Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals with Average Rates, 1984-1988 43

Table 9 Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1965-1988 (Rhode Island Residents) 47

Table 10 Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1979-1988 47

Table 11 Resident Live Births by Age of Mother, Race, Sex and Live Birth Order of Child, Rhode Island, 1988 48

Table 12 Resident Births Out of Wedlock by Age of Mother, Race, Sex, and Live Birth Order of Child, Rhode Island, 1988 52

TABLE OF CONTENTS

Page

Table 13 Resident Live Births by Age of Mother, Race, and Birth Weight of Child, Rhode Island, 1988 56

Table 14 Resident Plural Live Births by Age of Mother, Race, and Birth Weight of Child, Rhode Island 59

Table 15 Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight of Child, Rhode Island, 1988 62

Table 16 Births by City or Town, Race of Child and Selected Characteristics, Rhode Island, 1988 65

Table 17 Resident Live Births by City or Town by Month, Rhode Island, 1988 66

Table 18 Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1988 67

Table 18A Births Out of Wedlock, 1988: All Ages and Under Age 20, by City or Town of Residence 75

Table 19A Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1988 76

Table 19B Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1988 76

Table 20 Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery by City or Town and Census Tract of Mother's Residence by Marital Status of Mother, 1988 77

Table 21 Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, Rhode Island Occurrences, 1988 85

Table 22A Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1988 91

Table 22B All Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1988 92

Table 23 Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1988 93

TABLE OF CONTENTS

		Page
Table 24	All Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1988	94
Table 25	Resident Deaths from 72 Selected Causes by Race, Age and Sex: Rhode Island, 1988	95
Table 26	Resident Deaths by City or Town by Month, Rhode Island, 1988	109
Table 27	Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1988	110
Table 28	Resident Accidental Deaths by Sex and Age, with Non-Motor Vehicle Accidents Shown by New England Standard Locations by Sex and Age: Rhode Island 1988	112
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1988	115
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1988	123
Table 30	Resident Accident Deaths by Type and Age: Rhode Island, 1988	130
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1988	131
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1988	132
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island, 1988 (Rhode Island Occurrences)	134
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1988	135
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1988	136
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1988 (Rhode Island Occurrences)	137

TABLE OF CONTENTS

Page

Table 37 Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1988 137

Table 38 Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1988 138

Table 39 Divorces Occurring in Rhode Island by Age of Wife, by Age of Husband, 1988 139

Table 40 Divorces by Number of Times Married Before this Divorce by Sex: Rhode Island, 1988 (Rhode Island Occurrences) 139

Table 41 Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1988 (Rhode Island Occurrences) 140

Table 42 Number of Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1988 (Rhode Island Occurrences) 140

Table 43 Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1988 (Rhode Island Occurrences) 141

Table 44 Divorces According to Last Grade of School Completed by Sex: Rhode Island, 1988 (Rhode Island Occurrences) 142

DEFINITIONS OF TERMS

DEFINITIONS OF TERMS

1. Cause of Death

The underlying cause of death, by which all deaths are classified, may be defined as (a) the disease or injury which initiated the train of morbid events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the nosologists in the Division of Vital Records to assign the proper code number from the Ninth Revision, International Classification of Diseases, so that deaths may be classified by underlying cause. Because of the classification revision, cause-of-death figures beginning with 1979 data are not entirely comparable with those of earlier years.

Comparability Ratios

In order to compare death rates from certain causes for the years 1979-1988 with the death rates for a year or years during the period 1969-1978, the estimated number of deaths from those causes during the early period must be derived by the use of comparability ratios which were computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios are the number of deaths classified to a given cause by the Ninth Revision divided by the number of deaths classified to that cause by the Eighth Revision. Comparability ratios have been published by the National Center for Health Statistics in the Monthly Vital Statistics Report, Vol. 28, No. 11, Supplement, February 29, 1980, and appear in Table 7 of Rhode Island's Annual Reports from 1979-1987.

HIV/AIDS

Beginning with data for 1987, the National Center for Health Statistics added classification categories for human immunodeficiency virus (HIV infection) and AIDS. Deaths classified to HIV infection for 1988 are included in "Other infectious & parasitic diseases" in Table 25 and are also shown in Table K of this report. For 1986 and previous years, deaths involving HIV infection were classified to various categories, so comparable data are not available.

2. Birth or live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

3. Census Tract

The 1980 Census of Population and Housing defines a census tract as a small statistical subdivision of a county designed to be a relatively homogeneous area with respect to population characteristics, economic status, and living conditions. Tract boundaries are established with the intention of being maintained over a long time so that statistical comparisons can be made from census to census.

Five states, Rhode Island, Connecticut, Delaware, Hawaii, New Jersey, plus the District of Columbia, are entirely census tracted. As of 1981, Rhode Island's 39 cities and towns were divided into 213 census tracts, ranging from 12 one-tract towns to the city of Providence which contains 37 census tracts.

4. Fetal death

The definition used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles." This category includes both induced terminations and spontaneous fetal deaths.

Induced termination is a fetal death where the pregnancy has been deliberately terminated with the purpose of producing a nonviable fetus. Molar and ectopic pregnancies are excluded.

A spontaneous fetal death is a fetal death that is not an induced abortion and includes miscarriages, stillbirths, and ectopic pregnancies.

5. Infant death is defined as a death occurring within the first year of life.

Neonatal deaths are infant deaths that occurred prior to the 28th day of life.

Post-neonatal deaths are infant deaths which occurred between the 28th day of life and before the first birthday.

6. Low birth weight infants are those weighing five pounds, eight ounces or less.

7. Maternal death is defined by the International Classification of Diseases, 9th Revision, as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

8. Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life.

9. Residence is the city or town where the deceased resided for a death, where the mother resided for a birth, or where the patient resided for a spontaneous fetal death or induced abortion.

TECHNICAL NOTES

Technical Notes: Step-By-Step Instructions*

Data users are diverse, including public-health officials evaluating a program by using death data, demographers projecting school enrollments with birth data, and business people deciding to open a formal-wear shop based on marriage data. Many of these users have a thorough knowledge of statistics. But others find the entire subject-matter confusing and intimidating. For either group, a misunderstanding of what vital statistics mean can lead to wrong conclusions. Therefore, this section is included to provide an overview of how to use vital statistics. It is addressed to the person looking at vital events for the first time, but the experienced user may also find a review helpful.

STEP 1: FINDING THE CORRECT NUMBER

The first step is to determine how many of a particular vital event took place during the year. This involves asking two questions:

Which event or events are appropriate?

DEATHS
INFANT DEATHS
NEONATAL DEATHS
POST-NEONATAL DEATHS
FETAL DEATHS
LOW BIRTH WEIGHT INFANTS
PREGNANCIES
INDUCED ABORTIONS
MARRIAGES
DIVORCES

This may not be as simple as it sounds. For one thing, examining more than one type of event may be required. For example, a researcher who is concerned with teenage pregnancies will have to consider abortions and fetal deaths, not simply the number of births.

Deciding which events to use is important since sometimes the choice of one event over another can lead to vastly different conclusions.

---

*Technical Notes reprinted courtesy of the Oregon Center for Health Statistics; illustrative examples were changed to reflect Rhode Island data.

Who should be counted?

If you are a hospital planner who is deciding to expand or contract delivery services, you want to count the number of births which occurred in your area, regardless of where the parents live. If you are projecting school enrollment, you want to count only how many children will potentially be residing in your area. Fortunately, vital events are usually reported so that both of these data needs can be met.

OCCURRENCE DATA	The event (the death, birth, marriage, etc.) actually took place in the city or town. The person participating in the event may have lived in Podunk, New York.
RESIDENCE DATA	The person involved in the event lived in the geographic region mentioned, but the event itself may have taken place anywhere in the United States or Canada. In other words, a resident of Providence who died in an accident while on vacation in Michigan has been added to the city of Providence resident death figure.

When in doubt about which type of data to use, resident figures are usually the best choice. Most birth and death data are published by residence, which means that comparisons with other states or the United States as a whole will be easier. Exceptions to this rule are listed in the individual sections.

Once the right event has been determined, and the choice between occurrence and residence data has been made, the statistician can find the correct figures in the table(s) in this book. If the needed table is not listed, contact the Office of Vital Records for more information.

STEP 2: MAKING THE NUMBER MEANINGFUL WITH RATES AND RATIOS

In many instances simply knowing the number of events is not sufficient. A. Bradford Hill expressed this important statistical concept:

> "It is well recognized that white sheep eat more than black sheep--because there are more of them."

For example, we know more people died in Providence than in New Shoreham, because Providence has a much larger population. But what is the likelihood of dying in each municipality?

In order to answer this question, statisticians calculate rates. This means that the number of events which occurred is compared to the population for which that event could have occurred, and the figure is then standardized to some number (such as 1,000 or 100,000) for convenience.

Here is an example:

$$\text{CRUDE DEATH RATE} = \frac{\text{DEATHS}}{\text{POPULATION}} \times 1{,}000$$

the number of people who could have died

the number picked by vital statisticians to eliminate decimal points

The more specifically a statistician can define the "population at risk" (the denominator or bottom part of the formula), the more meaningful the rate is. For example, the crude birth rate, which compares the number of births to the population, is not nearly as informative as the fertility rate, which uses only the number of women of childbearing age (15-44) for comparative purposes. The fertility rate is not distorted by changes in the number of men or pre-pubescent or post-menopausal women in the population. (The turn of the century notion that only married women between the age of 15 and 44 would be considered at risk of pregnancy has been abandoned for obvious reasons.)

Unfortunately, we do not always have the correct denominator for the equation. In these situations a substitute is used. For example, how many people are at risk of getting divorced? The number of married people is only available for census years. As a substitute, the crude divorce rate is calculated using the total population regardless of marital status. In other situations, the event is simply compared to another related number. For instance, the abortion ratio compares the number of abortions to the number of births. This is easier and more accurate than trying to determine the true denominator, which is the total number of pregnant women.

When calculating rates and ratios, great care must be taken to make certain that the appropriate time periods, geographical boundaries, and populations are used.

STEP 3: COMPARING TWO OR MORE NUMBERS

Numbers are more meaningful when they are converted into rates and ratios. But problems can arise when rates or ratios are compared for different geographical areas, different time periods, or different categories such as men versus women.

Chance variation

Statisticians expect a certain amount of chance variation and have methods to take this into account. The confidence interval uses the number of cases and their distributions to determine what the rate "really is". If two rates have overlapping confidence intervals, then the difference between them may be due to this chance variation. In other words, the difference is not statistically significant. When comparing rates and ratios, differences should be tested for statistical significance.

Small numbers

Chance variation is a common problem when the numbers being used to calculate rates are extremely small. Large swings often occur in the rates which do not reflect real changes. Consider Rhode Island's non-white infant mortality rates for a five year period, shown below:

Year	Non-White Births	Non-White Infant Deaths	Non-White Infant Death Rates
1984	1313	18	13.7
1985	1337	12	9.0
1986	1456	20	13.7
1987	1571	17	10.8
1988	1698	22	13.0
1984-88	7375	89	12.1

The rates may vary widely from year to year. Note that the 1984 infant death rate is much higher than the 1987 rate, even though there was only one more infant death occurring in 1984 than there was in 1987.

Many rates based on small numbers are published in this book because readers demand them. But anyone preparing to make important decisions based on these rates should be vary. Consider this rule of thumb: a rate based on 20 cases has a 95% confidence interval about as wide as itself (the interval for a rate of 50 is between 25 and 75). Even large differences between two rates based on 20 cases or less are probably not statistically significant.

If 20 is too few, how many cases are sufficient to say that a true difference exists? Unfortunately we have no easy rules for this. To be safe, the vital statistician should always try to combine several years of data or consolidate geographical areas. Confidence intervals should be calculated, and differences should be testes for statistical significance.

Changes in measurement

Another problems is that the numbers being compared have not always been based on the same type of measurement. Definitions, population estimates, certificates, and coding procedures change from time to time as the need arises. This can create "artificial" differences and can disguise "real" differences. The cause-of-death item provides an excellent example of changes in comparability:

During the 1970's approximately 30 to 49 people died each year due to Nephritis, Nephrotic Syndrome and Nephrosis	AVG. RATE = 4.1 PER 100,000 POPULATION
In 1988, 78 people died from this cause.	RATE = 7.9 PER 100,000 POPULATION

It appears that the incidence of Nephritis, Nephrotic Syndrome and Nephrosis increased. But actually, a new coding scheme resulted in more deaths being coded as due to that cause of death.

Taking Age, Sex, And Race Into Account

Before comparing two places or two time periods, always compare the population characteristics, such as age, sex, and race, first. If discrepancies are noted in any relevant variables, then the rates should be adjusted or standardized in order to make the comparisons free of differences in the structure of the populations. The formulas for doing this are listed in the appendix.

STEP 4: ANALYZING THE DATA

The first three steps have been fairly mechanical:

(1) Choose the correct events and the correct group to determine the number of events which took place for the geographical areas and time periods.

(2) Calculate the rates.

(3) Compare these rates to determine if the differences are statistically significant.

NOW the vital statistician must begin to ask the difficult questions. If we find that two rates are statistically significantly different, how can we find out _why_ they are different? If the differences which we expected did not prove to be significant, is there another item which perhaps is masking an actual difference? Frequently the statistician has to refine the research question and begin all over again.

INTRODUCTION

INTRODUCTION

This report includes data from all 1988 vital records received by July 31, 1989. Because of the exchange of birth and death records between states, it is possible to publish the number of births and deaths occurring in Rhode Island regardless of the place of residence (occurrence data) and the number of births and deaths of Rhode Island residents regardless of the place of occurrence (resident data). Both resident and occurrence data are shown for births and deaths in Table 3, by city or town of occurrence and by city or town of residence. Resident rates for births and deaths are computed using the number of vital events occurring to residents of each city and town and the population estimates shown in Table 2.

As shown in Table 3, the Division of Vital Records recorded 14,689 births which occurred in Rhode Island in 1988, of which 1,162 were to non-residents; 652 births occurred outside the state to Rhode Island residents, yielding a total of 14,179 resident live births in 1988. The resident rate was 14.3 per 1,000 population. In 1988, the number of deaths recorded in the state was 9,945; non-residents accounted for 656, and 435 deaths to Rhode Island residents were recorded in other states. The total number of resident deaths, therefore, was 9,724, yielding a rate of 9.8 deaths per 1,000 population, the same rate observed in 1987.

Vital Statistics Summary

Table A, shown below, compares vital statistics data and average rates for the five-year period 1984-1988 with average rates for the years 1974-1978. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

Table A - Vital Statistics Summary: Rhode Island, 1984-1988 and 1974-1978

(Births and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	1984-1988		1974-1978		
	Number	Rate	Number	Rate	Percent Change in Rate
Live Births#	13437	13.8	11196	12.1	14.0
Deaths#	9639	9.9	9001	9.7	2.1
Infant Mortality*	118	8.8	157	14.0	-37.1
Neonatal Mortality*	85	6.3	116	10.4	-39.4
Perinatal Mortality**	124	9.2	173	15.4	-40.3
Maternal Mortality***	1	0.7	1	0.9	-22.2
Fetal Deaths (of 28 weeks or more of Uterogestation)*	54	4.0	73	6.5	-38.5
Marriages#	8110	8.3	7049	7.6	9.2
Divorces#	3700	3.8	3070	3.3	15.2
Population Est. 1986 and 1976	975000		927000		

# Rate per 1,000 Population

* Rate per 1,000 Live Births

** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation

*** Rate per 10,000 Live Births

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS


10,000 & Over
5,000-9,999
2,500-4,999
1,000-2,999
500-999
0-999
WOONSOCKET
NORTH SMITHFIELD
BURRILLVILLE
CUMBERLAND
LINCOLN
GLOCESTER
SMITHFIELD
CENTRAL FALLS
PAWTUCKET
NORTH PROVIDENCE
PROVIDENCE
JOHNSTON
EAST PROVIDENCE
FOSTER
SCITUATE
CRANSTON
BARRINGTON
WARREN
WEST WARWICK
WARWICK
COVENTRY
BRISTOL
EAST GREENWICH
WEST GREENWICH
PORTSMOUTH
TIVERTON
EXETER
NORTH KINGSTOWN
JAMESTOWN
MIDDLETOWN
LITTLE COMPTON
HOPKINTON
RICHMOND
SOUTH KINGSTOWN
NEWPORT
NARRAGANSETT
CHARLESTOWN
WESTERLY
NEW SHOREHAM

RHODE ISLAND POPULATION

Table 1 shows the 1970 and 1980 census population figures for the state by race and sex and also by age and sex, showing the percent change for each category between 1970 and 1980. The population pyramids illustrated in Figures 1A and 1B show population shifts within each age group, by sex, reflected in the 1970 and 1980 censuses.

The male population declined three percent between 1970 and 1980, (464,291 to 451,251); the female population increased by three percent (482,434 to 495,903). The black population increased nine percent (25,338 to 27,584); other non-white population was 2 1/2 times as great in 1980, and the white population decreased two percent (914,757 to 896,692).

Figure 1 illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66; Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimates for 1988, as well as county and city/town estimates, shown in Table 2, were obtained from the Bureau of the Census.

FIGURE - 1A

Rhode Island Population by Age + Sex, 1980



BEST AVAILABLE COPY

FIGURE - 1B

Rhode Island Population by Age + Sex, 1970



Figure 2 - Crude Birth and Death Rates
Per 1,000 Population Rhode Island 1959-1988



Figure 2A - Natural Increase
Number of Persons Added to RI Population
(Births Minus Deaths) 1974-1988



Year	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
—	2248	1858	1618	2583	2668	2800	2866	3292	3524	3290	3225	3360	3612	4339	4455

LIVE BIRTHS

Table B - Rhode Island Occurrence Births at Home, 1979 - 1988

	Occurrence Births	Home Births	
Year	Total Number	Number	Percent of Total
1979	12251	71	0.6
1980	12574	66	0.5
1981	12866	74	0.6
1982	13032	82	0.6
1983	13092	81	0.6
1984	13290	66	0.5
1985	13674	52	0.4
1986	14084	66	0.5
1987	14669	65	0.4
1988	14689	64	0.4

Table C - Fertility Rates by Age of Mother: 1960,1965, 1970 , and 1980
(Rates per 1,000 Female Population in Specified Age Groups)

Age of Mother in Years	1960	1965	1970	1980	Percent Change Between 1970 and 1980
TOTAL (15-44)	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Teenage Pregnancy

In order to analyze pregnancy outcome for teenagers (i.e. women under age 20), it is necessary to include both births and fetal deaths occurring to teenagers. Table 18A shows births to these women by city or town of residence for 1988. There were 1,461 resident births to teenagers in 1988, along with 101 spontaneous fetal deaths and 1,781 induced terminations occurring to teenagers in Rhode Island, regardless of the teenager's residence, for a total of 3,343 teenage pregnancies; the rate of teenage pregnancies per 1,000 estimated female residents aged 15-19 for 1988 was 70.9, an increase of two percent from 1987.

Figure 3 - Rates for First Live Births Rhode Island Residents by Age of Mother 1970, 1975, 1980, 1985 and 1988



Year	1970	1975	1980	1985	1988
Age 20-24 ——	83.8	46.2	48.7	42.4	36.3
Age 25-29 ·····	35.4	35.3	41.1	44.6	48.4
Age 15-19 - - -	36.0	30.1	27.1	23.7	24.1
Age 30-34 ——	7.2	7.4	13.8	20.8	26.4
Age 35-39 -·-·-	2.5	1.7	2.3	5.2	7.8
Age 40-44	0.4	0.2	0.3	0.6	0.6

Most Popular Names for Babies

In recent years, there has been increased interest in the names parents give their babies. The top five names given to babies in the last three years (1986-1988) are shown below, along with the number of babies given those names.

Table D - Most Popular Names, by Sex 1986-1988

Male

	1988		1987		1986	
Rank	Name	Number	Name	Number	Name	Number
1	Michael	397	Michael	325	Michael	378
2	Christopher	258	Matthew	260	Christopher	270
3	Matthew	255	Christopher	254	Matthew	262
4	David	189	Andrew	214	David	170
5	Joshua	182	David	194	Joseph	167

Female

	1988		1987		1986	
Rank	Name	Number	Name	Number	Name	Number
1	Amanda	253	Ashley	263	Ashley	222
2	Ashley	231	Amanda	242	Amanda	211
3	Jessica	199	Jessica	220	Jessica	209
4	Sarah	140	Jennifer	168	Nicole	171
5	Jennifer	133	Kayla	147	Jennifer	157

Figure 3A - Births Out of Wedlock Ratios Per 1,000 Live Births by Age of Mother Rhode Island Residents 1979-1988



Year		1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
< 20 Years	....	477.9	510.0	526.7	544.0	596.2	648.4	667.6	680.7	737.0	756.3
20-24 Years	----	154.7	176.9	183.7	191.7	210.6	234.6	237.7	267.6	305.2	336.2
25-29 Years		64.3	66.9	67.6	73.4	86.5	73.6	98.1	99.1	117.0	123.5
30-34 Years	——	47.0	50.3	59.3	51.1	63.1	60.9	70.6	74.1	75.6	81.3
35+ Years	- - - -	68.8	83.2	72.3	68.8	67.1	61.5	96.9	83.3	100.2	91.6

INFANT DEATHS

Table E - Infant Mortality by Race, R.I. Residents, 1979 - 1988

	Non-White		White	
	Infant Deaths	Rate per 1000 Live Births	Infant Deaths	Rate per 1000 Live Births
1979	31	32.1	132	12.3
1980	13	11.9	118	10.7
1981	18	14.4	126	11.3
1982	20	15.7	105	9.4
1983	23	17.3	122	10.9
1984	18	13.7	107	9.5
1985	12	9.0	94	8.1
1986	20	13.7	105	8.9
1987	17	10.8	100	8.1
1988	22	13.0	94	7.6

Table F – Neonatal and Post-Neonatal Mortality, R.I. Residents, 1979-1988

	Neonatal Deaths	Rate per 1,000 Live Births	Post-Neonatal Deaths	Rate per 1000 Live Births
1979	119	10.0	48	4.0
1980	102	8.4	31	2.5
1981	114	9.2	31	2.5
1982	100	8.0	25	2.0
1983	113	9.0	32	2.5
1984	89	7.0	36	2.8
1985	78	6.0	28	2.2
1986	87	6.5	38	2.9
1987	85	6.1	33	2.4
1988	87	6.1	29	2.0

Figure 4 - Infant and Neonatal Mortality Rates
Rhode Island and the United States 1964-1988



DEATHS

Table G - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1988

	Causes	Male	Female	Total
Rank	All Causes	72.6	80.3	76.4
1	Diseases of the Heart	74.5	83.8	79.5
2	Malignant Neoplasms	70.7	72.4	71.5
3	Cerebrovascular Diseases	78.6	84.3	82.0
4	Chronic Obstructive Pulmonary Disease and Allied Conditions	75.9	76.3	76.1
5	Diabetes Mellitus	72.0	77.8	75.2
6	Accidents and Adverse Effects	41.3	70.2	49.6
7	Pneumonia and Influenza	83.4	89.5	85.8
8	Chronic Liver Disease and Cirrhosis	62.5	68.6	65.0
9	Atherosclerosis	76.7	84.4	81.2
10	Suicide	37.3	34.4	36.7

Table H - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1988

Male				Female			
Rank	Site	Number	Percent	Rank	Site	Number	Percent
1	Respiratory and Intrathoracic Organs	431	34%	1	Digestive Organs and Peritoneum	324	27%
2	Digestive Organs and Peritoneum	358	28%	2	Breast	236	20%
3	Genital Organs	125	10%	3	Respiratory and Intrathoracic Organs	231	20%
4	Urinary Organs	67	5%	4	Genital Organs	102	9%
5	Lymphatic and Hematopoietic Tissue (Other than Leukemia)	61	5%	5	Lymphatic and Hematopoietic Tissue (Other than Leukemia)	80	7%

Figure 5 - Leading Causes of Death by Sex
Rhode Island Residents, 1988



* Chronic Obstructive Pulmonary Disease

Figure 6 - Five Leading Primary Sites
Malignant Neoplasms, by Sex, 1988



Male

Female

*Lymphatic and Hematopoietic Tissue
(Other than Leukemia)

Figure 7 - Rates from Five Leading Causes Of Death in 1988 with Comparable Rates For 1979-1987 Rhode Island Residents



Figure 8 - Rates from the 6-10th Leading Causes Of Death in 1988 With Comparable Rates For 1979-1987, Rhode Island Residents



Figure 9A - Leading Causes of Death By Specified Age Group: Rhode Island Residents 1988



Under 5 years

* Certain Conditions/Perinatal Period
** Acute Bronchitis and Bronchiolitis
*** Homicide and Legal Intervention

Figure 9B - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1988



5 - 19 years

* Homicide and Legal Intervention

Figure 9C - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1988



20 - 44 years

* Homicide and Legal Intervention

Figure 9D - Leading Causes of Death By Specified Age Group: Rhode Island Residents
1988



45 - 64 years

* Chronic Obstructive Pulmonary Disease

Figure 9E - Leading Causes of Death
By Specified Age Group: Rhode Island Residents
1988



Age 65 and Over

* Chronic Obstructive Pulmonary Disease

Table I Resident Accidental Deaths by Sex: RI, 1988

Type of Accident	Total	Males	Females
All Accidents * (E800-E949)	280	181	99
Railway Accidents (E800-E807)	0	0	0
Motor Vehicles (E810-E825)	142	93	49
Water Transport (E830-E838)	2	2	0
Air and Space Transport (E840-E845)	2	1	1
Poisoning (E850-E869)	24	19	5
Falls (E880-E888)	49	24	25
Fires and Flames (E890-E899)	9	7	2
Drowning (E910)	9	8	1
Food/Object Inhalation (E911-E912)	12	8	4
Electric Current (E925)	0	0	0
All Other (Residual)	31	19	12

* For complete titles, see Table 30.

Table J - Deaths from Motor Vehicle Accidents, R.I. Residents, 1979-1988

Year	Number	Rate*	Year	Number	Rate*
1979	140	15.1	1984	110	11.4
1980	140	14.8	1985	113	11.7
1981	116	12.2	1986	138	14.2
1982	121	12.6	1987	138	14.0
1983	99	10.4	1988	142	14.3

*Rates per 100,000 Population

Figure 10 - Leading Causes of Deaths From Accidents: Rhode Island Residents, 1988



Table K - Rhode Island Resident Deaths and Death Rates for
Leading Causes in 1988 with
Provisional U.S. Rates
(Rates per 100,000 Estimated Population)

1988 Rank	Cause of Death (ICD-9) 1975	R.I. Number	R.I. Rate	U.S. Rate
1	Diseases of the Heart	3488	351.3	311.3
2	Malignant Neoplasms	2447	246.4	197.3
3	Cerebrovascular Diseases	648	65.3	61.2
4	Chronic Obstructive Pulmonary Diseases and Allied Conditions	361	36.4	33.7
5	Diabetes Mellitus	282	28.4	16.4
6	Accidents and Adverse Effects	280	28.4	39.5
7	Pneumonia and Influenza	240	24.2	31.6
8	Chronic Liver Disease and Cirrhosis	136	13.7	10.7
9	Atherosclerosis	104	10.5	9.0
10	Suicide	102	10.3	12.4
11	Septicemia	95	9.6	8.5
12	Nephritis, Nephrotic Syndrome and Nephrosis	78	7.9	9.1
13	Certain Conditions Originating in the Perinatal Period	58	5.8	7.4
14	Homicide and Legal Intervention	46	4.6	9.0
15	Hypertension with or without Renal Disease	45	4.5	3.4
16	Congenital Anomalies	40	4.0	5.2
17	Ulcer of the Stomach and Duodenum	32	3.2	2.6
18	Hernia and Intestinal Obstuction *	27	2.7	2.3
19	Benign Neoplasms *	27	2.7	2.7
20	Anemias	14	1.4	1.6

* For complete category title, see Ninth Revision International Classification of Diseases, 1975

Caution should be observed in comparing the state's crude rates with the U.S. rates because of the differing age and sex composition of the two populations. The state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 percent higher than the national proportion.

Human Immunodeficiency Virus (HIV) Infection, including AIDS and directly related conditions, had not been separately ranked as a cause of death until the National Center for Health Statistics (NCHS) and the Centers for Disease Control (CDC) developed a new classification for presenting mortality data, effective with data for 1987.

In 1988, there were 45 resident deaths classified to HIV Infection (ICD-9 Codes 042-044), a rate of 4.5 per 100,000 population. If this category had been officially ranked, it would have been the fifteenth cause, tied with Hypertension with or without Renal Disease. Males accounted for 80 percent of the deaths from this cause. There were three decedents under age 2; the adults were between 25-52 years of age; the median age for all deaths was 34.3 years.

Please note that these statistics are based solely on death certificates of Rhode Island residents where HIV Infection, AIDS, or directly related conditions were listed by the certifying physician as the underlying cause of death. For this reason, these figures may not agree with the mortality figures released by the Division of Disease Control in the R.I. Department of Health or the Centers for Disease Control (based on their morbidity data and follow-up files).

Years of Potential Life Lost (YPLL)

Since 1984, this report has included data on Years of Potential Life Lost (YPLL), or premature mortality for persons who have reached their first birthday. Beginning with 1987 data, premature mortality for all persons under age 65 was measured. In general, the younger the person, the greater the number of potential years of life yet available to that person.

Potential years of life lost for persons under 65 years of age at the time of death are derived by multiplying the number of deaths in each category, by the difference between 65 years of age and the age at the midpoint of each category, and totalling the results. Table L on the next page compares the ten leading causes of death for 1988 to the ten causes of death which contributed the greatest number of Years of Potential Life Lost (YPLL).

Table L - Ten Leading Causes of Death, R.I. Residents, Compared to Ten Leading Causes Ranked by Years of Potential Life Lost, 1988

Rank	Cause of Death	Number	Rank	Cause of Death	YPLL
	All Causes	9724		All Causes	31313
1	Diseases of the Heart	3488	1	Malignant Neoplasms	8107.5
2	Malignant Neoplasms	2477	2	Accidents and Adverse Effects	5376.5
3	Cerebrovascular Diseases	648	3	Diseases of the Heart	4591.5
4	Chronic Obstructive Pulmonary Diseases and Allied Conditions	361	4	Certain Conditions Origniating in the Perinatal Period	3692.0
5	Diabetes Mellitus	282	5	Suicide	2552.5
6	Accidents and Adverse Effects	280	6	Congenital Anomalies	1987.0
7	Pneumonia and Influenza	240	7	Homicide and Legal Intervention	1598.0
8	Chronic Liver Disease and Cirrhosis	136	8	HIV Infection	1560.0
9	Atherosclerosis	104	9	Chronic Liver Disease and Cirrhosis	931.5
10	Suicide	102	10	Cerebrovascular Diseases	916.5

MARRIAGES
AND
DIVORCES

Figure 11 - Marriage Rates Per 1,000 Population
RI and US, Occurrence Data 1979-1988



Year	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
US Rate —	10.4	10.6	10.6	10.6	10.5	10.5	10.1	10.0	9.9	9.7
RI Rate ┈	7.9	7.9	7.9	8.2	8.4	8.3	8.3	8.3	8.2	8.5

Figure 12 - Divorce Rates Per 1,000 Population RI and the US, Occurrence Data 1979-1988



Year	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
US Rate ——	5.3	5.2	5.3	5.0	4.9	5.0	5.0	4.9	4.8	4.7
RI Rate ------	3.9	3.8	3.6	3.8	3.7	3.8	3.8	3.8	3.7	3.8

TABLES

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

Characteristic	Total Population* 1980	Total Population* 1970	Total Population* Per Cent Change	Male 1980	Male 1970	Male Per Cent Change	Female 1980	Female 1970	Female Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1988 estimate

City or Town by County	1970	1980	1988 Estimate*
STATE TOTAL	949,723	947,154	993,000
BRISTOL COUNTY	45,937	46,942	48,000
Barrington	17,554	16,174	16,090
Bristol	17,860	20,128	20,470
Warren	10,523	10,640	11,440
KENT COUNTY	142,382	154,163	161,000
Coventry	22,947	27,065	30,900
East Greenwich	9,577	10,211	10,570
Warwick	83,694	87,123	86,740
West Greenwich	1,841	2,738	3,760
West Warwick	24,323	27,026	29,060
NEWPORT COUNTY	94,228	81,383	84,600
Jamestown	2,911	4,040	4,890
Little Compton	2,385	3,085	3,350
Middletown	29,290	17,216	17,810
Newport	34,562	29,259	27,700
Portsmouth	12,521	14,257	16,480
Tiverton	12,559	13,526	14,420
PROVIDENCE COUNTY	581,470	571,349	595,100
Burrillville	10,087	13,164	16,930
Central Falls	18,716	16,995	16,940
Cranston	74,287	71,992	75,800
Cumberland	26,605	27,069	28,350
East Providence	48,207	50,980	51,800
Foster	2,626	3,370	4,300
Glocester	5,160	7,550	10,030
Johnston	22,037	24,907	27,130
Lincoln	16,182	16,949	18,120
North Providence	24,337	29,188	31,250
North Smithfield	9,349	9,972	11,060
Pawtucket	76,984	71,204	73,680
Providence	179,116	156,804	156,160
Scituate	7,489	8,405	9,610
Smithfield	13,468	16,886	19,230
Woonsocket	46,820	45,914	44,690
WASHINGTON COUNTY	85,706	93,317	103,900
Charlestown	2,863	4,800	7,180
Exeter	3,245	4,453	4,930
Hopkinton	5,392	6,406	6,730
Narragansett	7,138	12,088	12,890
New Shoreham	489	620	800
North Kingstown	29,793	21,938	24,040
Richmond	2,625	4,018	5,210
South Kingstown	16,913	20,414	22,200
Westerly	17,248	18,580	19,960

* Estimates obtained from the Bureau of the Census.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1988
(Rates per 1,000 Estimated Population)

	LIVE BIRTHS			DEATHS			MARRIAGE	
	Number		Resident	Number		Resident	Occurrences	
CITY OR TOWN	Occurrences	Residents	Rate	Occurrences	Residents	Rate	Number	Rate
STATE TOTAL	14689	14179	14.3	9945	9724	9.8	8410	8.5
BARRINGTON	0	220	13.7	33	123	7.6	130	8.1
BRISTOL	1	271	13.2	91	207	10.1	188	9.2
BURRILLVILLE	3	181	10.7	164	138	8.2	122	7.2
CENTRAL FALLS	1	397	23.4	126	241	14.2	154	9.1
CHARLESTOWN	1	122	17.0	6	39	5.4	75	10.4
COVENTRY	0	364	11.8	103	257	8.3	149	4.8
CRANSTON	1	838	11.1	441	755	10.0	464	6.1
CUMBERLAND	3	348	12.3	93	257	9.1	240	8.5
EAST GREENWICH	0	106	10.0	11	66	6.2	137	13.0
EAST PROVIDENCE	3	647	12.5	275	574	11.1	473	9.1
EXETER	2	74	15.0 *	11	31	6.3 *	19	3.9 *
FOSTER	1	61	14.2 *	8	25	5.8 *	29	6.7 *
GLOCESTER	0	116	11.6	17	73	7.3	44	4.4
HOPKINTON	1	108	16.0	5	44	6.5	71	10.5
JAMESTOWN	0	64	13.1 *	12	44	9.0 *	51	10.4 *
JOHNSTON	0	323	11.9	105	255	9.4	187	6.9
LINCOLN	0	20[illegible]	11.4	60	179	9.9	127	7.0
LITTLE COMPTON	1	41	12.2 *	11	33	9.9 *	62	18.5 *
MIDDLETOWN	2	258	14.5	126	141	7.9	227	12.7
NARRAGANSETT	2	181	14.0	22	111	8.6	94	7.3
NEWPORT	884	426	15.4	327	252	9.1	522	18.8
NEW SHOREHAM	0	12	15.0 *	5	13	16.3 *	47	58.8 *
NORTH KINGSTOWN	0	318	13.2	111	175	7.3	218	9.1
NORTH PROVIDENCE	552	329	10.5	521	320	10.2	145	4.6
NORTH SMITHFIELD	1	89	8.0	178	102	9.2	63	5.7
PAWTUCKET	680	1196	16.2	787	809	11.0	552	7.5
PORTSMOUTH	0	208	12.6	17	98	5.9	121	7.3
PROVIDENCE	9175	3065	19.6	3510	1707	10.9	1479	9.5
RICHMOND	2	90	17.3	17	20	3.8	11	2.1
SCITUATE	0	130	13.5	21	68	7.1	133	13.8
SMITHFIELD	1	203	10.6	113	142	7.4	101	5.3
SOUTH KINGSTOWN	409	261	11.8	309	184	8.3	234	10.5
TIVERTON	0	171	11.9	23	131	9.1	132	9.2
WARREN	0	149	13.0	73	128	11.2	110	9.6
WARWICK	1521	1011	11.7	1160	928	10.7	701	8.1
WESTERLY	651	288	14.4	356	220	11.0	211	10.6
WEST GREENWICH	0	61	16.2 *	6	18	4.8 *	8	2.1 *
WEST WARWICK	1	474	16.3	74	265	9.1	239	8.2
WOONSOCKET	790	772	17.3	617	551	12.3	340	7.6

(*) Rate based on less than 5,000 population
(*)

BEST AVAILABLE COPY

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1959-1988

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Rhode Island Occurrences Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8
1985	968,200	12,996	13.4	9,636	10.0	8,011	8.3	3,698	3.8
1986	975,000	13,324	13.7	9,712	10.0	8,103	8.3	3,684	3.8
1987	986,000	14,041	14.2	9,702	9.8	8,056	8.2	3,684	3.7
1988	993,000	14,179	14.3	9,724	9.8	8,410	8.5	3,794	3.8

Table 5 - Number of Infant, Neonatal and Perinatal and Maternal Deaths with Rates
Rhode Island Residents, 1959 - 1988

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1959	444	23.8	336	18.0	301	16.1	91	0.2	92	6.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	0	---
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	.0	269	20.1	0	---
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	0	---
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	0	---
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	0	---
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	1.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8
1985	106	8.2	78	6.0	63	4.8	57	4.4	120	9.2	0	---
1986	125	9.4	87	6.5	71	5.3	57	4.3	128	9.6	1	0.8
1987	118	8.4	85	6.1	71	5.1	48	3.4	119	8.4	0	---
1988	116	8.2	87	6.1	71	5.0	51	3.6	122	8.6	1	0.7

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births combined with Late Fetal Deaths
# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RHODE ISLAND, 1988

TOTAL

CITY OR TOWN	TOTAL*	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
RHODE ISLAND	9724	116	14	11	12	35	57	182	241	417	457	712	968	1242	1406	1412	2439
BARRINGTON	123	2	0	0	0	0	0	2	4	4	8	13	14	21	16	21	18
BRISTOL	207	1	0	0	0	1	1	1	4	10	8	12	20	25	27	35	62
BURRILLVILLE	138	5	0	0	0	0	1	2	3	7	9	16	11	16	16	18	34
CENTRAL FALLS	241	6	1	2	0	1	2	4	5	6	14	17	21	21	33	32	74
CHARLESTOWN	39	0	0	0	0	1	0	0	3	1	1	5	2	8	4	3	11
COVENTRY	257	1	0	1	1	2	2	3	7	10	11	26	27	24	38	37	67
CRANSTON	755	5	0	0	0	1	3	8	17	32	32	52	77	110	116	122	180
CUMBERLAND	257	2	1	0	0	2	1	8	4	13	12	17	30	35	45	27	60
EAST GREENWICH	66	1	0	0	0	0	0	0	3	1	3	3	6	7	11	11	20
EAST PROVIDENCE	574	4	0	1	1	0	1	5	14	22	23	45	50	62	95	82	169
EXETER	31	3	0	0	0	0	0	0	2	1	5	4	1	4	5	3	3
FOSTER	25	0	0	0	0	0	1	0	1	1	1	1	1	3	4	3	9
GLOCESTER	73	2	1	0	0	0	2	1	5	3	5	4	9	7	7	15	12
HOPKINTON	44	0	0	1	0	1	0	1	2	3	3	2	3	6	4	8	10
JAMESTOWN	44	1	0	0	0	0	0	1	1	1	2	2	2	5	11	3	15
JOHNSTON	255	2	0	0	0	1	2	6	4	12	8	22	25	42	42	37	52
LINCOLN	179	4	0	0	0	2	1	5	5	8	10	9	22	22	17	25	49
LITTLE COMPTON	33	2	1	0	0	0	0	0	0	0	0	2	1	4	7	5	11
MIDDLETOWN	141	1	0	0	0	0	0	4	6	3	5	11	8	8	25	20	50
NARRAGANSETT	111	1	0	0	0	0	0	2	5	8	4	6	9	19	15	20	22
NEWPORT	252	2	2	0	1	2	2	5	4	16	8	13	23	25	44	32	73
NEW SHOREHAM	13	0	0	0	0	0	0	0	1	0	1	1	0	2	4	3	1
NORTH KINGSTOWN	175	1	0	0	0	0	0	3	4	11	12	13	23	21	25	30	32
NORTH PROVIDENCE	320	3	0	0	0	1	0	4	4	8	20	21	39	51	47	53	69
NORTH SMITHFIELD	102	0	0	0	0	0	0	1	2	3	5	9	10	11	11	16	34
PAWTUCKET	809	15	2	0	2	1	7	21	11	26	40	48	80	122	106	124	204
PORTSMOUTH	98	0	0	0	0	0	2	0	3	3	7	7	16	16	18	11	15
PROVIDENCE	1707	26	3	3	4	12	16	47	51	90	79	111	151	196	230	234	451
RICHMOND	20	0	0	0	0	0	0	1	4	0	1	2	2	3	0	4	3
SCITUATE	68	1	1	0	0	0	2	2	3	2	4	5	5	11	10	10	12
SMITHFIELD	142	1	0	0	0	0	1	5	6	8	3	15	13	17	25	11	37
SOUTH KINGSTOWN	184	2	0	0	0	2	1	3	5	10	9	7	12	19	24	35	55
TIVERTON	131	2	0	1	0	0	0	2	1	3	9	9	18	29	25	13	19
WARREN	128	0	0	0	0	0	0	3	1	8	5	14	12	11	26	21	27
WARWICK	928	2	0	2	2	2	0	12	18	38	42	85	108	122	141	125	229
WESTERLY	220	1	1	0	0	0	3	2	8	11	13	17	24	21	30	33	56
WEST GREENWICH	18	0	0	0	0	0	0	3	0	2	1	2	0	1	2	4	3
WEST WARWICK	265	5	0	0	1	2	2	7	6	11	12	28	42	36	29	42	42
WOONSOCKET	551	10	1	0	0	1	4	8	14	21	22	36	51	79	71	84	149

* TOTAL MAY INCLUDE RECORDS WITH UNKNOWN AGE

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RHODE ISLAND, 1988

WHITE MALE

CITY OR TOWN	TOTAL*	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
RHODE ISLAND	4587	56	7	6	9	19	34	121	122	235	280	447	558	690	690	598	715
BARRINGTON	64	1	0	0	0	0	0	1	3	3	5	7	9	11	7	12	5
BRISTOL	116	1	0	0	0	0	1	0	3	6	5	10	16	15	16	19	24
BURRILLVILLE	65	5	0	0	0	0	1	1	2	3	7	12	6	11	8	5	4
CENTRAL FALLS	106	6	0	1	0	0	1	3	5	4	12	9	11	11	15	10	18
CHARLESTOWN	19	0	0	0	0	1	0	0	2	0	1	2	2	4	2	1	4
COVENTRY	134	0	0	0	1	0	2	1	5	7	9	17	15	15	24	11	27
CRANSTON	408	0	0	0	0	1	3	7	12	22	22	34	51	67	62	65	62
CUMBERLAND	129	2	1	0	0	1	1	6	1	9	7	14	14	22	28	8	15
EAST GREENWICH	27	0	0	0	0	0	0	0	1	1	1	2	4	6	6	1	5
EAST PROVIDENCE	259	3	0	1	1	0	1	2	6	13	14	27	30	31	47	36	47
EXETER	16	0	0	0	0	0	0	0	2	0	2	4	0	2	3	1	2
FOSTER	11	0	0	0	0	0	1	0	0	1	1	1	0	2	1	1	3
GLOCESTER	43	0	1	0	0	0	1	1	3	1	4	3	6	5	3	10	5
HOPKINTON	21	0	0	0	0	0	0	1	1	2	2	1	2	2	2	2	6
JAMESTOWN	16	0	0	0	0	0	0	1	0	1	1	1	1	1	4	2	4
JOHNSTON	111	0	0	0	0	1	1	4	4	9	4	15	15	21	13	12	12
LINCOLN	93	3	0	0	0	1	1	4	1	7	8	7	14	12	7	12	16
LITTLE COMPTON	18	1	0	0	0	0	0	0	0	0	0	2	1	2	4	2	6
MIDDLETOWN	63	0	0	0	0	0	0	2	2	2	2	7	5	7	10	9	17
NARRAGANSETT	51	1	0	0	0	0	0	1	1	3	3	3	5	10	9	9	6
NEWPORT	107	1	0	0	1	1	1	5	0	9	2	7	15	12	24	11	18
NEW SHOREHAM	9	0	0	0	0	0	0	0	1	0	0	0	0	1	3	3	1
NORTH KINGSTOWN	82	1	0	0	0	0	0	3	2	4	4	11	13	11	9	16	8
NORTH PROVIDENCE	168	1	0	0	0	1	0	3	1	6	12	13	24	32	26	27	22
NORTH SMITHFIELD	44	0	0	0	0	0	0	1	2	2	4	6	5	5	7	5	7
PAWTUCKET	380	8	1	0	1	1	4	14	5	12	30	34	48	69	54	44	55
PORTSMOUTH	44	0	0	0	0	0	2	0	1	3	5	2	7	7	10	3	4
PROVIDENCE	696	10	1	1	2	5	6	25	22	39	38	56	74	94	97	97	129
RICHMOND	11	0	0	0	0	0	0	1	0	0	0	2	1	2	0	3	2
SCITUATE	45	1	1	0	0	0	1	1	1	2	4	4	2	10	6	6	6
SMITHFIELD	74	1	0	0	0	0	0	4	5	4	2	11	8	14	15	4	6
SOUTH KINGSTOWN	87	2	0	0	0	2	1	2	2	6	4	5	8	15	9	12	19
TIVERTON	75	2	0	1	0	0	0	2	1	2	9	6	10	14	15	6	7
WARREN	64	0	0	0	0	0	0	2	1	4	4	12	8	4	12	11	6
WARWICK	446	1	0	2	2	2	0	10	9	21	26	55	56	69	73	52	68
WESTERLY	97	0	1	0	0	0	2	2	4	8	5	10	12	13	11	18	11
WEST GREENWICH	7	0	0	0	0	0	0	2	0	2	1	0	0	0	0	1	1
WEST WARWICK	135	1	0	0	1	1	1	5	4	6	7	14	27	17	16	18	17
WOONSOCKET	246	4	1	0	0	1	2	4	7	11	13	21	33	44	32	33	40

* TOTAL MAY INCLUDE RECORDS WITH UNKNOWN AGE

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RHODE ISLAND, 1988

WHITE FEMALE

CITY OR TOWN	TOTAL*	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
RHODE ISLAND	4800	38	5	3	1	10	14	44	89	148	152	234	386	519	683	789	1683
BARRINGTON	58	1	0	0	0	0	0	1	1	1	3	6	5	10	9	8	13
BRISTOL	91	0	0	0	0	1	0	1	1	4	3	2	4	10	11	16	38
BURRILLVILLE	73	0	0	0	0	0	0	1	1	4	2	4	5	5	8	13	30
CENTRAL FALLS	132	2	0	1	0	1	0	1	0	2	2	8	10	10	18	21	56
CHARLESTOWN	19	0	0	0	0	0	0	0	1	1	0	3	0	4	2	2	6
COVENTRY	122	1	0	1	0	2	0	2	2	3	2	9	12	9	13	26	40
CRANSTON	340	4	0	0	0	0	0	1	5	9	8	18	25	43	53	57	117
CUMBERLAND	128	0	0	0	0	1	0	2	3	4	5	3	16	13	17	19	45
EAST GREENWICH	39	1	0	0	0	0	0	0	2	0	2	1	2	1	5	10	15
EAST PROVIDENCE	280	1	0	0	0	0	0	2	4	8	7	14	16	25	41	43	119
EXETER	13	3	0	0	0	0	0	0	0	0	3	0	1	2	2	1	1
FOSTER	14	0	0	0	0	0	0	0	1	0	0	0	1	1	3	2	6
GLOCESTER	29	2	0	0	0	0	1	0	2	2	1	1	3	2	3	5	7
HOPKINTON	21	0	0	1	0	1	0	0	1	1	0	1	0	4	2	6	4
JAMESTOWN	28	1	0	0	0	0	0	0	1	0	1	1	1	4	7	1	11
JOHNSTON	143	2	0	0	0	0	1	2	0	3	4	6	10	21	29	25	40
LINCOLN	86	1	0	0	0	1	0	1	4	1	2	2	8	10	10	13	33
LITTLE COMPTON	15	1	1	0	0	0	0	0	0	0	0	0	0	2	3	3	5
MIDDLETOWN	72	0	0	0	0	0	0	2	2	1	3	3	3	1	14	11	32
NARRAGANSETT	56	0	0	0	0	0	0	1	3	5	1	3	4	7	6	10	16
NEWPORT	124	0	1	0	0	1	1	0	2	6	4	4	8	12	18	18	49
NEW SHOREHAM	3	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
NORTH KINGSTOWN	90	0	0	0	0	0	0	0	1	7	8	2	10	10	15	14	23
NORTH PROVIDENCE	148	2	0	0	0	0	0	1	3	2	8	7	15	18	21	24	47
NORTH SMITHFIELD	58	0	0	0	0	0	0	0	0	1	1	3	5	6	4	11	27
PAWTUCKET	421	5	1	0	1	0	3	5	6	14	10	14	32	53	50	79	148
PORTSMOUTH	54	0	0	0	0	0	0	0	2	0	2	5	9	9	8	8	11
PROVIDENCE	809	4	2	0	0	1	3	9	11	26	26	36	62	83	118	127	299
RICHMOND	8	0	0	0	0	0	0	0	4	0	1	0	1	0	0	1	1
SCITUATE	23	0	0	0	0	0	1	1	2	0	0	1	3	1	4	4	6
SMITHFIELD	67	0	0	0	0	0	0	1	1	4	1	4	5	3	10	7	31
SOUTH KINGSTOWN	92	0	0	0	0	0	0	1	2	3	4	2	4	4	14	22	36
TIVERTON	56	0	0	0	0	0	0	0	0	1	0	3	8	15	10	7	12
WARREN	63	0	0	0	0	0	0	1	0	4	1	2	4	7	14	10	20
WARWICK	471	1	0	0	0	0	0	2	8	17	14	28	51	52	68	72	158
WESTERLY	121	0	0	0	0	0	1	0	4	3	8	7	11	8	19	15	45
WEST GREENWICH	11	0	0	0	0	0	0	1	0	0	0	2	0	1	2	3	2
WEST WARWICK	130	4	0	0	0	1	1	2	2	5	5	14	15	19	13	24	25
WOONSOCKET	292	2	0	0	0	0	2	3	7	6	9	14	17	34	38	51	109

* TOTAL MAY INCLUDE RECORDS WITH UNKNOWN AGE

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RHODE ISLAND, 1988

NON-WHITE MALE

CITY OR TOWN	TOTAL*	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
RHODE ISLAND	187	13	2	0	1	5	8	12	17	22	15	22	14	16	16	9	15
BARRINGTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	2	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
CRANSTON	5	1	0	0	0	0	0	0	0	1	2	0	0	0	1	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	24	0	0	0	0	0	0	1	3	1	2	3	4	2	5	2	1
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NARRAGANSETT	3	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0
NEWPORT	12	1	1	0	0	0	0	0	2	1	1	1	0	1	1	0	3
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
NORTH PROVIDENCE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	3	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	112	7	0	0	1	5	6	9	10	16	8	14	8	9	6	4	9
RICHMOND	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	3	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WARWICK	3	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0
WESTERLY	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	8	3	0	0	0	0	0	1	0	2	0	1	1	0	0	0	0

* TOTAL MAY INCLUDE RECORDS WITH UNKNOWN AGE

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RHODE ISLAND, 1988

NON-WHITE FEMALE

CITY OR TOWN	TOTAL*	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
RHODE ISLAND	141	9	0	2	1	1	1	5	11	11	10	9	10	16	16	15	24
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	10	0	0	0	0	0	0	0	1	0	0	1	0	4	1	1	2
EXETER	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
HOPKINTON	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	5	1	0	0	0	0	0	0	2	0	0	0	0	0	1	0	1
NARRAGANSETT	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NEWPORT	9	0	0	0	0	0	0	0	0	0	1	1	0	0	1	3	3
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NORTH PROVIDENCE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	5	1	0	0	0	0	0	1	0	0	0	0	0	0	1	1	1
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	86	5	0	2	1	1	1	4	7	9	7	5	7	10	9	6	12
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	6	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3
WESTERLY	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	4	1	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0

* TOTAL MAY INCLUDE RECORDS WITH UNKNOWN AGE

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RHODE ISLAND, 1988

RACE AND/OR SEX UNKNOWN

CITY OR TOWN	TOTAL*	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
RHODE ISLAND	9	0	0	0	0	0	0	0	2	1	0	0	0	1	1	1	2
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEW SHOREHAM	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

* TOTAL MAY INCLUDE RECORDS WITH UNKNOWN AGE

Table 7 - Deaths and Death Rates for Leading Causes in 1988, and for Comparable Causes in 1979-1987
(Rhode Island Residents, Rates per 100,000 Population)

	Cause of Death (ICD9)	1988		1987		1986		1985		1984		1983		1982		1981		1980		1979	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1.	Diseases of the Heart (390-398,402,404-429)	3488	351.3	3652	370.4	3805	390.3	3684	380.5	3718	386.5	3720	389.5	3712	387.5	3813	400.5	3831	404.5	3798	408.7
2.	Malignant Neoplasms* (140-208)	2447	246.4	2342	237.5	2353	241.3	2365	244.3	2324	241.6	2303	241.0	2214	231.1	2152	226.1	2127	224.6	2124	228.6
3.	Cerebrovascular Diseases (430-438)	648	65.3	613	62.2	637	65.3	645	66.6	629	65.4	640	67.0	595	62.1	622	65.3	723	76.3	708	76.2
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	361	36.4	372	37.7	354	36.3	353	36.5	327	34.0	309	32.4	270	28.2	275	28.9	279	29.5	239	25.7
5.	Diabetes Mellitus (250)	282	28.4	202	20.5	171	17.5	221	22.8	217	22.6	208	21.8	252	26.3	181	19.0	199	21.0	198	21.3
6.	Accidents and Adverse Effects (E800-E949)	280	28.2	303	30.7	285	29.2	264	27.3	260	27.0	234	24.5	271	28.1	293	30.8	328	34.6	309	33.3
7.	Pneumonia and Influenza (480-487)	240	24.2	228	23.1	257	26.4	263	27.2	187	19.4	228	23.9	151	15.8	235	24.7	206	21.7	149	16.0
8.	Chronic Liver Disease and Cirrhosis (571)	136	13.7	116	11.8	104	10.7	109	11.3	128	13.3	121	12.7	126	13.2	135	14.2	148	16.6	139	15.0
9.	Atherosclerosis (440)	104	10.5	106	10.8	98	10.1	145	15.0	126	13.1	138	14.5	107	11.2	124	13.0	135	14.3	166	17.9
10.	Suicide (E950-E959)	102	10.3	134	13.6	100	10.3	96	9.9	96	10.0	101	10.6	110	11.5	105	11.0	108	11.4	115	12.4
11.	Septicemia (038)	95	9.6	90	9.1	106	10.9	91	9.4	74	7.7	54	5.7	44	4.6	63	6.5	37	3.9	37	4.0
12.	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	78	7.9	109	11.1	100	10.3	116	12.0	87	9.0	72	7.5	74	7.7	85	8.9	81	8.6	80	8.6
13.	Certain Conditions Originating in the Perinatal Period (760-779)	58	5.8	54	5.5	52	5.3	45	4.6	57	5.9	73	7.6	65	6.8	77	8.1	69	7.3	93	10.0
14.	Homicide and Legal Intervention (E960-E978)	46	4.6	45	4.6	41	4.2	39	4.0	42	4.4	38	4.0	37	3.9	48	5.0	55	5.8	37	4.0
15.	Hypertension with or without Renal Disease (401,403)	45	4.5	42	4.3	26	2.7	34	3.5	35	3.6	52	5.4	38	3.9	35	3.7	32	3.4	37	4.0
16.	Congenital Anomalies (740-759)	40	4.0	52	5.3	51	5.2	47	4.9	54	5.6	51	5.3	55	5.7	63	6.6	58	6.1	60	6.5
17.	Ulcer of the Stomach and Duodenum (531-533)	32	3.2	34	3.4	28	2.9	32	3.3	33	3.4	28	2.9	48	5.0	25	2.6	38	4.0	27	2.9
18.	Benign Neoplasms* (210-239)	27	2.7	39	4.0	19	1.9	36	3.7	25	2.6	34	3.6	31	2.1	25	2.6	31	3.3	24	2.6
18.	Hernia and Intestinal Obstruction* (550-553,560)	27	2.7	23	2.3	31	3.2	24	2.5	30	3.1	24	2.5	33	3.4	27	2.8	33	3.5	21	2.3
20.	Anemias (280-285)	14	1.4	21	2.1	21	2.2	22	2.3	16	1.7	15	1.6	25	2.6	13	1.4	5	0.5	16	1.7

* For complete category title, see Ninth Revision, International Classification of Diseases, 1975.

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1984-1988

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS		INFANT DEATHS		LIVE BIRTHS		OUT OF WEDLOCK		LOW BIRTH WGHT.	
			NO.	AVG. RATE(A)	NO.	AVG. RATIO(B)	NO.	AVG. RATE(A)	NO.	RATIO(B)	NO.	RATIO(B)
RHODE ISLAND	ALL	947154	48196	10.2	590	8.8	67187	14.2	13728	204.3	4146	61.7
BARRINGTON	301-304	16174	577	7.1	6	6.5	923	11.4	47	50.9	41	44.4
BRISTOL	307-309	20128	992	9.9	4	3.2	1267	12.6	117	92.3	74	58.4
BURRILLVILLE	129,130	13164	696	10.6	13	14.2	917	13.9	116	126.5	43	46.9
CENTRAL FALLS	108-111	16995	1158	13.6	19	11.2	1691	19.9	608	359.6	144	85.2
CHARLESTOWN	511	4800	216	9.0 (F)	4	8.6 (C)	467	19.5 (F)	53	113.5 (C)	22	47.1 (C)
COVENTRY	206,207	27065	1148	8.5	9	4.7	1916	14.2	236	123.2	95	49.6
CRANSTON	134-148	71992	3842	10.7	31	7.7	4033	11.2	481	119.3	235	58.3
EDGEWOOD-PAWTUXET	134-136	13382	642	9.6	6	7.1	841	12.6	137	162.9	58	69.0
AUBURN	137,138,140	18402	1051	11.4	5	4.5	1119	12.2	115	102.8	63	56.3
GARDEN CITY-DEAN ESTATES	139,143,144	12077	681	11.3	6	13.5 (C)	443	7.3	22	49.7 (C)	17	38.4 (C)
ARLINGTON-KNIGHTSVILLE	141,147	11017	703	12.8	9	12.6	712	12.9	132	185.4	43	60.4
WEST CRANSTON	145,146,148	13165	606	9.2	5	6.0	833	12.7	58	69.6	53	63.6
STATE INSTITUTIONS-PETTACONSETT	142	3949	150	7.6 (F)	0	0.0 (C)	79	4.0 (F)	15	189.9 (C)	1	12.7 (C)
CUMBERLAND	112-114	27069	1207	8.9	15	10.3	1461	10.8	142	97.2	82	56.1
NORTH	114	14290	616	8.6	6	8.9	677	9.5	48	70.9	32	47.3
SOUTH	112,113	12779	587	9.2	9	11.5	780	12.2	93	119.2	50	64.1
EAST GREENWICH	209	10211	442	8.7	5	9.5	527	10.3	58	110.1	23	43.6
EAST PROVIDENCE	101-107	50980	2878	11.3	18	5.7	3143	12.3	446	141.9	185	58.9
NORTH	101	7463	401	10.7	1	2.6 (C)	388	10.4	32	82.5 (C)	20	51.5 (C)
NORTH CENTER	102,103	11694	752	12.9	4	5.0	795	13.6	126	158.5	45	56.6
SOUTH CENTER	104,105	17076	1008	11.8	4	3.9	1037	12.1	135	130.2	58	55.9
SOUTH	106,107	14747	714	9.7	9	9.8	919	12.5	153	166.5	62	67.5
EXETER	505	4453	134	134.0 (F)	7	19.0 (C)	369	16.6 (F)	54	146.3 (C)	22	59.6 (C)
FOSTER	133	3370	136	141.0 (F)	3	12.4 (C)	242	14.4 (F)	22	90.9 (C)	11	45.5 (C)
GLOCESTER	131	7550	303	253.0	4	7.2	552	14.6	56	101.4	25	45.3
HOPKINTON	507	6406	242	233.0	4	7.7	519	16.2	73	140.7	24	46.2
JAMESTOWN	413	4040	222	218.0 (F)	2	6.4 (C)	311	15.4 (F)	18	57.9 (C)	17	54.7 (C)
JOHNSTON	122-125	24907	1227	1094.0	15	10.3	1463	11.7	163	111.4	75	51.3
LINCOLN	115-117	16949	899	892.0	6	6.2	961	11.3	88	91.6	48	49.9
NORTH	115	4717	310	266.0 (F)	2	7.0 (C)	286	12.1 (F)	32	111.9 (C)	16	55.9 (C)
SOUTH	116,117	12232	585	621.0	4	5.9	674	11.0	56	83.1	32	47.5

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1984-1988

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS		INFANT DEATHS		LIVE BIRTHS		OUT OF WEDLOCK		LOW BIRTH WGHT.	
			NO.	AVG. RATE(A)	NO.	AVG. RATIO(B)	NO.	AVG. RATE(A)	NO.	RATIO(B)	NO.	RATIO(B)
LITTLE COMPTON	414	3085	169	11.0 (F)	2	9.3 (C)	214	13.9 (F)	21	98.1 (C)	10	46.7 (C)
MIDDLETOWN	402-404	17186	650	7.6	12	9.1	1320	15.4	124	93.9	77	58.3
NARRAGANSETT	515	12088	488	8.1	9	10.0	903	14.9	125	138.4	47	52.0
NEWPORT	405-412	29259	1365	9.3	21	9.9	2112	14.4	511	242.0	114	54.0
NORTH	405,406 410-412	16421	722	8.8	14	10.3	1358	16.5	387	285.0	87	64.1
SOUTH	407-409	12838	637	9.9	6	8.1	745	11.6	123	165.1	27	36.2
NEW SHOREHAM	415	620	53	17.1 (F)	3	49.2 (C)	61	19.7 (F)	6	98.4 (C)	2	32.8 (C)
NORTH KINGSTOWN	501-504	21938	892	8.1	11	6.7	1630	14.9	185	113.5	85	52.1
NORTH PROVIDENCE	118-121	29188	1562	10.7	15	9.3	1614	11.1	158	97.9	87	53.9
NORTH SMITHFIELD	128	9972	470	9.4	3	6.7 (C)	449	9.0	34	75.7 (C)	30	66.8 (C)
PAWTUCKET	149-171	71204	4186	11.8	52	9.2	5645	15.9	1364	241.6	331	58.6
FAIRLAWN	150,163	7139	375	10.5	5	9.7	518	14.5	72	139.0	26	50.2
WOODLAWN-DOWNTOWN	149,151,152 161,162,164	16254	1150	14.2	18	11.2	1608	19.8	589	366.3	112	69.7
OAKHILL	165,166	5658	346	12.2	3	7.5 (C)	401	14.2	70	174.6 (C)	20	49.9 (C)
PLEASANT VIEW-EAST SIDE	153,154,160 167,171	14874	755	10.2	19	13.5	1405	18.9	392	279.0	91	64.8
NORTH DARLINGTON	155-159	17638	942	10.7	3	2.5	1178	13.4	183	155.3	57	48.4
SOUTH DARLINGTON	168-170	9641	612	12.7	4	7.6	528	11.0	56	106.1	25	47.3
PORTSMOUTH	401	14257	556	7.8	6	5.6	1073	15.1	92	85.7	39	36.3
PROVIDENCE	001-037	156804	8775	11.2	143	10.1	14105	18.0	5536	392.5	1210	85.8
WASHINGTON PARK	001	7763	353	9.1	13	15.7	828	21.3	303	365.9	78	94.2
ELMWOOD	002,003	14219	712	10.0	28	12.[illegible]	2248	31.6	1118	497.3	196	87.2
SO. PROVIDENCE(D)	004-007	9271	497	10.7	13	10.5	1243	26.8	760	611.4	133	107.0
FEDERAL HILL-OLNEYVILLE	008-011,019	14041	1309	18.6	8	6.9	1156	16.5	554	479.2	95	82.2
WEST END	012-015	13968	743	10.6	24	12.1	1988	28.5	839	422.0	171	86.0
ANNEX-MANTON	016-018,020	17630	967	11.0	11	6.1	1798	20.4	738	410.5	162	90.1
ELMHURST-UPPER MT. PLEASANT	021,023,024	20755	1123	10.8	16	15.3	1048	10.1	151	144.1	80	76.3
SMITH HILL-LOWER MT. PLEASANT	022,025,026	9404	547	11.6	9	8.7	1033	22.0	382	369.8	88	85.2
EAGLE PARK-WANSKUCK	027-029	14791	799	10.8	8	7.6	1050	14.2	316	301.0	72	68.6
HOPE	030-033	12299	921	15.0	7	7.3	962	15.6	277	287.9	73	75.9

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1984-1988

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS		INFANT DEATHS		LIVE BIRTHS		OUT OF WEDLOCK		LOW BIRTH WGHT.	
			NO.	AVG. RATE(A)	NO.	AVG. RATIO(B)	NO.	AVG. RATE(A)	NO.	RATIO(B)	NO.	RATIO(B)
EAST SIDE	034,035	10185	475	9.3	3	6.3 (C)	476	9.3	38	79.8 (C)	34	71.4 (C)
COLLEGE HILL-FOX POINT	036,037	12278	304	5.0	2	6.3 (C)	316	5.1	48	151.9 (C)	24	75.9 (C)
INNER CITY (E)	003-007 009-014 019,025 026,031,037	51637	3103	12.0	72	11.7	6140	23.8	2939	478.7	556	90.6
RICHMOND	506	4018	108	5.4 (F)	4	11.5 (C)	349	17.4 (F)	52	149.0 (C)	11	31.5 (C)
SCITUATE	132	8405	365	8.7	3	5.4	554	13.2	49	88.4	23	41.5
SMITHFIELD	126,127	16886	691	8.2	3	3.1	977	11.6	72	73.7	42	43.0
SOUTH KINGSTOWN	512-514	20414	790	7.7	12	8.8	1357	13.3	166	122.3	69	50.8
TIVERTON	416,417	13526	569	8.4	7	9.6	729	10.8	71	97.4	25	34.3
WARREN	305,306	10640	655	12.3	5	6.4	777	14.6	103	132.6	37	47.6
WARWICK	210-224	87123	4540	10.4	33	6.5	5092	11.7	659	129.4	269	52.8
LAKEWOOD-SPRING GREEN	210,212,213	17633	1052	11.9	5	5.1	985	11.2	110	111.7	49	49.7
NORWOOD-HILLSGROVE	211,214	14830	762	10.3	9	10.9	824	11.1	95	115.3	45	54.6
GREENWOOD-PONTIAC	221,223	9155	616	13.5	5	12.1 (C)	414	9.0	46	111.1 (C)	18	43.5 (C)
BUTTONWOODS	219	12407	539	8.7	4	5.6	716	11.5	75	104.7	32	44.7
OAKLAND BEACH-WARWICK NECK	215-218	18433	853	9.3	5	3.7	1348	14.6	253	187.7	84	62.3
COWESETT-POTOWAMUT	220,222,224	14395	715	9.9	5	6.3	790	11.0	78	98.7	41	51.9
WESTERLY	508-510	18580	1016	10.9	12	8.2	1465	15.8	192	131.1	70	47.8
WEST GREENWICH	208	2738	96	7.0 (F)	2	8.3 (C)	240	17.5 (F)	27	112.5 (C)	12	50.0 (C)
WEST WARWICK	201-205	27026	1254	9.3	15	7.0	2154	15.9	384	178.3	122	56.6

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN

FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1984-1988

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATIO(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
WOONSOCKET	172-185	45914	2627	11.4	52	14.8	3525	15.4	1019	289.1	268	76.0
FAIRMOUNT-CENTRAL	172,174,176	8844	438	9.9	10	11.7	855	19.3	347	405.8	77	90.1
GLOBE-NORTH END	173,175	7305	366	10.0	8	16.2 (C)	493	13.5	76	154.2 (C)	36	73.0 (C)
BERNON	177-179	10177	588	11.6	15	19.2	781	15.3	188	240.7	38	48.7
SOCIAL	180-183	8983	712	15.9	10	12.3	812	18.1	281	346.1	71	87.4
EAST WOONSOCKET	184,185	10605	528	10.0	10	17.2	582	11.0	127	218.2	46	79.0

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACTS UNKNOWN

(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1980 CENSUS

(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS 1983-1987

(C) RATIO BASED ON A DENOMINATOR OF LESS THAN 500 LIVE BIRTHS AND MAY BE STATISTICALLY UNRELIABLE

(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS 'MODEL CITY AREA'

(E) PROVIDENCE 'INNER CITY' GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS

(F) RATE BASED ON A DENOMINATOR OF LESS THAN 5,000 POPULATION AND MAY BE STATISTICALLY UNRELIABLE

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1965-1988 (Rhode Island Residents)

BIRTHS OUT OF WEDLOCK					
Year	Number	Ratio	Year	Number	Ratio
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2
1970	1,148	72.6	1982	2,009	160.7
1971	1,116	74.9	1983	2,220	176.5
1972	1,064	80.1	1984	2,241	177.2
1973	1,140	92.9	1985	2,543	195.7
1974	1,133	99.9	1986	2,640	198.1
1975	1,244	116.0	1987	3,050	217.2
1976	1,352	125.3	1988	3,254	229.5

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1979-1988

		AGE OF MOTHER IN YEARS					
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3
1982	Number	2,009	767	775	312	111	43
	Ratio	160.7	544.0	191.7	73.4	51.1	68.8
1983	Number	2,220	855	796	376	148	45
	Ratio	176.5	596.2	210.6	86.5	63.1	67.1
1984	Number	2,241	841	883	315	152	50
	Ratio	177.2	648.4	234.6	73.6	60.9	61.5
1985	Number	2,543*	942	910	432	177	82
	Ratio	195.7	667.6	237.7	98.1	70.6	96.9
1986	Number	2,640*	936	960	461	207	76
	Ratio	198.1	680.7	267.6	99.1	74.1	83.3
1987	Number	3,050	1017	1130	568	233	102
	Ratio	217.2	737.0	305.2	117.0	75.6	100.2
1988	Number	3,254	1105	1191	588	268	102
	Ratio	229.5	756.3	336.2	123.5	81.3	91.6

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, SEX, AND AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 1988

RACE & SEX OF CHILD BY AGE OF MOTHER	TOTAL*	LIVE BIRTH ORDER OF CHILD								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	14179	6079	4827	2131	681	202	81	27	34	117
WHITE MALE	6408	2843	2207	939	271	72	28	6	8	34
WHITE FEMALE	6001	2603	2081	920	262	64	23	9	10	29
NON-WHITE MALE	868	327	271	147	62	30	12	6	10	3
NON-WHITE FEMALE	830	296	257	124	83	36	18	6	6	4
UNKNOWN MALE	31	6	6	1	1	0	0	0	0	17
UNKNOWN FEMALE	40	4	4	0	2	0	0	0	0	30
UNDER 15 YEARS										
TOTAL	23	22	1	0	0	0	0	0	0	0
WHITE MALE	5	5	0	0	0	0	0	0	0	0
WHITE FEMALE	10	9	1	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	78	75	3	0	0	0	0	0	0	0
WHITE MALE	29	28	1	0	0	0	0	0	0	0
WHITE FEMALE	26	26	0	0	0	0	0	0	0	0
NON-WHITE MALE	11	9	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	12	12	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	152	136	14	2	0	0	0	0	0	0
WHITE MALE	61	54	7	0	0	0	0	0	0	0
WHITE FEMALE	50	48	1	1	0	0	0	0	0	0
NON-WHITE MALE	15	12	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	25	21	4	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
17 YEARS										
TOTAL	282	238	36	5	1	0	0	0	0	2
WHITE MALE	118	102	12	2	1	0	0	0	0	1
WHITE FEMALE	106	86	18	1	0	0	0	0	0	1
NON-WHITE MALE	31	26	5	0	0	0	0	0	0	0
NON-WHITE FEMALE	26	23	1	2	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, SEX, AND
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, [illegible]

RACE & SEX OF CHI BY AGE OF MOTHER	LIVE BIRTH ORDER OF CHILD TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	478	338	85	16	1	0	0	0	0	2
WHITE MALE	191	155	30	4	0	0	0	0	0	2
WHITE FEMALE	152	125	26	5	0	0	0	0	0	0
NON-WHITE MALE	67	29	13	5	0	0	0	0	0	0
NON-WHITE FEMALE	66	28	16	6	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	506	350	101	17	9	2	1	0	0	6
WHITE MALE	202	149	38	6	5	0	0	0	0	2
WHITE FEMALE	189	140	38	6	3	1	1	0	0	2
NON-WHITE MALE	61	28	10	2	0	1	0	0	0	0
NON-WHITE FEMALE	51	32	15	3	1	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	2
20 YEARS										
TOTAL	512	321	143	35	9	2	0	0	0	2
WHITE MALE	223	146	58	16	3	0	0	0	0	0
WHITE FEMALE	200	135	51	10	2	1	0	0	0	1
NON-WHITE MALE	46	21	16	7	1	1	0	0	0	0
NON-WHITE FEMALE	41	18	17	2	3	0	0	0	0	1
UNKNOWN MALE	2	1	1	0	0	0	0	0	0	0
21 YEARS										
TOTAL	672	336	227	79	19	4	1	0	0	6
WHITE MALE	289	152	96	33	5	0	1	0	0	2
WHITE FEMALE	272	144	91	28	7	2	0	0	0	0
NON-WHITE MALE	50	21	16	10	2	1	0	0	0	0
NON-WHITE FEMALE	55	18	23	8	5	1	0	0	0	0
UNKNOWN MALE	3	1	0	0	0	0	0	0	0	2
UNKNOWN FEMALE	3	0	1	0	0	0	0	0	0	2
22 YEARS										
TOTAL	738	350	254	90	33	6	3	0	0	2
WHITE MALE	302	151	105	38	6	1	0	0	0	1
WHITE FEMALE	336	167	119	34	16	0	0	0	0	0
NON-WHITE MALE	57	21	16	13	4	3	0	0	0	0
NON-WHITE FEMALE	42	11	14	5	7	2	3	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1

TABLE 11. - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, SEX, AND
AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, [illegible]

RACE AND SEX OF CHILD BY AGE OF MOTHER	TOTAL*	LIVE BIRTH ORDER OF CHILD FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH OR MORE	UNKNOWN
<20 YEARS										
TOTAL	794	366	276	110	27	8	2	1	0	6
WHITE MALE	336	166	106	45	13	1	1	0	0	4
WHITE FEMALE	341	165	120	46	6	5	0	0	0	1
NON-WHITE MALE	66	16	31	12	5	1	0	0	0	1
NON-WHITE FEMALE	51	19	19	7	3	1	1	1	0	0
20-24 YEARS										
TOTAL	831	375	306	88	37	16	6	0	0	5
WHITE MALE	363	170	137	36	13	5	2	0	0	0
WHITE FEMALE	365	159	143	40	15	3	2	0	0	3
NON-WHITE MALE	57	25	16	8	6	6	0	0	0	0
NON-WHITE FEMALE	43	20	12	6	5	2	0	0	0	0
UNKNOWN FEMALE	3	1	0	0	0	0	0	0	0	2
25-29 YEARS										
TOTAL	4763	1957	1738	725	210	52	24	6	5	46
WHITE MALE	2257	983	822	321	84	20	10	3	0	14
WHITE FEMALE	2028	850	742	320	80	16	6	1	1	12
NON-WHITE MALE	223	65	85	44	18	4	5	0	2	0
NON-WHITE FEMALE	231	58	85	40	27	12	3	2	2	2
UNKNOWN MALE	8	0	2	0	0	0	0	0	0	6
UNKNOWN FEMALE	16	1	2	0	1	0	0	0	0	12
30-34 YEARS										
TOTAL	3298	975	1279	694	219	64	25	7	10	25
WHITE MALE	1530	466	632	312	85	19	9	1	1	5
WHITE FEMALE	1442	445	556	312	87	22	7	5	3	5
NON-WHITE MALE	157	38	45	32	22	10	4	1	4	1
NON-WHITE FEMALE	148	24	42	37	24	13	5	0	2	1
UNKNOWN MALE	11	2	2	1	0	0	0	0	0	6
UNKNOWN FEMALE	9	0	1	0	1	0	0	0	0	7
35-39 YEARS										
TOTAL	1001	227	341	250	94	40	17	6	13	13
WHITE MALE	457	106	153	114	48	22	4	1	6	3
WHITE FEMALE	441	100	165	113	35	12	6	2	5	3
NON-WHITE MALE	52	11	16	12	5	1	3	1	2	1
NON-WHITE FEMALE	45	10	7	11	6	5	4	2	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	5	0	0	0	0	0	0	0	0	5

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, SEX, AND AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 1988

RACE & SEX OF CHILD BY AGE OF MOTHER	TOTAL*	LIVE BIRTH ORDER OF CHILD								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	106	15	25	23	21	7	3	5	5	2
WHITE MALE	46	10	10	12	7	4	1	1	1	0
WHITE FEMALE	41	4	12	9	11	2	0	1	1	1
NON-WHITE MALE	8	1	0	1	1	1	0	2	2	0
NON-WHITE FEMALE	9	0	2	1	2	0	2	1	1	0
UNKNOWN MALE	2	0	1	0	0	0	0	0	0	1
45-49 YEARS										
TOTAL	7	0	0	1	1	1	1	2	1	0
WHITE MALE	1	0	0	0	1	0	0	0	0	0
WHITE FEMALE	2	0	0	1	0	0	1	0	0	0
NON-WHITE MALE	3	0	0	0	0	1	0	2	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0

* TOTALS MAY INCLUDE BIRTHS OF UNKOWN SEX.

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, SEX, AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 1988

RACE & SEX OF CHILD BY AGE OF MOTHER	TOTAL*	LIVE BIRTH ORDER OF CHILD								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	3254	1668	864	416	177	64	29	7	13	16
WHITE MALE	1253	703	301	155	55	22	8	1	3	5
WHITE FEMALE	1155	603	319	140	61	13	7	2	5	5
NON-WHITE MALE	408	179	114	68	24	15	3	1	3	1
NON-WHITE FEMALE	425	179	128	52	36	14	11	3	2	0
UNKNOWN MALE	5	2	1	1	1	0	0	0	0	0
UNKNOWN FEMALE	8	2	1	0	0	0	0	0	0	5
UNDER 15 YEARS										
TOTAL	22	21	1	0	0	0	0	0	0	0
WHITE MALE	5	5	0	0	0	0	0	0	0	0
WHITE FEMALE	10	9	1	0	0	0	0	0	0	0
NON-WHITE MALE	5	5	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	74	71	3	0	0	0	0	0	0	0
WHITE MALE	27	26	1	0	0	0	0	0	0	0
WHITE FEMALE	25	25	0	0	0	0	0	0	0	0
NON-WHITE MALE	11	9	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	11	11	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	137	121	14	2	0	0	0	0	0	0
WHITE MALE	57	50	7	0	0	0	0	0	0	0
WHITE FEMALE	41	39	1	1	0	0	0	0	0	0
NON-WHITE MALE	14	11	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	24	20	4	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
17 YEARS										
TOTAL	230	196	28	5	1	0	0	0	0	0
WHITE MALE	95	83	9	2	1	0	0	0	0	0
WHITE FEMALE	80	66	13	1	0	0	0	0	0	0
NON-WHITE MALE	30	25	5	0	0	0	0	0	0	0
NON-WHITE FEMALE	24	21	1	2	0	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, SEX, AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 1988

RACE & SEX OF CHILD BY AGE OF MOTHER	TOTAL*	LIVE BIRTH ORDER OF CHILD								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	335	252	66	15	1	0	0	0	0	1
WHITE MALE	144	118	21	4	0	0	0	0	0	1
WHITE FEMALE	109	88	19	2	0	0	0	0	0	0
NON-WHITE MALE	40	23	12	5	0	0	0	0	0	0
NON-WHITE FEMALE	40	22	14	4	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
19 YEARS										
TOTAL	307	226	57	13	5	1	1	0	0	4
WHITE MALE	121	95	17	6	3	0	0	0	0	0
WHITE FEMALE	113	86	20	2	2	0	1	0	0	2
NON-WHITE MALE	30	19	8	2	0	1	0	0	0	0
NON-WHITE FEMALE	41	26	12	3	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	2
20 YEARS										
TOTAL	270	162	75	24	8	1	0	0	0	0
WHITE MALE	118	75	29	12	2	0	0	0	0	0
WHITE FEMALE	88	61	20	5	2	0	0	0	0	0
NON-WHITE MALE	32	13	12	5	1	1	0	0	0	0
NON-WHITE FEMALE	32	13	14	2	3	0	0	0	0	0
21 YEARS										
TOTAL	275	112	100	41	15	3	1	0	0	3
WHITE MALE	105	45	37	17	3	0	1	0	0	2
WHITE FEMALE	98	45	36	10	6	1	0	0	0	0
NON-WHITE MALE	31	12	9	8	1	1	0	0	0	0
NON-WHITE FEMALE	38	9	17	6	5	1	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	1	0	0	0	0	0	0	1
22 YEARS										
TOTAL	253	97	88	43	19	3	2	0	0	1
WHITE MALE	92	42	26	19	4	0	0	0	0	1
WHITE FEMALE	109	39	45	15	10	0	0	0	0	0
NON-WHITE MALE	31	11	7	8	3	2	0	0	0	0
NON-WHITE FEMALE	21	5	10	1	2	1	2	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, SEX, AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 1988

RACE & SEX OF CHILD BY AGE OF MOTHER	LIVE BIRTH ORDER OF CHILD									
	TOTAL*	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	199	76	72	27	17	3	2	0	0	2
WHITE MALE	69	25	23	10	8	1	1	0	0	1
WHITE FEMALE	69	35	21	9	2	2	0	0	0	0
NON-WHITE MALE	33	8	14	6	4	0	0	0	0	1
NON-WHITE FEMALE	28	8	14	2	3	0	1	0	0	0
24 YEARS										
TOTAL	194	70	64	28	18	11	3	0	0	0
WHITE MALE	66	25	20	11	5	3	2	0	0	0
WHITE FEMALE	73	24	29	10	7	2	1	0	0	0
NON-WHITE MALE	34	13	9	4	3	5	0	0	0	0
NON-WHITE FEMALE	21	8	6	3	3	1	0	0	0	0
25-29 YEARS										
TOTAL	588	167	195	135	55	20	8	3	3	2
WHITE MALE	221	74	70	49	19	6	2	1	0	0
WHITE FEMALE	206	49	72	54	21	5	2	0	1	2
NON-WHITE MALE	72	19	26	18	5	1	2	0	1	0
NON-WHITE FEMALE	88	25	26	14	10	8	2	2	1	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
30-34 YEARS										
TOTAL	268	73	82	60	27	13	7	0	4	2
WHITE MALE	99	29	36	18	8	6	1	0	1	0
WHITE FEMALE	97	30	32	19	7	3	3	0	2	1
NON-WHITE MALE	30	7	5	10	6	2	0	0	0	0
NON-WHITE FEMALE	40	7	9	12	6	2	3	0	1	0
UNKNOWN MALE	1	0	0	1	0	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1
35-39 YEARS										
TOTAL	86	23	18	20	7	7	4	2	4	1
WHITE MALE	29	10	5	5	1	5	1	0	2	0
WHITE FEMALE	33	7	10	11	2	0	0	1	2	0
NON-WHITE MALE	11	4	3	1	1	1	1	0	0	0
NON-WHITE FEMALE	12	2	0	3	3	1	2	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, SEX, AND LIVE BIRTH ORDER OF CHILD, RHODE ISLAND, 1988

RACE & SEX OF CHILD BY AGE OF MOTHER	TOTAL*	LIVE BIRTH ORDER OF CHILD								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	14	1	1	3	4	1	1	1	2	0
WHITE MALE	5	1	0	2	1	1	0	0	0	0
WHITE FEMALE	4	0	0	1	2	0	0	1	0	0
NON-WHITE MALE	2	0	0	0	0	0	0	0	2	0
NON-WHITE FEMALE	3	0	1	0	1	0	1	0	0	0
45-49 YEARS										
TOTAL	2	0	0	0	0	1	0	1	0	0
NON-WHITE MALE	2	0	0	0	0	1	0	1	0	0

* TOTALS MAY INCLUDE BIRTHS OF UNKNOWN SEX.

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
ALL AGES												
TOTAL	14179	849	85	62	170	532	2150	5169	4258	1383	223	26
WHITE	12410	696	70	53	140	433	1760	4466	3874	1279	206	25
NON-WHITE	1698	151	15	9	30	97	373	675	366	98	17	1
RACE UNKNOWN	71	2	0	0	0	2	17	28	18	6	0	0
UNDER 15 YEARS												
TOTAL	23	0	0	0	0	0	9	13	0	1	0	0
WHITE	15	0	0	0	0	0	2	12	0	1	0	0
NON-WHITE	8	0	0	0	0	0	7	1	0	0	0	0
15 YEARS												
TOTAL	78	6	2	1	1	2	20	29	20	1	1	0
WHITE	55	4	2	0	1	1	14	21	13	1	1	0
NON-WHITE	23	2	0	1	0	1	6	8	7	0	0	0
16 YEARS												
TOTAL	[illegible]	[illegible]	1	0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	1
WHITE	[illegible]	[illegible]	1	0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1	1
NON-WHITE	[illegible]	[illegible]	0	0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
17 YEARS												
TOTAL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
WHITE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
NON-WHITE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
18 YEARS												
TOTAL	438	32	3	3	7	19	91	173	107	29	5	1
WHITE	341	20	2	2	4	12	61	136	91	27	5	1
NON-WHITE	95	12	1	1	3	7	29	36	16	2	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	1	0	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
19 YEARS												
TOTAL	486	31	3	1	5	22	93	185	136	27	7	2
WHITE	391	29	3	1	4	21	68	136	122	23	7	2
NON-WHITE	92	1	0	0	1	0	25	47	14	4	0	0
RACE UNKNOWN	3	1	0	0	0	1	0	2	0	0	0	0
20 YEARS												
TOTAL	512	41	3	8	12	18	87	198	139	37	5	0
WHITE	423	31	3	8	6	14	73	160	118	33	4	0
NON-WHITE	87	10	0	0	6	4	14	37	20	4	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	1	0	0	0
21 YEARS												
TOTAL	672	51	2	4	8	37	118	247	185	56	4	5
WHITE	561	40	2	4	6	28	78	212	163	53	4	5
NON-WHITE	105	10	0	0	2	8	38	34	20	3	0	0
RACE UNKNOWN	6	1	0	0	0	1	2	1	2	0	0	0
22 YEARS												
TOTAL	738	65	9	4	14	38	124	276	200	65	6	0
WHITE	638	53	8	4	13	28	106	238	176	60	4	0
NON-WHITE	99	12	1	0	1	10	18	38	24	4	2	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
23 YEARS												
TOTAL	790	52	7	5	12	28	130	255	247	85	14	0
WHITE	675	42	4	3	10	25	106	215	219	75	11	0
NON-WHITE	115	10	3	2	2	3	24	40	28	10	3	0
24 YEARS												
TOTAL	831	60	1	3	9	47	141	307	232	78	6	0
WHITE	728	50	1	3	8	38	117	270	205	74	5	0
NON-WHITE	100	10	0	0	1	9	24	37	24	4	1	0
RACE UNKNOWN	3	0	0	0	0	0	0	0	3	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
25-29 YEARS												
TOTAL	4763	254	22	18	59	155	659	1775	1456	479	85	8
WHITE	4285	214	13	17	53	131	564	1581	1352	446	81	8
NON-WHITE	454	40	9	1	6	24	90	183	97	32	4	0
RACE UNKNOWN	24	0	0	0	0	0	5	11	7	1	0	0
30-34 YEARS												
TOTAL	3298	158	18	8	23	109	433	1176	1069	366	64	6
WHITE	2973	137	18	7	19	93	366	1044	1000	339	60	5
NON-WHITE	305	21	0	1	4	16	61	124	66	24	4	1
RACE UNKNOWN	20	0	0	0	0	0	6	8	3	3	0	0
35-39 YEARS												
TOTAL	1001	56	11	4	14	27	129	339	325	121	22	3
WHITE	898	47	10	3	13	21	119	293	298	112	22	3
NON-WHITE	97	9	1	1	1	6	9	44	25	8	0	0
RACE UNKNOWN	6	0	0	0	0	0	1	2	2	1	0	0
40-44 YEARS												
TOTAL	106	8	1	0	2	5	14	30	31	17	3	0
WHITE	87	6	1	0	1	4	8	26	28	15	1	0
NON-WHITE	17	2	0	0	1	1	4	4	3	2	2	0
RACE UNKNOWN	2	0	0	0	0	0	2	0	0	0	0	0
45-49 YEARS												
TOTAL	7	0	0	0	0	0	0	4	3	0	0	0
WHITE	3	0	0	0	0	0	0	2	1	0	0	0
NON-WHITE	4	0	0	0	0	0	0	2	2	0	0	0
50-64 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

# LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

			BIRTH WEIGHT IN GRAMS*									
RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
ALL AGES												
TOTAL	326	119	10	17	32	60	102	83	14	1	0	0
WHITE	289	102	7	17	29	49	90	75	14	1	0	0
NON-WHITE	37	17	3	0	3	11	12	8	0	0	0	0
RACE UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
UNDER 15 YEARS												
TOTAL	2	0	0	0	0	0	1	1	0	0	0	0
WHITE	2	0	0	0	0	0	1	1	0	0	0	0
15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS												
TOTAL	2	2	0	0	1	1	0	0	0	0	0	0
WHITE	2	2	0	0	1	1	0	0	0	0	0	0
17 YEARS												
TOTAL	4	0	0	0	0	0	2	1	1	0	0	0
WHITE	4	0	0	0	0	0	2	1	1	0	0	0
18 YEARS												
TOTAL	6	3	0	0	0	3	3	0	0	0	0	0
NON-WHITE	6	3	0	0	0	3	3	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
19 YEARS												
TOTAL	2	1	0	0	1	0	1	0	0	0	0	0
WHITE	2	1	0	0	1	0	1	0	0	0	0	0
20 YEARS												
TOTAL	8	5	0	3	1	1	3	0	0	0	0	0
WHITE	8	5	0	3	1	1	3	0	0	0	0	0
21 YEARS												
TOTAL	16	12	0	2	1	9	3	1	0	0	0	0
WHITE	16	12	0	2	1	9	3	1	0	0	0	0
22 YEARS												
TOTAL	24	14	2	2	4	6	5	5	0	0	0	0
WHITE	20	11	2	2	4	3	4	5	0	0	0	0
NON-WHITE	4	3	0	0	0	3	1	0	0	0	0	0
23 YEARS												
TOTAL	11	5	1	0	1	3	3	1	2	0	0	0
WHITE	10	4	0	0	1	3	3	1	2	0	0	0
NON-WHITE	1	1	1	0	0	0	0	0	0	0	0	0
24 YEARS												
TOTAL	20	8	0	1	2	5	8	4	0	0	0	0
WHITE	20	8	0	1	2	5	8	4	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
25-29 YEARS												
TOTAL	112	31	3	4	12	12	35	36	5	1	0	0
WHITE	104	29	1	4	12	12	33	32	5	1	0	0
NON-WHITE	8	2	2	0	0	0	2	4	0	0	0	0
30-34 YEARS												
TOTAL	79	23	2	3	3	15	22	25	6	0	0	0
WHITE	65	17	2	3	1	11	18	21	6	0	0	0
NON-WHITE	14	6	0	0	2	4	4	4	0	0	0	0
35-39 YEARS												
TOTAL	33	12	2	2	5	3	14	7	0	0	0	0
WHITE	31	10	2	2	4	2	14	7	0	0	0	0
NON-WHITE	2	2	0	0	1	1	0	0	0	0	0	0
40-44 YEARS												
TOTAL	7	3	0	0	1	2	2	2	0	0	0	0
WHITE	5	3	0	0	1	2	0	2	0	0	0	0
NON-WHITE	2	0	0	0	0	0	2	0	0	0	0	0
45-49 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
50-64 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

# LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

			BIRTH WEIGHT IN GRAMS*									
RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
ALL AGES												
TOTAL	3254	336	30	23	63	220	681	1208	783	186	26	8
WHITE	2408	233	20	19	43	151	480	885	611	153	19	8
NON-WHITE	833	101	10	4	20	67	198	317	170	33	7	0
RACE UNKNOWN	13	2	0	0	0	2	3	6	2	0	0	0
UNDER 15 YEARS												
TOTAL	22	0	0	0	0	0	8	13	0	1	0	0
WHITE	15	0	0	0	0	0	2	12	0	1	0	0
NON-WHITE	7	0	0	0	0	0	6	1	0	0	0	0
15 YEARS												
TOTAL	74	6	2	1	1	2	20	25	20	1	1	0
WHITE	52	4	2	0	1	1	14	18	13	1	1	0
NON-WHITE	22	2	0	1	0	1	6	7	7	0	0	0
16 YEARS												
TOTAL	137	12	0	0	2	10	37	47	35	3	1	1
WHITE	98	9	0	0	1	8	27	28	29	2	1	1
NON-WHITE	38	3	0	0	1	2	10	18	6	1	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
17 YEARS												
TOTAL	230	19	1	3	2	13	47	85	60	18	0	0
WHITE	175	10	1	1	1	7	35	64	47	18	0	0
NON-WHITE	54	9	0	2	1	6	12	20	13	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
18 YEARS												
TOTAL	335	25	1	2	6	16	73	133	80	17	4	1
WHITE	253	15	0	2	3	10	49	102	65	15	4	1
NON-WHITE	80	10	1	0	3	6	23	30	15	2	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	1	0	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
19 YEARS												
TOTAL	307	25	2	1	3	19	59	129	72	17	1	2
WHITE	234	23	2	1	2	18	41	93	60	13	1	2
NON-WHITE	71	1	0	0	1	0	18	35	12	4	0	0
RACE UNKNOWN	2	1	0	0	0	1	0	1	0	0	0	0
20 YEARS												
TOTAL	270	31	2	4	11	14	49	103	70	11	2	0
WHITE	206	23	2	4	5	12	37	75	56	10	1	0
NON-WHITE	64	8	0	0	6	2	12	28	14	1	1	0
21 YEARS												
TOTAL	275	27	1	2	6	18	61	93	68	20	1	4
WHITE	203	18	1	2	4	11	36	72	53	18	1	4
NON-WHITE	69	8	0	0	2	6	24	21	14	2	0	0
RACE UNKNOWN	3	1	0	0	0	1	1	0	1	0	0	0
22 YEARS												
TOTAL	253	36	7	4	5	20	43	95	59	18	1	0
WHITE	201	29	6	4	5	14	36	74	45	17	0	0
NON-WHITE	52	7	1	0	0	6	7	21	14	1	1	0
23 YEARS												
TOTAL	199	20	3	2	5	10	38	75	47	15	3	0
WHITE	138	14	2	1	3	8	28	54	31	8	2	0
NON-WHITE	61	6	1	1	2	2	10	21	16	7	1	0
24 YEARS												
TOTAL	194	25	0	1	3	21	42	66	46	11	2	0
WHITE	139	16	0	1	2	13	28	49	35	8	1	0
NON-WHITE	55	9	0	0	1	8	14	17	11	3	1	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE AND BIRTH WEIGHT OF CHILD
RHODE ISLAND, 1988

			BIRTH WEIGHT IN GRAMS*									
RACE OF CHILD BY AGE OF MOTHER	TOTAL**	LOW BIRTH WEIGHT#	1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001-& OVER
25-29 YEARS												
TOTAL	588	64	7	3	13	41	127	218	127	39	8	0
WHITE	427	42	0	3	12	27	90	159	97	30	6	0
NON-WHITE	160	22	7	0	1	14	37	58	30	9	2	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
30-34 YEARS												
TOTAL	268	38	4	0	4	30	64	85	67	9	2	0
WHITE	196	25	4	0	2	19	46	57	58	8	1	0
NON-WHITE	70	13	0	0	2	11	17	27	9	1	1	0
RACE UNKNOWN	2	0	0	0	0	0	1	1	0	0	0	0
35-39 YEARS												
TOTAL	86	7	0	0	2	5	11	35	26	6	0	0
WHITE	62	5	0	0	2	3	10	24	19	4	0	0
NON-WHITE	23	2	0	0	0	2	1	11	6	2	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	1	0	0	0
40-44 YEARS												
TOTAL	14	1	0	0	0	1	2	6	4	0	0	0
WHITE	9	0	0	0	0	0	1	4	3	0	0	0
NON-WHITE	5	1	0	0	0	1	1	2	1	0	0	0
45-49 YEARS												
TOTAL	2	0	0	0	0	0	0	0	2	0	0	0
NON-WHITE	2	0	0	0	0	0	0	0	2	0	0	0
50-64 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT

LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 (GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN, RACE OF CHILD, AND SELECTED CHARACTERISTICS, RHODE ISLAND, 1988

	ALL RACES				WHITE				NON-WHITE				UN-KNOWN
CITY OR TOWN	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	14179	14100	3254	849	12410	12359	2408	696	1698	1670	833	151	71
BARRINGTON	220	220	11	10	214	214	10	10	5	5	1	0	1
BRISTOL	271	270	28	12	260	259	25	10	8	8	2	1	3
BURRILLVILLE	181	178	26	9	181	178	26	9	0	0	0	0	0
CENTRAL FALLS	397	396	174	42	350	349	150	38	47	47	24	4	0
CHARLESTOWN	122	121	18	6	110	109	14	5	9	9	4	1	3
COVENTRY	364	364	62	14	352	352	62	14	11	11	0	0	1
CRANSTON	838	837	119	39	783	782	112	37	48	48	7	2	7
CUMBERLAND	348	344	34	15	342	338	32	15	6	6	2	0	0
EAST GREENWICH	106	105	12	6	104	103	12	6	2	2	0	0	0
EAST PROVIDENCE	647	645	108	43	579	578	78	42	66	65	29	1	2
EXETER	74	72	10	3	71	69	9	3	2	2	1	0	1
FOSTER	61	59	4	1	60	58	3	1	0	0	0	0	1
GLOCESTER	116	116	15	6	115	115	14	6	1	1	1	0	0
HOPKINTON	108	108	17	3	105	105	17	3	3	3	0	0	0
JAMESTOWN	64	64	0	2	61	61	0	2	2	2	0	0	1
JOHNSTON	323	323	40	16	315	315	37	16	6	6	3	0	2
LINCOLN	206	206	21	7	202	202	20	7	2	2	0	0	2
LITTLE COMPTON	41	40	5	1	40	39	5	1	1	1	0	0	0
MIDDLETOWN	258	256	25	16	233	231	20	14	24	24	5	2	1
NARRAGANSETT	181	180	25	5	173	172	23	5	7	7	2	0	1
NEWPORT	426	426	115	19	349	349	77	13	73	73	38	6	4
NEW SHOREHAM	12	12	4	0	12	12	4	0	0	0	0	0	0
NORTH KINGSTOWN	318	318	35	9	305	305	31	9	12	12	4	0	1
NORTH PROVIDENCE	329	327	34	14	320	318	33	14	8	8	1	0	1
NORTH SMITHFIELD	89	88	6	1	87	86	6	1	1	1	0	0	1
PAWTUCKET	1196	1192	319	63	1027	1024	256	55	158	157	61	8	11
PORTSMOUTH	208	208	18	12	197	197	17	10	10	10	1	2	1
PROVIDENCE	3065	3034	1319	263	2028	2021	721	160	1020	996	591	102	17
RICHMOND	90	88	16	4	86	84	15	4	3	3	1	0	1
SCITUATE	130	130	13	9	125	125	10	9	5	5	3	0	0
SMITHFIELD	203	202	15	9	200	199	15	9	2	2	0	0	1
SOUTH KINGSTOWN	261	253	38	18	236	228	32	13	24	24	6	5	1
TIVERTON	171	171	19	3	169	169	19	3	2	2	0	0	0
WARREN	149	149	28	12	147	147	27	12	2	2	1	0	0
WARWICK	1011	1009	143	54	985	984	135	52	24	23	8	2	2
WESTERLY	288	286	36	10	276	274	33	6	12	12	3	4	0
WEST GREENWICH	61	61	9	1	61	61	9	1	0	0	0	0	0
WEST WARWICK	474	472	86	29	459	457	83	28	15	15	3	1	0
WOONSOCKET	772	770	247	63	691	690	216	53	77	76	31	10	4

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1988

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	14179	1111	1057	1162	1203	1246	1194	1286	1262	1254	1219	1074	1111
BARRINGTON	220	15	24	21	15	17	15	25	16	16	21	22	13
BRISTOL	271	18	21	25	26	29	28	16	21	25	22	24	16
BURRILLVILLE	181	18	11	11	11	10	12	28	15	19	17	15	14
CENTRAL FALLS	397	36	36	26	26	33	30	38	37	29	38	34	34
CHARLESTOWN	122	10	12	10	19	20	8	10	11	3	4	9	6
COVENTRY	364	26	26	25	29	28	40	34	37	38	33	33	15
CRANSTON	838	61	59	69	52	80	72	75	80	72	87	66	65
CUMBERLAND	348	26	30	37	37	31	28	19	36	22	30	21	31
EAST GREENWICH	106	8	7	12	12	10	8	9	7	9	6	10	8
EAST PROVIDENCE	647	47	54	55	52	60	63	62	47	49	57	38	63
EXETER	74	6	5	11	3	7	4	3	9	10	7	3	6
FOSTER	61	5	5	8	3	5	4	4	6	7	4	8	2
GLOCESTER	116	10	8	11	16	16	7	12	9	10	10	3	4
HOPKINTON	108	7	4	11	6	10	13	9	9	10	8	11	10
JAMESTOWN	64	7	5	4	7	1	6	3	8	5	10	3	5
JOHNSTON	323	16	22	27	30	26	32	29	30	28	30	31	22
LINCOLN	206	16	15	17	16	15	19	17	18	19	20	20	14
LITTLE COMPTON	41	8	4	1	5	4	2	3	4	1	3	3	3
MIDDLETOWN	258	20	20	19	26	22	23	21	30	20	19	23	15
NARRAGANSETT	181	13	17	15	16	19	14	23	17	11	12	12	12
NEWPORT	426	22	34	32	52	41	37	41	33	47	35	19	33
NEW SHOREHAM	12	3	1	1	1	0	0	1	1	2	1	1	0
NORTH KINGSTOWN	318	20	17	30	30	33	25	37	33	25	27	24	17
NORTH PROVIDENCE	329	28	28	31	21	33	27	36	22	38	29	17	19
NORTH SMITHFIELD	89	5	7	11	9	6	4	8	8	10	7	5	9
PAWTUCKET	1196	103	78	104	102	101	100	121	105	104	96	87	95
PORTSMOUTH	208	20	14	12	15	21	23	13	21	20	21	13	15
PROVIDENCE	3065	241	210	222	264	277	267	299	265	278	249	237	256
RICHMOND	90	5	4	7	7	2	8	7	8	9	16	6	11
SCITUATE	130	14	10	9	11	15	4	12	12	9	8	9	17
SMITHFIELD	203	13	17	22	12	22	18	17	15	17	15	14	21
SOUTH KINGSTOWN	261	22	22	17	26	21	24	19	17	27	26	21	19
TIVERTON	171	9	15	20	16	12	9	18	17	11	19	16	9
WARREN	149	15	14	5	7	13	13	16	11	12	18	11	14
WARWICK	1011	88	89	81	90	74	86	85	88	90	85	77	78
WESTERLY	288	24	20	25	25	24	28	19	29	24	26	23	21
WEST GREENWICH	61	3	2	9	4	6	7	5	5	7	5	6	2
WEST WARWICK	474	40	29	38	43	33	38	32	50	48	34	32	57
WOONSOCKET	772	63	61	71	61	69	48	60	75	73	64	67	60

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

					MONTH OF PREGNANCY PRENATAL CARE BEGAN				
CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	14179	3254	849	37	11730	1817	317	102	213
BARRINGTON	220	11	10	0	207	11	1	0	1
301	66	1	4	0	64	2	0	0	0
302	38	2	2	0	35	3	0	0	0
303	76	4	3	0	71	4	0	0	1
304	39	3	1	0	36	2	1	0	0
UNKNOWN	1	1	0	0	1	0	0	0	0
BRISTOL	271	28	12	0	244	21	4	0	2
307	73	12	4	0	62	8	2	0	1
308	54	5	2	0	48	5	1	0	0
309	144	11	6	0	134	8	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
BURRILLVILLE	181	26	9	1	167	11	1	1	1
129	96	17	8	0	88	6	0	1	1
130	85	9	1	1	79	5	1	0	0
CENTRAL FALLS	397	174	42	2	279	92	15	1	10
108	84	42	8	0	58	21	3	0	2
109	106	40	11	1	82	18	4	0	2
110	108	42	13	0	79	26	1	0	2
111	98	50	10	1	59	27	7	1	4
UNKNOWN	1	0	0	0	1	0	0	0	0
CHARLESTOWN-511	122	18	6	3	101	13	5	0	3
COVENTRY	364	62	14	1	310	42	4	2	6
206	252	48	9	1	208	36	3	2	3
207	112	14	5	0	102	6	1	0	3
CRANSTON	838	119	39	0	735	75	10	3	15
134	64	13	3	0	54	7	0	0	3
135	62	9	4	0	50	7	1	1	3
136	46	7	1	0	42	4	0	0	0
137	109	18	5	0	90	13	2	1	3

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON (CONT.)									
138	56	8	1	0	47	5	2	0	2
139	23	1	2	0	23	0	0	0	0
140	63	8	4	0	57	3	0	0	3
141	68	22	5	0	57	9	1	1	0
142	23	4	0	0	22	0	1	0	0
143	42	3	0	0	37	5	0	0	0
144	30	1	1	0	28	2	0	0	0
145	79	5	5	0	70	8	1	0	0
146	60	3	4	0	58	2	0	0	0
147	64	13	2	0	56	6	1	0	1
148	48	3	2	0	44	3	1	0	0
UNKNOWN	1	1	0	0	0	1	0	0	0
CUMBERLAND	348	34	15	0	319	24	2	0	3
112	78	10	4	0	72	6	0	0	0
113	104	14	3	0	93	10	0	0	1
114	166	10	8	0	154	8	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	106	12	6	1	92	11	2	0	1
EAST PROVIDENCE	647	108	43	1	567	59	11	3	7
101	76	7	7	1	68	7	0	0	1
102	114	24	9	0	91	18	3	1	1
103	46	7	1	0	41	3	1	0	1
104	95	18	6	0	81	11	2	0	1
105	112	16	3	0	103	5	2	1	1
106	116	25	11	0	102	8	3	1	2
107	87	11	6	0	80	7	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
EXETER-505	74	10	3	0	64	6	1	0	3
FOSTER-133	61	4	1	0	55	3	0	0	3
GLOCESTER-131	116	15	6	0	106	6	0	2	2

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN				
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	108	17	3	0	97	7	1	1	2
JAMESTOWN-413	64	0	2	1	60	1	0	0	3
JOHNSTON	323	40	16	0	285	18	12	2	6
122	69	5	5	0	58	4	6	0	1
123	76	10	3	0	68	2	2	2	2
124	110	18	6	0	96	7	4	0	3
125	67	7	2	0	62	5	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
LINCOLN	206	21	7	1	182	18	3	0	3
115	57	6	4	0	49	5	1	0	2
116	38	0	1	0	35	2	1	0	0
117	111	15	2	1	98	11	1	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	41	5	1	1	38	3	0	0	0
MIDDLETOWN	258	25	16	1	228	24	6	0	0
402	22	1	4	1	21	0	1	0	0
403	164	19	10	0	139	21	4	0	0
404	72	5	2	0	68	3	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	181	25	5	0	161	16	2	0	2
NEWPORT	426	115	19	3	344	65	11	2	4
405	122	54	8	1	87	31	3	1	0
406	92	23	4	1	77	13	1	0	1
407	49	4	2	1	44	4	1	0	0
408	38	12	0	0	28	6	3	0	1
409	50	6	3	0	47	0	1	1	1
410	15	4	0	0	12	3	0	0	0
411	29	4	1	0	24	4	1	0	0
412	30	8	1	0	24	4	1	0	1
UNKNOWN	1	0	0	0	1	0	0	0	0

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN				
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	12	4	0	0	11	1	0	0	0
NORTH KINGSTOWN	318	35	9	1	287	25	3	1	2
501	134	18	4	0	120	11	1	1	1
502	12	0	0	0	12	0	0	0	0
503	94	11	4	0	85	6	2	0	1
504	78	6	1	1	70	8	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	329	34	14	0	286	28	7	1	7
118	69	7	3	0	55	11	1	0	2
119	92	12	7	0	80	7	2	0	3
120	56	4	2	0	48	3	2	1	2
121	112	11	2	0	103	7	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	89	6	1	1	82	3	1	0	3
PAWTUCKET	1196	319	63	4	966	182	25	6	17
149	9	7	1	0	4	4	1	0	0
150	76	12	4	0	68	7	1	0	0
151	89	32	4	0	63	21	0	1	4
152	33	20	4	1	25	6	2	0	0
153	60	17	4	0	43	13	1	0	3
154	44	15	2	1	34	9	0	0	1
155	69	15	1	0	49	15	3	0	2
156	42	6	1	0	34	6	2	0	0
157	33	2	1	0	30	3	0	0	0
158	50	10	3	0	43	6	0	0	1
159	41	6	1	0	35	5	1	0	0
160	68	19	2	0	56	11	1	0	0
161	94	36	8	0	77	11	3	2	1
163	41	8	0	0	32	8	0	0	1
164	111	44	11	0	91	13	4	3	0

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET (CONT.)									
165	67	17	3	0	59	5	2	0	1
166	24	4	0	0	24	0	0	0	0
167	58	19	4	0	47	9	2	0	0
168	30	1	0	1	29	1	0	0	0
169	21	0	0	0	19	1	0	0	1
170	59	9	5	1	43	14	1	0	1
171	76	20	4	0	61	13	1	0	1
UNKNOWN	1	0	0	0	0	1	0	0	0
PORTSMOUTH-401	208	18	12	0	190	16	0	1	1
PROVIDENCE	3065	1319	263	0	2139	682	132	52	60
1	183	73	15	0	130	39	9	3	2
2	297	151	28	0	183	82	20	5	7
3	186	99	14	0	108	63	10	1	4
4	93	55	13	0	56	25	6	4	2
5	106	71	9	0	68	30	5	1	2
6	37	23	5	0	22	10	3	2	0
7	36	24	3	0	26	6	3	1	0
8	6	1	0	0	5	0	1	0	0
9	36	20	5	0	24	10	0	1	1
10	38	19	1	0	29	7	1	1	0
11	41	25	3	0	30	4	3	2	2
12	87	58	9	0	46	28	5	2	6
13	112	48	6	0	73	31	5	0	3
14	168	77	17	0	81	60	15	6	6
15	49	12	4	0	37	11	1	0	0
16	132	45	7	0	103	21	4	2	2
17	54	19	4	0	40	11	1	1	1
18	110	59	11	0	78	21	2	5	4
19	154	87	18	0	116	29	6	2	1
20	90	41	3	0	66	17	3	2	2

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN				
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE (CONT.)									
21	112	30	4	0	93	18	1	0	0
22	63	22	7	0	49	13	1	0	0
23	66	8	8	0	63	1	1	0	1
24	46	6	6	0	41	4	0	1	0
25	64	27	8	0	44	12	5	2	1
26	109	59	10	0	69	32	6	1	1
27	76	40	3	0	49	19	5	1	2
28	75	23	8	0	59	12	1	0	3
29	87	18	10	0	68	15	2	1	1
30	1	1	0	0	0	1	0	0	0
31	59	24	6	0	46	10	1	2	0
32	82	26	10	0	58	16	2	2	4
33	65	9	2	0	57	5	2	0	1
34	52	1	1	0	49	2	1	0	0
35	35	6	1	0	25	7	1	1	1
36	21	1	0	0	21	0	0	0	0
37	33	9	4	0	25	8	0	0	0
UNKNOWN	4	2	0	0	2	2	0	0	0
INNER CITY	1359	725	131	0	863	365	74	28	29
RICHMOND-506	90	16	4	1	78	7	0	1	4
SCITUATE-132	130	13	9	0	113	15	1	0	1
SMITHFIELD	203	15	9	0	186	12	3	0	2
126	86	7	3	0	82	3	1	0	0
127	117	8	6	0	104	9	2	0	2
SOUTH KINGSTOWN	261	38	18	6	234	15	2	6	4
512	91	21	6	3	78	5	1	3	4
513	163	15	12	3	149	10	1	3	0
514	6	1	0	0	6	0	0	0	0
UNKNOWN	1	1	0	0	1	0	0	0	0

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON	171	19	3	0	145	23	3	0	0
416	90	10	2	0	74	16	0	0	0
417	81	9	1	0	71	7	3	0	0
WARREN	149	28	12	0	125	18	4	1	1
305	52	16	4	0	40	10	1	0	1
306	97	12	8	0	85	8	3	1	0
WARWICK	1011	143	54	3	896	85	14	10	6
210	100	19	7	0	88	9	2	1	0
211	69	11	4	0	61	7	0	1	0
212	45	7	3	0	42	2	1	0	0
213	52	6	1	0	46	4	1	0	1
214	93	14	4	1	83	9	1	0	0
215	117	23	7	0	101	12	1	2	1
216	20	3	1	0	18	1	0	0	1
217	79	18	5	0	65	8	3	2	1
218	51	2	2	0	48	2	0	1	0
219	139	10	11	1	122	12	3	1	1
220	56	13	1	1	47	6	1	2	0
221	39	5	0	0	34	5	0	0	0
222	76	4	4	0	73	2	0	0	1
223	44	5	4	0	40	4	0	0	0
224	29	2	0	0	27	2	0	0	0
UNKNOWN	2	1	0	0	1	0	1	0	0
WESTERLY	288	36	10	3	237	28	5	0	18
508	141	16	7	2	116	16	1	0	8
509	130	16	2	1	111	9	2	0	8
510	15	4	1	0	10	2	2	0	1
UNKNOWN	2	0	0	0	0	1	0	0	1
WEST GREENWICH-208	61	9	1	0	55	5	1	0	0
WEST WARWICK	474	86	29	0	400	58	9	2	5
201	168	21	10	0	143	20	3	0	2

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	MONTH OF PREGNANCY PRENATAL CARE BEGAN			NO CARE	NOT STATED
					1ST-3RD MONTH	4TH-6TH MONTH	7TH-9TH MONTH		
WEST WARWICK (CONT.)									
202	80	12	4	0	69	9	0	1	1
203	114	34	7	0	93	13	5	1	2
204	57	13	1	0	50	6	1	0	0
205	55	6	7	0	45	10	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
WOONSOCKET	772	247	63	2	659	88	16	4	5
172	25	10	2	0	19	2	3	1	0
173	58	12	4	0	51	6	0	0	1
174	89	38	6	1	70	15	2	2	0
175	53	9	7	1	48	3	2	0	0
176	84	43	5	0	68	14	1	0	1
177	50	6	1	0	45	2	2	0	1
178	56	15	4	0	49	6	1	0	0
179	62	20	2	0	54	8	0	0	0
180	28	10	3	0	21	4	2	0	1
181	56	26	11	0	45	10	1	0	0
182	46	15	5	0	38	6	2	0	0
183	32	12	1	0	29	2	0	1	0
184	86	23	5	0	79	7	0	0	0
185	46	8	7	0	42	3	0	0	1
UNKNOWN	1	0	0	0	1	0	0	0	0

* NOTE: BEGINNING WITH 1988 DATA, MONTH PRENATAL CARE BEGAN IS AGGREGATED BY TRIMESTER

TABLE 18A - BIRTHS OUT OF WEDLOCK, 1988
ALL AGES AND UNDER AGE BY CITY OR TOWN OF RESIDENCE

CITY OR TOWN	ALL BIRTHS TOTAL BIRTHS	ALL BIRTHS UNDER AGE 20	BIRTHS OUT OF WEDLOCK TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK UNDER AGE 20
STATE TOTAL	14179	1461	3254	1105
BARRINGTON	220	7	11	6
BRISTOL	271	19	28	12
BURRILLVILLE	181	16	26	10
CENTRAL FALLS	397	64	174	47
CHARLESTOWN	122	10	18	7
COVENTRY	364	34	62	29
CRANSTON	838	55	119	43
CUMBERLAND	348	11	34	8
EAST GREENWICH	106	6	12	(a)
EAST PROVIDENCE	647	46	108	32
EXETER	74	7	10	(a)
FOSTER	61	0	(a)	0
GLOCESTER	116	6	15	6
HOPKINTON	108	14	17	11
JAMESTOWN	64	0	0	0
JOHNSTON	323	19	40	16
LINCOLN	206	11	21	6
LITTLE COMPTON	41	(a)	(a)	(a)
MIDDLETOWN	258	13	25	8
NARRAGANSETT	181	9	25	7
NEWPORT	426	44	115	33
NEW SHOREHAM	12	(a)	(a)	0
NORTH KINGSTOWN	318	26	35	18
NORTH PROVIDENCE	329	17	34	9
NORTH SMITHFIELD	89	(a)	6	(a)
PAWTUCKET	1196	150	319	117
PORTSMOUTH	208	12	18	11
PROVIDENCE	3065	510	1319	408
RICHMOND	90	12	16	11
SCITUATE	130	6	13	(a)
SMITHFIELD	203	(a)	15	(a)
SOUTH KINGSTOWN	261	17	38	15
TIVERTON	171	10	19	7
WARREN	149	17	28	7
WARWICK	1011	70	143	54
WESTERLY	288	27	36	18
WEST GREENWICH	61	6	9	(a)
WEST WARWICK	474	42	86	28
WOONSOCKET	772	138	247	97

(a) - NUMBER IS GREATER THAN ZERO BUT LESS THAN SIX.

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1988

		RACE			WEEKS OF UTEROGESTATION			
MODE OF DELIVERY	TOTAL	WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8656	7319	1013	324	8524	58	51	23
SPONTANEOUS	1040	772	95	173	919	52	51	18
INDUCED	7616	6547	918	151	7605	6	0	5

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1988

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8656	8524	58	51	23
JANUARY	793	787	0	4	2
FEBRUARY	719	714	3	2	0
MARCH	744	729	8	7	0
APRIL	686	679	3	3	1
MAY	669	659	4	5	1
JUNE	703	692	6	2	3
JULY	749	735	6	5	3
AUGUST	750	737	4	6	3
SEPTEMBER	744	729	7	4	4
OCTOBER	652	638	3	8	3
NOVEMBER	675	664	9	2	0
DECEMBER	772	761	5	3	3

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6814	1929	4739	946	655	251	5868	1274	4488
BARRINGTON	71	25	46	20	16	4	51	9	42
301	22	5	17	6	4	2	16	1	15
302	12	6	6	3	3	0	9	3	6
303	20	8	12	7	6	1	13	2	11
304	15	6	9	4	3	1	11	3	8
UNKNOWN	2	0	2	0	0	0	2	0	2
BRISTOL	101	30	70	21	15	5	80	15	65
307	29	8	21	6	4	2	23	4	19
308	25	6	19	4	3	1	21	3	18
309	42	13	28	10	7	2	32	6	26
UNKNOWN	5	3	2	1	1	0	4	2	2
BURRILLVILLE	72	25	47	16	14	2	56	11	45
129	33	10	23	8	6	2	25	4	21
130	39	15	24	8	8	0	31	7	24
CENTRAL FALLS	168	49	114	9	4	3	159	45	111
108	48	15	30	4	1	1	44	14	29
109	30	8	21	2	1	1	28	7	20
110	32	14	18	2	1	1	30	13	17
111	57	11	45	1	1	0	56	10	45
UNKNOWN	1	1	0	0	0	0	1	1	0
CHARLESTOWN-511	42	14	28	11	8	3	31	6	25
COVENTRY	133	36	96	10	8	2	123	28	94
206	93	23	70	8	6	2	85	17	68
207	40	13	26	2	2	0	38	11	26
CRANSTON	452	138	301	83	67	14	369	71	287
134	35	13	22	11	10	1	24	3	21
135	47	13	33	8	7	1	39	6	32
136	31	10	20	6	6	0	25	4	20
137	48	17	31	7	6	1	41	11	30

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
CRANSTON (CONT.)									
138	26	5	21	5	4	1	21	1	20
139	9	3	6	2	2	0	7	1	6
140	36	8	25	8	4	3	28	4	22
141	50	13	36	5	4	1	45	9	35
142	11	2	9	1	0	1	10	2	8
143	22	10	12	7	6	1	15	4	11
144	16	5	11	2	2	0	14	3	11
145	28	6	19	6	4	1	22	2	18
146	20	10	8	6	5	1	14	5	7
147	52	13	38	5	3	2	47	10	36
148	18	9	8	3	3	0	15	6	8
UNKNOWN	3	1	2	1	1	0	2	0	2
CUMBERLAND	119	33	84	18	15	1	101	18	83
112	29	7	22	2	2	0	27	5	22
113	35	13	20	10	8	0	25	5	20
114	53	13	40	6	5	1	47	8	39
UNKNOWN	2	0	2	0	0	0	2	0	2
EAST GREENWICH-209	47	11	36	5	5	0	42	6	36
EAST PROVIDENCE	302	94	197	50	31	19	252	63	178
101	32	16	16	7	5	2	25	11	14
102	56	16	37	10	6	4	46	10	33
103	22	6	15	3	2	1	19	4	14
104	42	12	27	11	4	7	31	8	20
105	67	16	50	6	5	1	61	11	49
106	50	19	29	9	7	2	41	12	27
107	32	8	23	4	2	2	28	6	21
UNKNOWN	1	1	0	0	0	0	1	1	0
EXETER-505	28	6	22	3	3	0	25	3	22
FOSTER-133	15	7	8	4	3	1	11	4	7
GLOCESTER-131	40	16	24	8	7	1	32	9	23

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
HOPKINTON-507	33	10	23	8	6	2	25	4	21
JAMESTOWN-413	23	9	14	2	1	1	21	8	13
JOHNSTON	165	50	115	20	17	3	145	33	112
122	29	9	20	6	6	0	23	3	20
123	39	10	29	2	2	0	37	8	29
124	60	20	40	8	6	2	52	14	38
125	35	10	25	3	2	1	32	8	24
UNKNOWN	2	1	1	1	1	0	1	0	1
LINCOLN	92	29	62	17	14	2	75	15	60
115	30	11	18	5	3	1	25	8	17
116	24	9	15	4	3	1	20	6	14
117	37	9	28	8	8	0	29	1	28
UNKNOWN	1	0	1	0	0	0	1	0	1
LITTLE COMPTON-414	11	2	8	2	1	1	9	1	7
MIDDLETOWN	68	22	45	4	3	1	64	19	44
402	7	3	4	1	1	0	6	2	4
403	39	15	23	1	1	0	38	14	23
404	22	4	18	2	1	1	20	3	17
UNKNOWN	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	128	27	98	12	8	3	116	19	95
NEWPORT	243	38	203	8	3	4	235	35	199
405	46	8	37	0	0	0	46	8	37
406	47	9	38	1	1	0	46	8	38
407	38	7	31	1	1	0	37	6	31
408	29	4	25	1	0	1	28	4	24
409	35	3	32	2	0	2	33	3	30
410	18	2	16	0	0	0	18	2	16
411	10	2	8	1	1	0	9	1	8
412	14	2	11	2	0	1	12	2	10
UNKNOWN	6	1	5	0	0	0	6	1	5

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
NEW SHOREHAM-415	11	1	10	0	0	0	11	1	10
NORTH KINGSTOWN	132	47	84	23	20	3	109	27	81
501	55	14	41	8	7	1	47	7	40
502	10	6	4	3	3	0	7	3	4
503	32	12	20	6	5	1	26	7	19
504	29	13	15	6	5	1	23	8	14
UNKNOWN	6	2	4	0	0	0	6	2	4
NORTH PROVIDENCE	187	48	133	28	22	5	159	26	128
118	49	8	39	3	1	2	46	7	37
119	42	12	29	8	8	0	34	4	29
120	30	5	25	4	3	1	26	2	24
121	65	22	40	13	10	2	52	12	38
UNKNOWN	1	1	0	0	0	0	1	1	0
NORTH SMITHFIELD-128	50	18	31	16	13	2	34	5	29
PAWTUCKET	581	175	395	75	57	17	506	118	378
149	6	0	6	0	0	0	6	0	6
150	34	10	23	3	3	0	31	7	23
151	52	15	36	5	4	1	47	11	35
152	25	7	17	4	2	2	21	5	15
153	17	4	13	2	1	1	15	3	12
154	25	12	13	5	5	0	20	7	13
155	31	16	14	7	7	0	24	9	14
156	16	6	9	3	2	1	13	4	8
157	19	6	13	4	4	0	15	2	13
158	16	7	9	2	2	0	14	5	9
159	18	2	15	2	0	1	16	2	14
160	21	7	14	2	1	1	19	6	13
161	64	16	48	8	4	4	56	12	44
163	14	5	9	1	1	0	13	4	9
164	49	20	29	5	5	0	44	15	29

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
PAWTUCKET (CONT.)									
165	33	11	22	8	7	1	25	4	21
166	21	4	16	0	0	0	21	4	16
167	35	8	26	4	2	2	31	6	24
168	18	3	14	3	2	1	15	1	13
169	12	4	8	1	1	0	11	3	8
170	17	2	14	3	1	2	14	1	12
171	37	10	26	3	3	0	34	7	26
UNKNOWN	1	0	1	0	0	0	1	0	1
PORTSMOUTH-401	95	33	62	10	8	2	85	25	60
PROVIDENCE	1981	541	1387	248	138	100	1733	403	1287
1	125	31	89	13	6	4	112	25	85
2	168	61	101	21	9	12	147	52	89
3	94	31	60	12	8	4	82	23	56
4	64	15	48	15	8	7	49	7	41
5	51	8	43	4	0	4	47	8	39
6	19	3	15	2	1	1	17	2	14
7	39	12	25	6	3	1	33	9	24
8	37	5	31	3	0	2	34	5	29
9	30	4	26	2	1	1	28	3	25
10	34	10	24	4	3	1	30	7	23
11	35	7	28	6	3	3	29	4	25
12	35	8	26	4	3	1	31	5	25
13	55	24	29	11	8	3	44	16	26
14	96	36	57	11	6	5	85	30	52
15	37	14	22	6	3	2	31	11	20
16	58	13	44	10	5	5	48	8	39
17	28	13	15	6	5	1	22	8	14
18	70	20	48	12	7	5	58	13	43
19	63	20	42	6	2	4	57	18	38
20	39	13	25	6	3	3	33	10	22

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
PROVIDENCE (CONT.)									
21	52	14	37	5	3	2	47	11	35
22	36	10	26	2	1	1	34	9	25
23	43	11	31	4	4	0	39	7	31
24	44	5	37	4	2	1	40	3	36
25	34	10	22	2	1	1	32	9	21
26	52	19	31	7	3	4	45	16	27
27	43	8	32	5	4	1	38	4	31
28	58	15	43	11	4	7	47	11	36
29	51	12	38	6	5	1	45	7	37
30	0	0	0	0	0	0	0	0	0
31	62	17	44	6	3	3	56	14	41
32	56	13	41	10	4	6	46	9	35
33	56	20	35	11	10	1	45	10	34
34	27	10	17	5	5	0	22	5	17
35	40	11	28	2	1	1	38	10	27
36	71	3	65	0	0	0	71	3	65
37	57	11	45	5	4	0	52	7	45
UNKNOWN	22	4	17	3	0	2	19	4	15
RICHMOND-506	17	9	8	9	6	3	8	3	5
SCITUATE-132	46	22	23	17	14	2	29	8	21
SMITHFIELD	74	23	50	20	14	5	54	9	45
126	42	12	29	13	8	4	29	4	25
127	32	11	21	7	6	1	25	5	20
SOUTH KINGSTOWN	166	47	118	20	17	3	146	30	115
512	40	13	27	4	3	1	36	10	26
513	73	28	45	14	12	2	59	16	43
514	46	3	42	2	2	0	44	1	42
UNKNOWN	7	3	4	0	0	0	7	3	4

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
TIVERTON	45	9	35	5	5	0	40	4	35
416	24	7	16	4	4	0	20	3	16
417	21	2	19	1	1	0	20	1	19
WARREN	63	16	45	8	5	2	55	11	43
305	26	7	18	2	0	1	24	7	17
306	37	9	27	6	5	1	31	4	26
WARWICK	464	112	346	46	31	14	418	81	332
210	46	14	32	6	6	0	40	8	32
211	34	5	27	2	1	1	32	4	26
212	17	2	14	0	0	0	17	2	14
213	24	6	18	3	3	0	21	3	18
214	45	14	30	4	2	2	41	12	28
215	52	18	34	3	2	1	49	16	33
216	7	1	6	1	1	0	6	0	6
217	49	13	36	3	2	1	46	11	35
218	17	2	15	2	0	2	15	2	13
219	60	15	44	8	4	3	52	11	41
220	26	4	22	3	2	1	23	2	21
221	15	3	12	2	1	1	13	2	11
222	39	7	32	6	5	1	33	2	31
223	27	8	18	2	2	0	25	6	18
224	4	0	4	0	0	0	4	0	4
UNKNOWN	2	0	2	1	0	1	1	0	1
WESTERLY	96	28	66	24	14	9	72	14	57
508	46	13	32	16	8	8	30	5	24
509	32	11	21	3	3	0	29	8	21
510	16	3	12	4	2	1	12	1	11
UNKNOWN	2	1	1	1	1	0	1	0	1
WEST GREENWICH-208	15	2	13	0	0	0	15	2	13
WEST WARWICK	189	46	136	14	10	1	175	36	135
201	88	20	63	7	6	0	81	14	63

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1988

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
WEST WARWICK (CONT.)									
202	31	7	23	2	1	0	29	6	23
203	35	9	25	2	1	0	33	8	25
204	20	3	17	2	1	1	18	2	16
205	14	7	7	1	1	0	13	6	7
UNKNOWN	1	0	1	0	0	0	1	0	1
WOONSOCKET	249	81	156	52	32	11	197	49	145
172	5	3	2	0	0	0	5	3	2
173	21	6	12	7	4	0	14	2	12
174	22	12	9	8	6	1	14	6	8
175	16	6	10	1	0	1	15	6	9
176	18	8	9	7	5	1	11	3	8
177	17	7	10	5	4	1	12	3	9
178	23	8	13	2	0	1	21	8	12
179	34	10	23	4	2	1	30	8	22
180	7	2	4	1	0	1	6	2	3
181	16	1	15	1	1	0	15	0	15
182	14	5	8	5	3	2	9	2	6
183	14	2	10	4	1	1	10	1	9
184	27	8	19	4	4	0	23	4	19
185	15	3	12	3	2	1	12	1	11
UNKNOWN	0	0	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 1988
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND NATURE OF PREVIOUS DELIVERIES TO MOTHER.

	ALL AGES	AGE OF MOTHER IN YEARS															
		< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
TOTAL	7616	27	87	162	227	627	651	583	608	551	496	459	1643	939	428	117	10	1
MARITAL STATUS OF MOTHER																		
MARRIED	1690	0	0	0	5	16	25	42	81	81	96	119	556	399	205	58	6	1
UNMARRIED	5798	27	84	157	221	602	616	533	514	462	395	332	1054	523	219	55	4	0
UNKNOWN	128	0	3	5	1	9	10	8	13	8	5	8	33	17	4	4	0	0
PREVIOUS DELIVERIES TO MOTHER NONE	2901	27	84	135	189	456	404	306	288	227	183	130	314	116	36	6	0	0
ONE	1843	0	3	25	29	125	172	182	168	153	177	129	417	170	79	13	1	0
PREVIOUS DELIVERIES TO MOTHER *L.B. S.F.D. I.F.D.																		
0 0 1	997	0	1	11	10	71	114	110	96	81	97	74	221	74	34	3	0	0
0 1 0	100	0	1	3	2	10	5	8	11	8	12	4	15	15	6	0	0	0
1 0 0	746	0	1	11	17	44	53	64	61	64	68	51	181	81	39	10	1	0
TWO	1285	0	0	2	8	34	59	57	94	88	66	117	387	240	97	34	2	0
PREVIOUS DELIVERIES TO MOTHER *L.B. S.F.D. I.F.D.																		
0 0 2	216	0	0	2	1	9	14	12	20	18	15	24	69	23	7	1	1	0
0 1 1	47	0	0	0	1	2	2	6	6	3	1	3	14	7	1	1	0	0
0 2 0	6	0	0	0	1	0	1	0	1	0	0	1	0	1	1	0	0	0
1 0 1	432	0	0	0	1	16	24	22	31	36	25	38	141	78	16	4	0	0
1 1 0	106	0	0	0	1	2	9	3	8	7	8	16	23	18	9	2	0	0
2 0 0	478	0	0	0	3	5	9	14	28	24	17	35	140	113	63	26	1	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 1988

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER.

AGE OF MOTHER IN YEARS

			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
THREE			821	0	0	0	1	7	13	27	41	59	46	46	276	188	92	23	2	0
PREVIOUS DELIVERIES TO MOTHER																				
*L.B.	S.F.D.	I.F.D.																		
0	0	3	70	0	0	0	0	0	1	3	4	4	3	1	28	15	10	1	0	0
0	1	2	18	0	0	0	0	3	1	0	1	1	1	1	7	3	0	0	0	0
0	2	1	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
0	3	0	3	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0
1	0	2	140	0	0	0	1	2	4	4	8	12	7	11	54	27	9	1	0	0
1	1	1	50	0	0	0	0	0	1	5	3	4	3	2	17	8	7	0	0	0
1	2	0	13	0	0	0	0	0	0	1	1	0	0	0	3	4	2	2	0	0
2	0	1	288	0	0	0	0	2	3	11	15	21	18	21	96	66	27	7	1	0
2	1	0	83	0	0	0	0	0	2	2	6	5	4	7	20	21	11	5	0	0
3	0	0	153	0	0	0	0	0	0	1	3	12	9	3	49	42	26	7	1	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 1988

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER.

AGE OF MOTHER IN YEARS

			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FOUR			412	0	0	0	0	3	1	8	9	14	18	23	144	109	59	20	4	0
PREVIOUS DELIVERIES TO MOTHER																				
*L.B.	S.F.D.	I.F.D.																		
0	0	4	19	0	0	0	0	0	0	2	2	4	0	1	3	5	2	0	0	0
0	1	3	2	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
0	2	2	3	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0
1	0	3	48	0	0	0	0	2	0	0	1	2	4	3	21	11	3	1	0	0
1	1	2	19	0	0	0	0	0	0	1	0	0	3	1	9	2	3	0	0	0
1	2	1	8	0	0	0	0	0	0	0	0	0	2	0	2	3	1	0	0	0
1	3	0	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
2	0	2	103	0	0	0	0	0	1	2	3	3	5	10	42	21	13	3	0	0
2	1	1	40	0	0	0	0	0	0	2	1	2	1	3	13	12	5	1	0	0
2	2	0	14	0	0	0	0	1	0	0	0	0	0	0	4	3	5	1	0	0
3	0	1	78	0	0	0	0	0	0	0	0	2	2	2	26	29	12	5	0	0
3	1	0	28	0	0	0	0	0	0	0	1	1	0	0	9	8	6	1	2	0
4	0	0	47	0	0	0	0	0	0	1	0	0	0	2	12	14	8	8	2	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 1988

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER.

				AGE OF MOTHER IN YEARS																
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			169	0	0	0	0	0	1	1	4	5	3	9	59	55	24	8	0	0
PREVIOUS DELIVERIES TO MOTHER																				
*L.B.	S.F.D.	I.F.D.																		
0	0	5	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
0	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	0	4	13	0	0	0	0	0	0	1	0	1	1	1	6	3	0	0	0	0
1	1	3	5	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0	0
1	2	2	3	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	0	0
1	3	1	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
1	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
2	0	3	22	0	0	0	0	0	0	0	2	0	0	0	8	9	3	0	0	0
2	1	2	14	0	0	0	0	0	0	0	0	0	0	2	7	4	1	0	0	0
2	2	1	6	0	0	0	0	0	0	0	0	0	0	1	1	4	0	0	0	0
2	3	0	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
3	0	2	31	0	0	0	0	0	0	0	0	0	1	2	15	9	4	0	0	0
3	1	1	18	0	0	0	0	0	0	0	1	0	1	0	6	7	3	0	0	0
3	2	0	5	0	0	0	0	0	0	0	0	0	0	0	2	2	0	1	0	0
4	0	1	20	0	0	0	0	0	0	0	0	1	0	0	6	7	2	4	0	0
4	1	0	11	0	0	0	0	0	0	0	0	3	0	0	2	1	4	1	0	0
5	0	0	11	0	0	0	0	0	0	0	1	0	0	0	0	5	3	2	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 1988

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER.

				AGE OF MOTHER IN YEARS																
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
SIX			76	0	0	0	0	0	0	0	1	3	2	2	26	26	14	1	1	0
PREVIOUS DELIVERIES TO MOTHER																				
*L.B.	S.F.D.	I.F.D.																		
0	0	6	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
1	0	5	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
1	1	4	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
1	2	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1	3	2	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
1	4	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
1	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
2	0	4	10	0	0	0	0	0	0	0	0	0	0	0	4	4	2	0	0	0
2	1	3	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
2	2	2	8	0	0	0	0	0	0	0	0	1	0	1	4	2	0	0	0	0
2	3	1	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
3	0	3	11	0	0	0	0	0	0	0	0	1	0	0	5	3	2	0	0	0
3	1	2	4	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0
3	2	1	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
3	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
4	0	2	7	0	0	0	0	0	0	0	0	1	0	0	1	3	1	1	0	0
4	1	1	6	0	0	0	0	0	0	0	0	0	0	0	1	1	4	0	0	0
4	2	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 21 - INDUCED FETAL DEATHS - RHODE ISLAND OCCURRENCES, 1988
BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND NATURE OF PREVIOUS DELIVERIES TO MOTHER.

SIX - CONTINUED

PREVIOUS DELIVERIES TO MOTHER

				AGE OF MOTHER IN YEARS																
*L.B.	S.F.D.	I.F.D.	ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
5	0	1	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0
5	1	0	3	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0
6	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0	1	0
SEVEN OR MORE			81	0	0	0	0	0	0	0	2	2	0	2	14	27	24	9	0	1
UNKNOWN			28	0	0	0	0	2	1	2	1	0	1	1	6	8	3	3	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS.

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND -- BY NUMBER OF CHILD IN TOTAL BIRTH ORDER, NUMBER OF PREVIOUS FETAL DEATHS, AND AGE OF MOTHER, 1988

BIRTH ORDER OF THIS FETUS	TOTAL NUMBER	PERCENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45+	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	103	100.0	14	20	33	23	10	1	0	2
FIRST DELIVERY	29	28.2	9	7	6	5	2	0	0	0
SECOND DELIVERY	21	20.4	2	4	8	4	2	0	0	1
NO PREVIOUS FETAL DEATHS	12		2	4	3	0	2	0	0	1
ONE PREVIOUS FETAL DEATH	9		0	0	5	4	0	0	0	0
THIRD DELIVERY	15	14.6	0	3	8	3	1	0	0	0
NO PREVIOUS FETAL DEATHS	6		0	2	4	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	8		0	1	3	3	1	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
FOURTH DELIVERY	8	7.8	1	2	2	1	2	0	0	0
NO PREVIOUS FETAL DEATHS	2		0	0	1	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	2		0	1	0	1	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	1	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		1	1	0	0	0	0	0	0
FIFTH DELIVERY	7	6.8	0	1	1	3	2	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	1	0	1	1	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	1	2	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
SIXTH DELIVERY	2	1.9	0	0	1	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
SEVENTH DELIVERY	2	1.9	0	0	2	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERIES	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
UNKNOWN BIRTH ORDER	19	18.4	2	3	5	6	1	1	0	1

TABLE 22B - ALL SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND -- BY NUMBER OF CHILD IN TOTAL BIRTH ORDER, NUMBER OF PREVIOUS FETAL DEATHS, AND AGE OF MOTHER, 1988

BIRTH ORDER OF THIS FETUS	TOTAL NUMBER	PERCENT	AGE OF MOTHER IN YEARS							
			UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45+	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	1040	100.0	101	211	297	263	114	32	8	14
FIRST DELIVERY	231	22.2	42	43	76	46	17	2	1	4
SECOND DELIVERY	202	19.4	24	42	49	62	20	3	1	1
NO PREVIOUS FETAL DEATHS	139		13	30	31	48	14	2	0	1
ONE PREVIOUS FETAL DEATH	63		11	12	18	14	6	1	1	0
THIRD DELIVERY	191	18.4	12	44	55	46	25	7	1	1
NO PREVIOUS FETAL DEATHS	82		4	18	28	17	11	3	1	0
ONE PREVIOUS FETAL DEATH	83		5	19	24	25	8	2	0	0
TWO PREVIOUS FETAL DEATHS	26		3	7	3	4	6	2	0	1
FOURTH DELIVERY	103	9.9	3	17	34	26	18	2	2	1
NO PREVIOUS FETAL DEATHS	30		0	3	11	11	4	0	1	0
ONE PREVIOUS FETAL DEATH	30		1	6	9	7	5	2	0	0
TWO PREVIOUS FETAL DEATHS	34		0	7	13	6	7	0	1	0
THREE+ PREVIOUS FETAL DEATHS	9		2	1	1	2	2	0	0	1
FIFTH DELIVERY	45	4.3	0	6	12	20	3	3	1	0
NO PREVIOUS FETAL DEATHS	7		0	0	1	2	1	2	1	0
ONE PREVIOUS FETAL DEATH	11		0	1	4	5	1	0	0	0
TWO PREVIOUS FETAL DEATHS	18		0	4	4	10	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	9		0	1	3	3	1	1	0	0
SIXTH DELIVERY	17	1.6	1	2	4	4	4	1	1	0
NO PREVIOUS FETAL DEATHS	4		1	1	1	0	0	0	1	0
ONE PREVIOUS FETAL DEATH	3		0	0	0	1	1	1	0	0
TWO PREVIOUS FETAL DEATHS	6		0	1	1	2	2	0	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	0	2	1	1	0	0	0
SEVENTH DELIVERY	9	0.9	0	0	4	3	2	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	2	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	4		0	0	0	3	1	0	0	0
EIGHTH OR MORE DELIVERIES	9	0.9	0	0	1	3	4	1	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	0	1	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	6		0	0	1	1	3	1	0	0
UNKNOWN BIRTH ORDER	233	22.4	19	57	62	53	21	13	1	7

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND -- BY WEIGHT OF FETUS AND AGE OF MOTHER 1988

	TOTAL		AGE OF MOTHER IN YEARS							
FETAL WEIGHT IN GRAMS	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	103	100.0	14	20	33	23	10	1	0	2
1,000 OR LESS	22	21.4	3	4	9	3	3	0	0	0
1,001 - 1,500	5	4.9	1	2	1	0	1	0	0	0
1,501 - 2,000	5	4.9	0	2	0	1	1	0	0	1
2,001 - 2,500	2	1.9	0	0	1	1	0	0	0	0
LOW WEIGHT TOTAL	34	33.0	4	8	11	5	5	0	0	1
2,501 - 3,000	4	3.9	1	1	1	1	0	0	0	0
3,001 - 3,500	3	2.9	1	0	1	1	0	0	0	0
3,501 - 4,000	4	3.9	1	1	0	2	0	0	0	0
4,001 - 4,500	0	0.0	0	0	0	0	0	0	0	0
4,501 - 5,000	1	1.0	1	0	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	57	55.3	6	10	20	14	5	1	0	1

TABLE 24 - ALL FETAL DEATHS OCCURRING IN RHODE ISLAND BY SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1988

CAUSE OF FETAL DEATH (ICD9, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	8656	100.0	8524	98.5	58	0.7	51	0.6	23	0.3
CONGENITAL ANOMALIES (740-759)	1	0.0	0	0.0	1	1.7	0	0.0	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8655	100.0	8524	100.0	57	98.3	51	100.0	23	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)	21	0.2	10	0.1	10	17.2	1	2.0	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	812	9.4	789	9.3	8	13.8	4	7.8	11	47.8
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (762)	30	0.3	2	0.0	15	25.9	13	25.5	0	0.0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)	4	0.0	0	0.0	0	0.0	4	7.8	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (765)	1	0.0	0	0.0	1	1.7	0	0.0	0	0.0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	50	0.6	39	0.5	1	1.7	10	19.6	0	0.0
OTHER RESPIRATORY CONDITIONS (770)	3	0.0	0	0.0	2	3.4	1	2.0	0	0.0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	7	0.1	3	0.0	2	3.4	2	3.9	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779)	7727	89.3	7681	90.1	18	31.0	16	31.4	12	52.2
ALL OTHER CAUSES (RESIDUAL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9724*	116	14	11	12	35	57	182	241	417	457	712	968	1242	1406	1412	2439
WHITE MALE	4587	56	7	6	9	19	34	121	122	235	280	447	558	690	690	598	715
WHITE FEMALE	4800	38	5	3	1	10	14	44	89	148	152	234	386	519	683	789	1683
NON-WHITE MALE	187	13	2	0	1	5	8	12	17	22	15	22	14	16	16	9	15
NON-WHITE FEMALE	141	9	0	2	1	1	1	5	11	11	10	9	10	16	16	15	24
UNKNOWN MALE	5	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	1
UNKNOWN FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1
CERTAIN OTHER INTESTINAL INFECTIONS (007,009)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
TUBERCULOSIS(010-018)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
OTHER TUBERCULOSIS(013-018)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MENINGOCOCCAL INFECTION(036)																	
TOTAL	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA(038)																	
TOTAL	95	0	0	0	1	0	0	2	1	2	4	2	7	12	15	17	32
WHITE MALE	37	0	0	0	0	0	0	0	1	1	4	1	5	5	4	7	9
WHITE FEMALE	55	0	0	0	0	0	0	2	0	1	0	1	2	6	11	10	22
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
NON-WHITE FEMALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
VIRAL HEPATITIS(070)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
SYPHILIS(090-097)																	
TOTAL	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037,039-041 042-044,046-054,056-066,071-088,098-139)																	
TOTAL	73	5	1	0	0	1	0	22	16	9	4	4	4	3	1	3	0
WHITE MALE	44	3	0	0	0	0	0	14	10	6	2	2	3	2	1	1	0
WHITE FEMALE	16	2	0	0	0	1	0	2	3	1	1	2	1	1	0	2	0
NON-WHITE MALE	9	0	1	0	0	0	0	4	2	1	1	0	0	0	0	0	0
NON-WHITE FEMALE	4	0	0	0	0	0	0	2	1	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2447	0	3	3	3	2	2	15	75	158	198	309	337	408	355	266	313
WHITE MALE	1222	0	0	1	3	2	1	10	27	68	106	185	171	222	173	124	129
WHITE FEMALE	1151	0	2	1	0	0	1	5	43	73	83	118	158	174	174	137	182
NON-WHITE MALE	40	0	1	0	0	0	0	0	4	9	3	3	6	6	5	3	0
NON-WHITE FEMALE	33	0	0	1	0	0	0	0	1	8	6	3	2	5	3	2	2
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	63	0	0	0	0	0	0	0	2	11	10	10	6	10	5	4	5
WHITE MALE	43	0	0	0	0	0	0	0	2	8	8	8	4	8	3	2	0
WHITE FEMALE	16	0	0	0	0	0	0	0	0	1	1	2	2	1	2	2	5
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	682	0	0	0	0	0	0	3	10	36	43	81	80	109	118	86	116
WHITE MALE	346	0	0	0	0	0	0	2	8	19	26	57	42	60	64	34	34
WHITE FEMALE	313	0	0	0	0	0	0	1	1	12	13	23	35	46	51	50	81
NON-WHITE MALE	12	0	0	0	0	0	0	0	1	4	2	1	2	0	2	0	0
NON-WHITE FEMALE	11	0	0	0	0	0	0	0	0	1	2	0	1	3	1	2	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	662	0	1	0	0	0	0	1	17	46	73	101	115	119	93	51	45
WHITE MALE	416	0	0	0	0	0	0	0	8	27	53	66	68	82	58	31	23
WHITE FEMALE	220	0	1	0	0	0	0	1	5	15	18	31	44	33	33	17	22
NON-WHITE MALE	15	0	0	0	0	0	0	0	3	0	0	2	3	3	1	3	0
NON-WHITE FEMALE	11	0	0	0	0	0	0	0	1	4	2	2	0	1	1	0	0
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	236	0	0	0	0	0	0	2	16	24	24	26	31	39	37	20	17
WHITE FEMALE	234	0	0	0	0	0	0	2	16	23	24	26	31	39	37	20	16
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	227	0	0	0	0	0	1	0	6	8	14	18	37	35	33	33	42
WHITE MALE	122	0	0	0	0	0	0	0	0	2	0	8	17	22	16	28	29
WHITE FEMALE	101	0	0	0	0	0	1	0	6	5	14	10	19	11	17	5	13
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	104	0	0	0	0	0	0	0	1	5	4	16	12	17	11	18	20
WHITE MALE	67	0	0	0	0	0	0	0	0	2	3	11	7	12	6	11	15
WHITE FEMALE	37	0	0	0	0	0	0	0	1	3	1	5	5	5	5	7	5
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	248	0	1	1	2	1	1	3	14	15	19	28	29	44	28	23	39
WHITE MALE	122	0	0	0	2	1	1	3	5	5	10	19	17	23	11	8	17
WHITE FEMALE	121	0	1	1	0	0	0	0	9	8	9	9	12	19	16	15	22
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
LEUKEMIA(204-208)																	
TOTAL	84	0	1	1	1	1	0	4	3	2	2	10	6	16	14	11	12
WHITE MALE	48	0	0	0	1	1	0	3	1	1	2	7	5	9	10	4	4
WHITE FEMALE	33	0	0	0	0	0	0	1	2	1	0	3	1	7	3	7	8
NON-WHITE MALE	2	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	141	0	0	1	0	0	0	2	6	11	9	19	21	19	16	20	17
WHITE MALE	58	0	0	1	0	0	0	2	3	4	4	9	11	6	5	6	7
WHITE FEMALE	76	0	0	0	0	0	0	0	3	5	3	9	9	13	10	14	10
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	27	0	0	0	0	0	1	0	0	2	2	4	0	8	3	3	4
WHITE MALE	9	0	0	0	0	0	0	0	0	0	0	1	0	3	1	3	1
WHITE FEMALE	17	0	0	0	0	0	0	0	0	2	2	3	0	5	2	0	3
NON-WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
DIABETES MELLITUS (250)																	
TOTAL	282	0	0	0	0	0	0	3	2	5	12	29	43	45	46	48	49
WHITE MALE	115	0	0	0	0	0	0	0	2	3	8	17	19	18	19	14	15
WHITE FEMALE	151	0	0	0	0	0	0	2	0	2	1	11	21	24	25	32	33
NON-WHITE MALE	10	0	0	0	0	0	0	1	0	0	1	1	2	3	1	0	1
NON-WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	2	0	1	0	1	2	0
NUTRITIONAL DEFICIENCIES (260-269)																	
TOTAL	12	0	0	0	0	0	0	0	1	0	0	0	0	2	2	3	4
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
WHITE FEMALE	9	0	0	0	0	0	0	0	1	0	0	0	0	2	0	2	4
ANEMIAS (280-285)																	
TOTAL	14	0	0	0	1	0	0	1	0	0	1	0	0	0	2	0	9
WHITE MALE	6	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0	3
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	6
NON-WHITE MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS (320-322)																	
TOTAL	6	1	0	0	1	0	0	0	0	0	1	0	0	0	1	1	1
WHITE MALE	3	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	1
WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4417	2	1	0	0	3	1	12	44	115	163	248	399	540	694	733	1461
WHITE MALE	1993	0	1	0	0	1	0	9	23	80	117	170	255	318	350	299	370
WHITE FEMALE	2309	1	0	0	0	1	0	3	15	30	38	61	134	214	331	418	1062
NON-WHITE MALE	56	1	0	0	0	0	1	0	1	4	6	13	5	5	5	5	10
NON-WHITE FEMALE	54	0	0	0	0	1	0	0	5	0	2	4	5	3	7	10	17
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3488	1	1	0	0	2	1	9	30	92	144	221	317	445	535	559	1130
WHITE MALE	1611	0	1	0	0	1	0	6	19	67	105	154	200	270	275	229	284
WHITE FEMALE	1788	0	0	0	0	1	0	3	7	21	32	51	109	167	252	318	826
NON-WHITE MALE	48	1	0	0	0	0	1	0	1	3	5	12	5	5	4	3	8
NON-WHITE FEMALE	38	0	0	0	0	0	0	0	3	0	2	4	3	3	4	8	11
UNKNOWN FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)																	
TOTAL	35	0	0	0	0	0	0	0	0	1	0	2	8	7	7	7	3
WHITE MALE	9	0	0	0	0	0	0	0	0	1	0	1	5	2	0	0	0
WHITE FEMALE	26	0	0	0	0	0	0	0	0	0	0	1	3	5	7	7	3
HYPERTENSIVE HEART DISEASE (402)																	
TOTAL	67	0	0	0	0	0	0	3	4	4	5	3	5	10	7	11	15
WHITE MALE	31	0	0	0	0	0	0	2	2	4	3	2	3	7	0	5	3
WHITE FEMALE	33	0	0	0	0	0	0	1	1	0	2	0	2	3	7	6	11
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	9	0	0	0	0	0	0	0	0	0	0	1	0	2	1	3	2
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	2614	0	1	0	0	1	0	3	20	70	110	171	235	342	407	417	837
WHITE MALE	1250	0	1	0	0	1	0	2	15	47	84	121	148	208	226	171	226
WHITE FEMALE	1308	0	0	0	0	0	0	1	4	19	22	41	81	128	175	239	598
NON-WHITE MALE	31	0	0	0	0	0	0	0	0	3	4	7	5	4	2	2	4
NON-WHITE FEMALE	23	0	0	0	0	0	0	0	1	0	0	2	1	2	4	4	9
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1223	0	1	0	0	0	0	0	10	40	65	110	123	182	195	200	297
WHITE MALE	642	0	1	0	0	0	0	0	7	27	56	79	71	116	113	86	86
WHITE FEMALE	549	0	0	0	0	0	0	0	3	11	6	26	48	63	80	108	204
NON-WHITE MALE	20	0	0	0	0	0	0	0	0	1	3	4	3	3	1	2	3
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	0	1	1	0	1	3	4
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	0	1	0	0	5	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	0
ANGINA PECTORIS(413)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)																	
TOTAL	1380	0	0	0	0	1	0	3	10	30	45	60	110	158	212	212	539
WHITE MALE	603	0	0	0	0	1	0	2	8	20	28	41	76	91	113	84	139
WHITE FEMALE	753	0	0	0	0	0	0	1	1	8	16	15	32	64	95	127	394
NON-WHITE MALE	11	0	0	0	0	0	0	0	0	2	1	3	2	1	1	0	1
NON-WHITE FEMALE	13	0	0	0	0	0	0	0	1	0	0	1	0	2	3	1	5

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER DISEASES OF ENDOCARDIUM (424)																	
TOTAL	58	0	0	0	0	0	1	0	0	1	0	3	3	7	8	12	23
WHITE MALE	18	0	0	0	0	0	0	0	0	1	0	2	2	3	2	3	5
WHITE FEMALE	35	0	0	0	0	0	0	0	0	0	0	1	1	4	5	9	15
NON-WHITE MALE	4	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	705	1	0	0	0	1	0	3	6	16	29	41	66	77	105	109	250
WHITE MALE	301	0	0	0	0	0	0	2	2	14	18	28	42	49	47	50	49
WHITE FEMALE	379	0	0	0	0	1	0	1	2	2	8	7	22	26	57	54	198
NON-WHITE MALE	12	1	0	0	0	0	0	0	1	0	1	4	0	1	1	1	2
NON-WHITE FEMALE	13	0	0	0	0	0	0	0	1	0	2	2	2	1	0	4	1
HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)																	
TOTAL	45	0	0	0	0	0	0	0	0	1	1	0	8	5	5	11	14
WHITE MALE	22	0	0	0	0	0	0	0	0	1	1	0	7	2	2	5	4
WHITE FEMALE	23	0	0	0	0	0	0	0	0	0	0	0	1	3	3	6	10
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	648	1	0	0	0	1	0	3	11	18	12	14	49	57	109	122	251
WHITE MALE	250	0	0	0	0	0	0	3	3	8	6	10	31	26	54	45	64
WHITE FEMALE	377	1	0	0	0	0	0	0	7	9	5	4	16	31	52	73	179
NON-WHITE MALE	7	0	0	0	0	0	0	0	0	1	1	0	0	0	1	2	2
NON-WHITE FEMALE	13	0	0	0	0	1	0	0	1	0	0	0	2	0	2	2	5
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	99	1	0	0	0	0	0	0	2	5	5	1	16	11	27	15	16
WHITE MALE	46	0	0	0	0	0	0	0	0	2	2	1	13	4	12	8	4
WHITE FEMALE	50	1	0	0	0	0	0	0	2	2	2	0	3	7	14	7	12
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	87	0	0	0	0	1	0	1	1	0	0	2	6	12	17	14	33
WHITE MALE	45	0	0	0	0	0	0	1	0	0	0	2	5	8	9	9	11
WHITE FEMALE	37	0	0	0	0	0	0	0	1	0	0	0	1	4	6	4	21
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	4	0	0	0	0	1	0	0	0	0	0	0	0	0	1	1	1
CEREBRAL EMBOLISM(434.1)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	459	0	0	0	0	0	0	2	8	13	7	11	27	34	65	92	200
WHITE MALE	157	0	0	0	0	0	0	2	3	6	4	7	13	14	33	27	48
WHITE FEMALE	289	0	0	0	0	0	0	0	4	7	3	4	12	20	32	62	145
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
NON-WHITE FEMALE	8	0	0	0	0	0	0	0	1	0	0	0	2	0	0	1	4
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ATHEROSCLEROSIS (440)																	
TOTAL	104	0	0	0	0	0	0	0	2	1	3	4	7	11	20	17	39
WHITE MALE	40	0	0	0	0	0	0	0	1	1	2	1	5	8	6	8	8
WHITE FEMALE	61	0	0	0	0	0	0	0	0	0	1	3	2	3	13	9	30
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)																	
TOTAL	132	0	0	0	0	0	0	0	1	3	3	9	18	22	25	24	27
WHITE MALE	70	0	0	0	0	0	0	0	0	3	3	5	12	12	13	12	10
WHITE FEMALE	60	0	0	0	0	0	0	0	1	0	0	3	6	10	11	12	17
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	5	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	240	2	0	0	0	0	0	1	2	5	2	5	9	21	24	47	122
WHITE MALE	98	1	0	0	0	0	0	1	1	2	1	4	4	11	9	22	42
WHITE FEMALE	136	1	0	0	0	0	0	0	1	2	1	1	4	9	15	25	77
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
PNEUMONIA(480-486)																	
TOTAL	238	2	0	0	0	0	0	1	2	5	2	5	8	21	24	47	121
WHITE MALE	97	1	0	0	0	0	0	1	1	2	1	4	3	11	9	22	42
WHITE FEMALE	135	1	0	0	0	0	0	0	1	2	1	1	4	9	15	25	76
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
INFLUENZA(487)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	361	1	0	0	1	0	1	2	1	5	15	26	54	58	73	60	64
WHITE MALE	203	1	0	0	1	0	1	0	1	1	9	19	31	32	33	40	34
WHITE FEMALE	152	0	0	0	0	0	0	2	0	4	6	6	23	26	36	20	29
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	14	1	0	0	0	0	1	1	0	0	0	0	1	2	1	2	5
WHITE MALE	7	1	0	0	0	0	1	0	0	0	0	0	1	1	0	1	2
WHITE FEMALE	7	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	3

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
EMPHYSEMA(492)																	
TOTAL	35	0	0	0	0	0	0	0	1	1	3	5	6	2	9	3	5
WHITE MALE	23	0	0	0	0	0	0	0	1	0	3	5	4	2	2	3	3
WHITE FEMALE	11	0	0	0	0	0	0	0	0	1	0	0	2	0	6	0	2
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
ASTHMA(493)																	
TOTAL	14	0	0	0	1	0	0	1	0	2	1	1	5	1	0	0	2
WHITE MALE	4	0	0	0	1	0	0	0	0	0	0	0	2	1	0	0	0
WHITE FEMALE	10	0	0	0	0	0	0	1	0	2	1	1	3	0	0	0	2
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	298	0	0	0	0	0	0	0	0	2	11	20	42	53	63	55	52
WHITE MALE	169	0	0	0	0	0	0	0	0	1	6	14	24	28	31	36	29
WHITE FEMALE	124	0	0	0	0	0	0	0	0	1	5	5	18	25	29	19	22
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	32	0	0	0	0	0	0	0	0	1	0	3	4	6	6	4	8
WHITE MALE	18	0	0	0	0	0	0	0	0	0	0	0	3	5	4	4	2
WHITE FEMALE	12	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	6
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
APPENDICITIS(540-543)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	27	0	0	0	0	0	0	0	0	2	0	0	2	3	2	6	12
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0
WHITE FEMALE	21	0	0	0	0	0	0	0	0	1	0	0	0	1	2	6	11
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	136	0	0	0	0	0	0	3	16	16	14	19	20	17	15	8	8
WHITE MALE	79	0	0	0	0	0	0	1	9	12	11	10	13	12	5	5	1
WHITE FEMALE	53	0	0	0	0	0	0	2	5	4	2	9	7	5	9	3	7
NON-WHITE MALE	3	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)																	
TOTAL	21	0	0	0	0	0	0	0	1	0	2	2	1	3	2	4	6
WHITE MALE	10	0	0	0	0	0	0	0	0	0	0	1	1	3	2	1	2
WHITE FEMALE	11	0	0	0	0	0	0	0	1	0	2	1	0	0	0	3	4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589)																	
TOTAL	78	1	0	0	0	0	0	0	2	2	1	2	6	9	9	17	29
WHITE MALE	33	1	0	0	0	0	0	0	1	0	0	2	3	4	6	6	10
WHITE FEMALE	40	0	0	0	0	0	0	0	0	0	1	0	3	5	2	11	18
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	4	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	1
WHITE MALE	2	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSES(584-586,588-589)																	
TOTAL	73	1	0	0	0	0	0	0	0	2	1	2	6	8	9	17	27
WHITE MALE	31	1	0	0	0	0	0	0	0	0	0	2	3	3	6	6	10
WHITE FEMALE	38	0	0	0	0	0	0	0	0	0	1	0	3	5	2	11	16
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
INFECTIONS OF KIDNEY(590)																	
TOTAL	3	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM(630-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
OTHER COMPLICATIONS OF PREGNANCY CHILDBIRTH, AND THE PUERPERIUM (640-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES(740-759)																	
TOTAL	40	27	1	0	0	1	1	1	1	2	0	0	1	0	4	0	1
WHITE MALE	21	14	1	0	0	1	1	0	0	2	0	0	0	0	1	0	1
WHITE FEMALE	12	6	0	0	0	0	0	1	1	0	0	0	1	0	3	0	0
NON-WHITE MALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATION IN THE PERINATAL PERIOD(760-779)																	
TOTAL	58	57	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
WHITE MALE	24	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	23	22	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE MALE	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	49	48	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
WHITE MALE	19	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	20	19	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE MALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	29	11	1	0	0	0	0	2	3	2	0	1	2	0	2	1	4
WHITE MALE	15	7	0	0	0	0	0	2	0	2	0	1	1	0	0	0	2
WHITE FEMALE	10	3	1	0	0	0	0	0	0	0	0	0	1	0	2	1	2
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	865	2	1	1	1	1	6	22	25	43	25	40	58	79	122	166	272
WHITE MALE	362	1	1	0	1	0	3	13	11	29	12	21	33	40	65	58	74
WHITE FEMALE	471	0	0	1	0	0	3	7	8	12	11	16	24	31	55	106	196
NON-WHITE MALE	16	1	0	0	0	1	0	1	4	1	2	3	0	1	1	1	0
NON-WHITE FEMALE	16	0	0	0	0	0	0	1	2	1	0	0	1	7	1	1	2
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	280	1	3	4	2	16	24	50	27	28	7	11	14	18	23	18	34
WHITE MALE	171	0	3	3	2	9	17	37	19	16	5	7	10	7	11	8	17
WHITE FEMALE	92	0	0	0	0	4	6	8	6	10	2	3	4	11	11	10	17
NON-WHITE MALE	10	0	0	0	0	3	1	3	1	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	7	1	0	1	0	0	0	2	1	0	0	1	0	0	1	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	142	0	2	2	1	14	18	35	16	11	5	4	5	7	9	5	8
WHITE MALE	88	0	2	2	1	8	13	26	10	6	3	2	3	2	3	2	5
WHITE FEMALE	48	0	0	0	0	4	5	6	5	5	2	2	2	5	6	3	3
NON-WHITE MALE	5	0	0	0	0	2	0	3	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1988

CAUSE(ICD9 CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	138	1	1	2	1	2	6	15	11	17	2	7	9	11	14	13	26
WHITE MALE	83	0	1	1	1	1	4	11	9	10	2	5	7	5	8	6	12
WHITE FEMALE	44	0	0	0	0	0	1	2	1	5	0	1	2	6	5	7	14
NON-WHITE MALE	5	0	0	0	0	1	1	0	1	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	6	1	0	1	0	0	0	2	0	0	0	1	0	0	1	0	0
SUICIDE(E950-E959)																	
TOTAL	102	0	0	0	0	6	13	29	18	12	2	5	5	5	3	3	1
WHITE MALE	73	0	0	0	0	4	9	20	13	8	2	5	4	3	1	3	1
WHITE FEMALE	23	0	0	0	0	2	2	8	3	3	0	0	1	2	2	0	0
NON-WHITE MALE	6	0	0	0	0	0	2	1	2	1	0	0	0	0	0	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	46	2	2	3	0	5	8	12	4	2	3	1	0	2	1	0	0
WHITE MALE	29	2	1	2	0	2	2	11	3	2	1	1	0	1	1	0	0
WHITE FEMALE	9	0	1	1	0	2	2	0	1	0	1	0	0	1	0	0	0
NON-WHITE MALE	7	0	0	0	0	1	4	1	0	0	1	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	12	0	0	0	2	0	0	4	2	3	0	0	0	1	0	0	0
WHITE MALE	7	0	0	0	1	0	0	2	1	2	0	0	0	1	0	0	0
WHITE FEMALE	4	0	0	0	1	0	0	1	1	1	0	0	0	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1988

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9724	933	871	847	842	791	769	782	755	697	778	817	842
BARRINGTON	123	16	8	13	9	14	10	7	10	9	8	5	14
BRISTOL	207	17	14	19	16	21	12	20	22	15	20	14	17
BURRILLVILLE	138	17	17	12	9	7	9	15	8	11	14	6	13
CENTRAL FALLS	241	25	16	16	25	25	17	16	14	21	19	19	28
CHARLESTOWN	39	2	2	1	3	2	2	6	3	3	6	6	3
COVENTRY	257	23	16	15	20	23	33	18	19	35	20	13	22
CRANSTON	755	58	65	71	68	57	60	42	73	52	65	73	71
CUMBERLAND	257	23	20	25	22	31	27	20	18	18	16	21	16
EAST GREENWICH	66	6	8	7	6	2	3	5	6	2	6	10	5
EAST PROVIDENCE	574	46	60	60	43	37	50	54	42	35	51	51	45
EXETER	31	6	2	5	3	1	0	4	3	2	1	3	1
FOSTER	25	0	5	3	0	3	3	3	1	0	4	2	1
GLOCESTER	73	6	12	5	5	2	8	8	4	8	6	5	4
HOPKINTON	44	3	4	3	2	5	3	2	6	1	6	5	4
JAMESTOWN	44	7	5	1	6	3	2	3	2	2	2	4	7
JOHNSTON	255	30	24	22	20	14	20	22	23	21	13	28	18
LINCOLN	179	21	17	16	21	8	17	12	12	10	12	18	15
LITTLE COMPTON	33	3	2	1	2	2	3	2	2	7	4	1	4
MIDDLETOWN	141	13	18	12	15	9	9	17	5	8	11	8	16
NARRAGANSETT	111	12	10	9	2	17	6	9	7	8	3	15	13
NEWPORT	252	29	17	20	30	22	15	22	15	16	17	25	24
NEW SHOREHAM	13	5	2	1	0	1	0	0	0	2	1	0	1
NORTH KINGSTOWN	175	10	23	18	17	13	13	7	10	11	18	21	14
NORTH PROVIDENCE	320	29	24	29	30	22	33	18	27	19	30	26	33
NORTH SMITHFIELD	102	7	8	5	9	8	7	13	6	10	4	14	11
PAWTUCKET	809	72	78	74	83	67	53	53	64	56	72	68	69
PORTSMOUTH	98	9	10	13	13	6	9	7	5	4	5	7	10
PROVIDENCE	1707	151	152	150	142	158	122	159	149	119	136	137	132
RICHMOND	20	2	2	2	0	5	3	1	2	0	1	2	0
SCITUATE	68	11	4	4	5	3	5	7	5	5	5	6	8
SMITHFIELD	142	17	16	14	6	9	12	11	9	8	10	17	13
SOUTH KINGSTOWN	184	19	12	20	18	17	18	13	14	16	15	10	12
TIVERTON	131	16	13	13	11	13	15	9	3	5	9	7	17
WARREN	128	15	8	9	11	8	6	17	12	7	11	14	10
WARWICK	928	99	79	79	74	63	79	71	75	77	74	84	74
WESTERLY	220	22	22	18	27	13	17	18	14	17	19	16	17
WEST GREENWICH	18	0	3	0	1	4	2	2	1	0	2	0	3
WEST WARWICK	265	19	33	15	32	27	20	19	23	15	20	18	24
WOONSOCKET	551	67	40	47	36	49	46	50	41	42	42	38	53

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES* BY AGE, RHODE ISLAND 1988

CAUSE OF DEATH(ICD9 CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 - 27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	116	87	48	23	16	29
MENINGOCOCCAL INFECTION(036)	1	0	0	0	0	1
VIRAL DISEASES(045-079)	1	0	0	0	0	1
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES (REMAINDER OF 001-139)	4	2	1	0	1	2
MENINGITIS(320-322)	1	0	0	0	0	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	1	0	0	0	0	1
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	4	0	0	0	0	4
PNEUMONIA AND INFLUENZA(480-487)	2	1	0	1	0	1
PNEUMONIA(480-486)	2	1	0	1	0	1
CONGENITAL ANOMALIES(740-759)	27	22	7	9	6	5
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	1	1	1	0	0	0
OTHER CONGEN ANOMALIES OF NERVOUS SYSTEM & EYE 742.0-742.2,742.4-742.9,743)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF HEART(745-746)	4	4	1	2	1	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	1	0	0	0	0	1
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)	1	1	0	0	1	0
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	2	2	2	0	0	0
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	3	2	0	2	0	1
DOWN'S SYNDROME(758.0)	1	0	0	0	0	1
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	4	3	1	1	1	1
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)	9	8	1	4	3	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	57	55	38	11	6	2

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES* BY AGE, RHODE ISLAND 1988

CAUSE OF DEATH(ICD9 CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 - 27 DAYS	28 DAYS-11 MONTHS
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	4	4	1	2	1	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	6	6	6	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	9	9	7	1	1	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	7	7	6	0	1	0
BIRTH TRAUMA(767)	1	1	0	1	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	1	1	0	0	1	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	1	1	0	0	1	0
RESPIRATORY DISTRESS SYNDROME(769)	7	7	4	3	0	0
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	11	9	7	0	2	2
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	5	5	3	2	0	0
NEONATAL HEMORRHAGE(772)	1	1	0	1	0	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	5	5	4	1	0	0
SYMPTOMS,SIGNS, AND ILL-DEF'D CONDITIONS(780-799)	11	5	2	0	3	6
SUDDEN INFANT DEATH SYNDROME(798.0)	5	1	0	0	1	4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797,798.1-799)	6	4	2	0	2	2
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	1	0	0	0	0	1
ACCIDENTAL MECHANICAL SUFFOCATION(E913)	1	0	0	0	0	1
HOMICIDE(E960-E969)	2	0	0	0	0	2
OTHER HOMICIDE(E960-E966,E968-E969)	2	0	0	0	0	2
ALL OTHER CAUSES(RESIDUAL)	4	2	0	2	0	2

* TABLE IS A BASIC LIST OF 61 CAUSE OF DEATH CLASSIFICATIONS (FOR INFANT DEATHS) RECOMMENDED BY THE WORLD HEALTH ORGANIZATION (WHO).

IF NO DEATHS OCCURRED IN A SPECIFIC CLASSIFICATION, THE CATEGORY WILL NOT APPEAR IN THIS TABLE.

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, BY SEX AND AGE, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN BY NEW ENGLAND STANDARD LOCATIONS

RHODE ISLAND, 1988

TYPE OR PLACE		UNDER	AGE OF DECEDENT IN YEARS														
OF ACCIDENT	TOTAL**	1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	280**	1	3	4	2	16	24	50	27	28	7	11	14	18	23	18	34
MALE	181	0	3	3	2	12	18	40	20	18	5	7	10	7	11	8	17
FEMALE	99	1	0	1	0	4	6	10	7	10	2	4	4	11	12	10	17
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	142	0	2	2	1	14	18	35	16	11	5	4	5	7	9	5	8
MALE	93	0	2	2	1	10	13	29	10	6	3	2	3	2	3	2	5
FEMALE	49	0	0	0	0	4	5	6	6	5	2	2	2	5	6	3	3
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	138	1	1	2	1	2	6	15	11	17	2	7	9	11	14	13	26
MALE	88	0	1	1	1	2	5	11	10	12	2	5	7	5	8	6	12
FEMALE	50	1	0	1	0	0	1	4	1	5	0	2	2	6	6	7	14
00 HOME																	
TOTAL	55	0	1	1	0	0	3	6	2	9	1	5	5	4	4	5	9
MALE	33	0	1	0	0	0	3	4	2	5	1	3	3	2	2	3	4
FEMALE	22	0	0	1	0	0	0	2	0	4	0	2	2	2	2	2	5
30-39 INDUSTRIAL																	
TOTAL	5	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	1
MALE	5	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	1
30 MANUFACTURING																	
TOTAL	4	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	1
MALE	4	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	1
39 UNSPECIFIED																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
40-49 PLACE OF RECREATION																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, BY SEX AND AGE, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN BY NEW ENGLAND STANDARD LOCATIONS
RHODE ISLAND, 1988

TYPE OR PLACE OF ACCIDENT	TOTAL**	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
		AGE OF DECEDENT IN YEARS															
41 BOATING																	
TOTAL	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
60 PUBLIC BUILDING																	
TOTAL	5	1	0	0	0	0	1	0	1	1	0	0	0	1	0	0	0
MALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
FEMALE	3	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
70 RESIDENT INSTITUTION																	
TOTAL	21	0	0	0	0	0	0	0	0	1	0	1	3	1	1	5	9
MALE	12	0	0	0	0	0	0	0	0	1	0	1	3	0	1	2	4
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	5
80-88 OTHER SPECIFIED PLACE																	
TOTAL	11	0	0	0	1	0	1	3	4	1	0	0	1	0	0	0	0
MALE	11	0	0	0	1	0	1	3	4	1	0	0	1	0	0	0	0
80 OPEN SEA																	
TOTAL	4	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0
MALE	4	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0
81 LOGGING SITE - WOOD LOT																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	3	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0
MALE	3	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, BY SEX AND AGE, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN BY NEW ENGLAND STANDARD LOCATIONS

RHODE ISLAND, 1988

TYPE OR PLACE OF ACCIDENT	TOTAL**	UNDER 1	AGE OF DECEDENT IN YEARS 1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
88 ALL OTHER PLACES																	
TOTAL	3	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	0
MALE	3	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	0
90 UNKNOWN																	
TOTAL	22	0	0	1	0	1	0	4	1	2	0	1	0	2	4	2	4
MALE	16	0	0	1	0	1	0	3	1	1	0	1	0	2	4	0	2
FEMALE	6	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2	2

* NEW ENGLAND STANDARD LOCATION CATEGORIES AND ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICD E830-E838, E846-E869, AND E880-E928.

** TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	9724	87	116	2447	629	236	18	63	282	3488	1223	35
BARRINGTON	123	2	2	35	11	4	0	0	6	37	12	1
301	42	0	0	17	6	4	0	0	2	9	5	0
302	36	0	0	10	3	0	0	0	2	10	3	0
303	25	2	2	6	2	0	0	0	2	8	3	1
304	20	0	0	2	0	0	0	0	0	10	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	207	0	1	46	16	4	0	0	6	72	32	0
307	40	0	1	12	5	0	0	0	1	12	2	0
308	38	0	0	8	4	0	0	0	1	13	7	0
309	128	0	0	26	7	4	0	0	4	47	23	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	138	2	5	29	9	2	1	2	4	52	12	1
129	65	1	4	17	7	0	1	2	0	24	5	0
130	73	1	1	12	2	2	0	0	4	28	7	1
CENTRAL FALLS	241	5	8	48	10	6	0	3	7	93	28	1
108	58	1	2	10	1	1	0	0	2	25	7	0
109	91	2	2	19	5	2	0	2	2	34	9	1
110	49	2	3	13	3	1	0	0	3	12	4	0
111	43	0	1	6	1	2	0	1	0	22	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	39	0	0	13	5	2	0	2	0	11	5	0
COVENTRY	257	1	1	61	18	4	1	1	8	100	39	0
206	185	1	1	41	12	3	1	0	8	71	28	0
207	72	0	0	20	6	1	0	1	0	29	11	0
CRANSTON	755	3	5	217	48	23	1	7	21	254	97	4
134	48	1	1	10	1	2	0	1	3	17	8	1
135	57	0	0	21	6	0	0	2	1	22	8	0
136	18	1	1	5	2	1	0	0	1	5	4	0
137	74	0	0	27	4	6	0	1	2	18	7	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON (CONT.)												
138	50	0	0	16	3	1	0	0	1	17	9	0
139	53	0	0	18	4	0	0	1	0	18	5	0
140	82	0	0	25	6	0	0	1	2	24	6	1
141	60	0	1	14	5	2	0	0	4	21	9	0
142	45	0	0	8	3	0	0	0	1	14	4	0
143	46	0	0	15	4	2	0	0	0	16	5	0
144	27	1	1	10	2	2	0	0	1	8	3	0
145	40	0	0	8	3	1	0	0	0	19	8	2
146	20	0	0	10	2	1	0	1	0	5	1	0
147	83	0	1	18	2	3	1	0	2	31	11	0
148	52	0	0	12	1	2	0	0	3	19	9	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	257	1	2	62	16	13	0	0	7	89	31	1
112	43	0	0	11	2	2	0	0	1	16	7	0
113	83	0	0	13	1	4	0	0	3	32	8	0
114	130	1	2	38	13	7	0	0	3	41	16	1
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	66	1	1	15	6	2	0	0	3	24	7	0
EAST PROVIDENCE	574	2	4	143	36	14	1	3	12	206	68	4
101	73	0	1	17	3	2	1	0	2	29	15	1
102	87	0	1	22	6	2	0	1	2	31	11	0
103	61	0	0	11	4	1	0	0	0	25	8	0
104	70	2	2	19	3	1	0	0	2	16	5	0
105	156	0	0	34	10	5	0	0	2	58	18	2
106	63	0	0	27	7	2	0	2	2	20	8	1
107	64	0	0	13	3	1	0	0	2	27	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	31	3	3	8	3	1	1	0	1	15	6	0
FOSTER-133	25	0	0	5	2	1	0	1	1	12	5	0
GLOCESTER-131	73	2	2	18	2	1	1	0	1	27	10	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	44	0	0	7	2	1	0	1	2	16	6	0
JAMESTOWN-413	44	1	1	11	2	1	0	0	3	12	3	0
JOHNSTON	255	2	2	67	19	6	1	1	5	98	37	0
122	39	1	1	10	4	1	0	0	1	16	5	0
123	57	0	0	13	5	0	0	0	0	23	9	0
124	97	1	1	27	7	2	0	1	3	35	16	0
125	62	0	0	17	3	3	1	0	1	24	7	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	179	4	4	55	15	2	1	3	3	54	20	0
115	71	2	2	19	5	0	0	2	1	22	8	0
116	26	0	0	9	1	1	0	1	0	8	4	0
117	82	2	2	27	9	1	1	0	2	24	8	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	33	2	2	7	1	0	0	0	0	10	5	0
MIDDLETOWN	141	0	1	35	8	5	1	1	4	35	7	0
402	4	0	0	0	0	0	0	0	0	3	1	0
403	65	0	1	11	3	2	1	0	4	13	3	0
404	72	0	0	24	5	3	0	1	0	19	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	111	0	1	31	6	1	2	1	4	39	15	1
NEWPORT	252	1	2	58	9	8	0	0	3	91	24	0
405	29	0	1	12	3	1	0	0	0	5	2	0
406	43	0	0	8	1	2	0	0	0	14	4	0
407	38	0	0	6	0	0	0	0	2	16	4	0
408	55	0	0	13	2	2	0	0	1	21	5	0
409	41	0	0	10	3	0	0	0	0	15	3	0
410	30	0	0	7	0	3	0	0	0	13	4	0
411	9	0	0	0	0	0	0	0	0	5	2	0
412	7	1	1	2	0	0	0	0	0	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	13	0	0	7	1	0	0	0	2	3	1	0
NORTH KINGSTOWN	175	1	1	41	12	3	0	0	5	55	22	1
501	81	1	1	16	5	0	0	0	1	34	14	0
502	8	0	0	4	2	0	0	0	1	0	0	0
503	47	0	0	12	2	3	0	0	2	11	3	1
504	39	0	0	9	3	0	0	0	1	10	5	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	320	1	3	99	23	10	0	4	9	116	38	1
118	61	0	0	21	6	3	0	0	1	21	8	0
119	56	0	2	19	6	0	0	1	2	24	7	0
120	73	0	0	20	4	3	0	1	1	24	10	0
121	130	1	1	39	7	4	0	2	5	47	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	102	0	0	27	6	2	0	0	4	46	14	1
PAWTUCKET	809	12	15	202	51	16	1	6	27	274	96	3
149	21	0	0	4	3	0	0	0	1	11	3	1
150	41	0	0	17	7	2	0	0	2	11	3	0
151	47	2	2	12	1	1	0	1	2	20	10	0
152	57	0	0	10	1	1	0	0	2	27	16	0
153	26	2	2	6	1	1	0	1	2	8	2	0
154	22	1	2	7	0	0	0	0	0	7	0	0
155	40	0	0	9	2	0	0	0	1	14	4	0
156	26	0	0	10	1	2	1	1	0	9	2	0
157	47	0	0	15	5	2	0	1	1	17	6	0
158	50	0	0	11	3	2	0	0	2	16	7	1
159	24	1	1	7	2	0	0	0	1	4	2	0
160	35	1	1	5	3	0	0	0	1	16	4	0
161	30	0	2	4	1	0	0	1	1	7	1	0
163	26	0	0	5	1	0	0	0	2	7	3	0
164	55	2	2	10	2	0	0	1	1	19	6	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET (CONT.)												
165	40	1	1	14	6	0	0	0	1	10	2	0
166	18	0	0	4	1	0	0	0	1	6	2	0
167	37	1	1	7	1	0	0	0	1	9	3	0
168	38	0	0	9	5	1	0	0	2	11	7	0
169	27	0	0	5	0	1	0	0	0	12	1	1
170	68	1	1	18	3	1	0	0	2	24	11	0
171	34	0	0	13	2	2	0	0	1	9	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	98	0	0	22	5	0	0	0	3	35	11	2
PROVIDENCE	1707	23	26	393	103	47	3	13	60	584	187	5
1	61	1	1	14	2	2	0	1	4	22	8	1
2	94	2	2	10	2	0	0	1	4	35	9	0
3	56	2	2	13	7	2	0	1	1	18	8	0
4	22	3	3	4	2	0	0	0	1	5	0	0
5	22	0	0	8	1	0	0	1	1	4	2	0
6	10	1	1	2	0	0	0	1	1	4	0	0
7	39	0	0	5	1	0	0	0	3	11	5	0
8	73	0	0	12	4	1	0	0	4	31	14	0
9	40	0	0	11	4	1	0	1	1	12	5	0
10	37	0	0	12	4	0	0	1	1	14	7	0
11	34	0	0	8	3	0	0	0	0	15	6	0
12	34	1	2	4	2	0	0	0	3	10	2	0
13	38	0	0	12	1	1	1	0	1	12	3	0
14	52	4	4	11	1	1	0	2	1	14	4	0
15	29	0	0	3	0	0	0	0	0	15	5	0
16	56	0	0	14	4	0	0	0	2	19	11	0
17	29	0	0	11	2	3	0	0	2	8	6	0
18	52	1	1	10	6	0	0	0	3	23	10	0
19	57	1	2	14	1	3	1	2	1	22	7	0
20	45	0	0	16	5	2	0	0	0	16	4	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE (CONT.)												
21	87	1	2	27	5	3	0	0	4	31	7	1
22	47	1	1	12	5	1	0	0	2	14	2	0
23	56	1	1	15	3	3	0	0	2	20	10	0
24	68	1	1	22	3	3	0	0	3	20	6	0
25	23	0	0	6	1	1	0	0	0	11	4	0
26	47	1	1	8	2	1	0	0	0	21	3	0
27	36	1	1	14	3	3	1	0	1	7	2	1
28	56	0	0	12	8	1	0	0	3	17	4	0
29	67	0	0	11	5	1	0	0	1	28	2	1
30	21	0	0	1	0	0	0	0	1	8	1	0
31	38	0	0	12	6	1	0	1	2	8	2	0
32	25	0	0	4	0	1	0	1	1	8	1	0
33	90	0	0	21	3	5	0	0	1	29	8	0
34	43	0	0	12	1	3	0	0	1	13	9	0
35	62	1	1	9	2	3	0	0	0	20	6	0
36	22	0	0	7	1	1	0	0	0	7	1	0
37	35	0	0	6	3	0	0	0	4	12	3	1
UNKNOWN	4	0	0	0	0	0	0	0	0	0	0	0
INNER CITY	584	13	15	136	39	11	2	10	21	193	61	1
RICHMOND-506	20	0	0	3	2	0	0	0	1	9	5	0
SCITUATE-132	68	0	1	19	7	0	0	0	1	25	11	0
SMITHFIELD	142	1	1	43	10	7	0	0	1	53	10	1
126	60	0	0	24	5	2	0	0	1	21	5	1
127	82	1	1	19	5	5	0	0	0	32	5	0
SOUTH KINGSTOWN	184	2	2	32	6	4	0	0	8	69	30	0
512	80	1	1	14	2	1	0	0	6	30	13	0
513	99	1	1	17	4	3	0	0	2	38	17	0
514	5	0	0	1	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON	131	1	2	35	11	3	0	0	3	58	21	1
416	80	0	1	24	8	2	0	0	3	35	15	0
417	51	1	1	11	3	1	0	0	0	23	6	1
WARREN	128	0	0	28	10	6	0	0	6	53	20	0
305	42	0	0	7	2	2	0	0	0	21	11	0
306	86	0	0	21	8	4	0	0	6	32	9	0
WARWICK	928	2	2	250	69	10	0	7	25	346	143	3
210	89	0	0	26	6	0	0	0	4	36	13	0
211	55	0	0	10	2	1	0	0	0	22	9	0
212	58	0	0	16	3	0	0	0	1	25	13	0
213	56	1	1	10	1	0	0	1	1	24	11	0
214	94	0	0	25	10	1	0	2	2	37	15	0
215	65	0	0	16	3	0	0	0	3	26	13	0
216	7	0	0	2	0	0	0	0	0	3	0	0
217	46	0	0	7	0	0	0	0	2	20	5	0
218	45	0	0	15	5	0	0	0	3	13	3	0
219	109	0	0	31	12	1	0	2	0	43	23	0
220	46	0	0	9	4	0	0	0	1	21	8	2
221	77	0	0	26	7	0	0	0	1	18	6	1
222	90	0	0	33	9	3	0	2	5	28	12	0
223	72	1	1	18	6	2	0	0	1	26	11	0
224	18	0	0	6	1	2	0	0	1	3	1	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
WESTERLY	220	1	1	58	18	5	0	2	3	100	34	1
508	133	1	1	29	9	4	0	1	3	62	21	1
509	66	0	0	17	5	1	0	1	0	31	10	0
510	21	0	0	12	4	0	0	0	0	7	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	18	0	0	5	1	1	0	0	0	7	2	0
WEST WARWICK	265	2	5	67	17	6	3	1	10	87	36	1
201	74	1	2	20	7	0	0	0	1	23	5	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402,404 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK (CONT.)												
202	43	0	0	12	3	4	2	0	3	14	9	0
203	81	1	1	16	5	1	0	1	3	32	14	1
204	41	0	2	8	1	0	1	0	2	10	6	0
205	26	0	0	11	1	1	0	0	1	8	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	551	9	10	145	33	15	0	4	13	221	73	2
172	18	0	0	6	2	0	0	0	0	5	2	0
173	38	1	1	9	0	0	0	0	0	18	4	1
174	35	0	0	11	3	0	0	0	3	14	3	0
175	45	4	4	7	1	2	0	0	0	18	6	0
176	16	1	1	2	0	0	0	0	0	6	3	0
177	35	0	0	9	1	1	0	1	2	18	4	1
178	31	0	0	11	6	0	0	0	0	11	5	0
179	63	0	0	14	1	5	0	0	1	32	15	0
180	71	1	1	15	1	4	0	1	2	29	10	0
181	37	0	1	11	1	1	0	0	1	14	2	0
182	26	0	0	9	1	1	0	2	0	8	2	0
183	19	0	0	3	1	1	0	0	0	11	0	0
184	87	1	1	28	11	0	0	0	4	29	12	0
185	29	1	1	9	4	0	0	0	0	8	5	0
UNKNOWN	1	0	0	1	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	648	104	240	361	136	40	58	280	142	102	46	12
BARRINGTON	8	0	2	9	0	0	2	1	0	1	0	0
301	2	0	1	3	0	0	0	0	0	0	0	0
302	3	0	0	2	0	0	0	0	0	0	0	0
303	1	0	1	2	0	0	2	1	0	0	0	0
304	2	0	0	2	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	18	4	4	8	3	0	0	4	0	1	1	0
307	3	2	1	0	1	0	0	0	0	0	0	0
308	6	0	0	1	1	0	0	1	0	1	0	0
309	9	2	2	7	1	0	0	3	0	0	1	0
UNKNOWN	0	0	1	0	0	0	0	0	0	0	0	0
BURRILLVILLE	12	1	4	5	2	1	3	4	2	1	0	0
129	4	1	1	4	0	1	1	4	2	0	0	0
130	8	0	3	1	2	0	2	0	0	1	0	0
CENTRAL FALLS	16	0	6	8	2	4	3	4	2	1	4	0
108	3	0	1	1	0	0	1	1	1	0	3	0
109	9	0	1	4	2	1	1	0	0	1	0	0
110	3	0	4	1	0	2	1	2	1	0	0	0
111	1	0	0	2	0	1	0	1	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	6	1	0	1	2	1	0	1	0	0	0	0
COVENTRY	16	6	13	10	2	0	1	8	7	3	0	0
206	11	4	11	7	2	0	1	4	3	2	0	0
207	5	2	2	3	0	0	0	4	4	1	0	0
CRANSTON	47	5	14	31	13	5	1	16	6	9	2	4
134	5	0	4	2	1	1	0	0	0	0	0	1
135	3	0	2	3	0	0	0	0	0	2	0	0
136	2	0	1	2	0	1	0	0	0	0	0	0
137	4	0	2	3	1	1	0	0	0	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
CRANSTON (CONT.)												
138	2	1	1	2	1	0	0	1	1	0	0	0
139	3	0	1	4	0	0	0	2	1	1	0	0
140	7	0	0	2	2	0	0	2	1	1	1	0
141	4	1	0	2	1	0	1	1	0	0	0	0
142	3	0	1	2	1	0	0	3	0	1	0	2
143	4	0	0	1	0	0	0	0	0	1	0	0
144	0	2	0	1	0	2	0	1	0	0	0	0
145	1	0	0	1	0	0	0	2	1	1	1	0
146	0	0	0	0	1	0	0	0	0	0	0	0
147	6	1	1	4	5	0	0	3	1	1	0	0
148	3	0	1	2	0	0	0	1	1	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	15	2	4	8	3	1	1	15	9	5	0	0
112	3	2	0	0	0	0	0	1	0	0	0	0
113	7	0	2	4	0	0	0	5	2	1	0	0
114	5	0	2	4	3	1	1	8	7	4	0	0
UNKNOWN	0	0	0	0	0	0	0	1	0	0	0	0
EAST GREENWICH-209	3	2	1	3	1	0	1	3	3	0	0	0
EAST PROVIDENCE	28	5	14	17	9	1	2	20	7	3	1	0
101	3	0	3	1	1	0	0	3	1	0	0	0
102	3	2	1	3	2	0	0	2	1	0	1	0
103	1	1	2	1	2	0	0	2	1	0	0	0
104	3	0	0	5	1	1	2	2	1	2	0	0
105	12	1	5	5	2	0	0	10	3	0	0	0
106	2	0	3	1	0	0	0	1	0	0	0	0
107	4	1	0	1	1	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	1	0	0	0	0	0	3	1	1	0	0	0
FOSTER-133	1	0	0	1	0	0	0	1	1	0	0	0
GLOCESTER-131	7	0	0	3	3	0	2	4	3	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLUENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDITIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGENITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	6	1	3	1	0	0	0	0	0	1	0	0
JAMESTOWN-413	6	1	0	5	0	2	0	0	0	0	0	0
JOHNSTON	10	1	6	9	3	1	2	3	1	3	0	0
122	0	0	0	0	1	1	1	0	0	1	0	0
123	2	0	0	5	0	0	0	1	0	1	0	0
124	5	0	4	3	0	0	1	1	1	1	0	0
125	3	1	2	1	2	0	0	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	13	3	3	4	0	1	3	10	6	4	0	0
115	9	0	2	1	0	0	1	4	2	2	0	0
116	0	0	1	0	0	0	0	3	3	2	0	0
117	4	3	0	3	0	1	2	3	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	5	1	3	0	0	1	1	1	1	0	0	0
MIDDLETOWN	9	3	9	8	1	0	0	7	2	0	0	0
402	0	0	0	0	0	0	0	0	0	0	0	0
403	4	1	4	4	1	0	0	5	1	0	0	0
404	5	2	5	4	0	0	0	2	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	5	0	1	5	1	0	0	4	4	3	0	0
NEWPORT	15	7	6	9	6	0	1	8	6	4	2	0
405	1	0	0	0	2	0	0	2	2	1	1	0
406	6	2	2	2	1	0	0	1	1	0	0	0
407	3	3	0	1	1	0	0	0	0	1	1	0
408	3	0	1	2	0	0	0	3	2	0	0	0
409	2	0	1	2	1	0	0	0	0	2	0	0
410	0	1	2	1	0	0	0	2	1	0	0	0
411	0	1	0	0	0	0	0	0	0	0	0	0
412	0	0	0	1	1	0	1	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	0	0	0	0	0	0	0	1	1	0	0	0
NORTH KINGSTOWN	8	5	6	13	5	0	0	6	5	2	1	0
501	2	2	5	6	2	0	0	3	2	1	1	0
502	1	0	0	1	0	0	0	1	1	0	0	0
503	3	2	1	3	0	0	0	1	1	0	0	0
504	2	1	0	3	3	0	0	1	1	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	22	4	6	6	5	0	1	2	1	2	1	0
118	5	2	2	2	1	0	0	0	0	0	0	0
119	2	0	0	0	0	0	0	0	0	1	0	0
120	5	0	4	2	1	0	0	1	0	1	0	0
121	10	2	0	2	3	0	1	1	1	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	11	0	2	1	1	0	0	3	2	0	0	0
PAWTUCKET	50	7	22	37	10	2	7	26	13	8	5	1
149	1	0	0	1	1	0	0	0	0	0	0	0
150	4	1	3	1	0	0	0	0	0	0	0	0
151	2	0	0	1	0	0	2	2	1	0	1	0
152	1	1	2	3	0	0	0	1	1	0	0	0
153	1	0	1	0	0	0	2	0	0	0	2	0
154	2	0	0	1	0	0	0	1	1	0	0	0
155	2	0	2	2	1	0	0	3	1	0	0	0
156	1	0	0	2	0	0	0	0	0	0	0	0
157	1	0	1	1	1	0	0	0	0	2	0	0
158	4	1	0	2	2	0	0	2	1	0	0	0
159	0	0	0	1	0	0	1	1	0	1	0	0
160	0	0	1	2	1	0	1	0	0	2	0	0
161	3	0	0	3	0	0	0	3	2	1	0	1
163	3	0	2	2	0	0	0	2	1	0	0	0
164	1	1	3	5	2	1	1	4	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET (CONT.)												
165	6	1	0	1	0	1	0	1	1	1	1	0
166	0	0	2	0	0	0	0	1	1	0	0	0
167	2	0	1	4	1	0	0	3	2	1	0	0
168	7	1	0	0	0	0	0	1	0	0	0	0
169	2	1	1	0	0	0	0	0	0	0	0	0
170	3	0	3	3	1	0	0	0	0	0	0	0
171	4	0	0	2	0	0	0	1	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	3	3	0	7	2	2	0	1	0	3	0	1
PROVIDENCE	128	13	57	54	21	9	12	49	10	21	19	5
1	6	0	1	1	0	1	0	2	0	0	0	1
2	8	0	2	4	2	0	1	4	1	0	4	0
3	2	0	4	0	0	2	0	1	1	2	1	0
4	2	0	1	0	0	0	2	1	1	0	0	0
5	2	0	0	1	0	0	0	0	0	0	1	0
6	0	0	0	0	0	0	0	0	0	1	0	0
7	5	0	1	2	0	0	0	1	0	0	1	0
8	3	2	2	4	1	0	0	1	0	0	0	1
9	4	0	1	0	0	0	0	2	1	1	0	0
10	2	0	1	0	0	0	0	1	0	0	3	0
11	2	0	0	1	1	0	0	0	0	1	0	1
12	0	2	2	2	0	1	0	3	0	0	0	0
13	2	0	2	2	0	0	0	1	0	2	0	0
14	4	1	0	3	2	2	2	2	2	0	3	0
15	1	0	1	2	0	0	0	0	0	0	1	0
16	2	0	2	3	4	0	0	2	1	0	0	0
17	1	0	1	0	1	0	0	0	0	1	0	0
18	5	0	2	0	1	0	1	1	1	0	0	0
19	3	0	1	1	0	0	1	1	0	0	1	0
20	3	0	0	1	1	0	0	3	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBROVASCULAR DISEASES (430-438)	ARTERIOSCLEROSIS (440)	INFLUENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDITIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGENITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE (CONT.)												
21	4	2	4	3	1	0	1	4	0	1	0	0
22	4	1	1	1	2	0	1	0	0	1	0	0
23	8	0	0	1	1	0	1	1	0	1	0	0
24	5	0	2	2	1	1	0	3	0	1	0	0
25	0	0	2	1	0	0	0	1	0	0	0	0
26	1	0	1	1	1	0	1	2	0	3	1	0
27	5	0	0	1	0	1	0	1	0	0	0	0
28	2	1	3	6	0	0	0	2	0	1	0	1
29	7	0	3	4	0	0	0	1	0	1	0	0
30	3	0	1	0	0	0	0	0	0	0	0	0
31	3	1	2	0	0	0	0	2	1	0	0	1
32	2	0	0	1	0	0	0	1	0	1	1	0
33	9	1	8	3	0	0	0	1	0	0	0	0
34	2	1	1	1	1	0	0	2	0	0	0	0
35	10	1	3	2	0	0	1	0	0	2	0	0
36	2	0	1	0	0	0	0	0	0	0	0	0
37	4	0	1	0	1	1	0	1	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	1	0	0	2	0
INNER CITY	36	4	19	14	5	6	6	19	6	11	11	2
RICHMOND-506	0	0	1	1	1	0	0	1	1	0	1	0
SCITUATE-132	4	1	1	2	0	0	0	5	3	3	2	0
SMITHFIELD	9	0	3	7	0	1	0	4	0	1	1	0
126	3	0	1	2	0	0	0	1	0	1	0	0
127	6	0	2	5	0	1	0	3	0	0	1	0
SOUTH KINGSTOWN	16	2	3	8	1	1	1	10	5	2	0	0
512	6	1	2	1	0	0	1	5	2	1	0	0
513	9	1	1	7	1	1	0	5	3	1	0	0
514	1	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1988

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS. IN THE PERINATAL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON	6	3	2	2	0	2	0	3	2	1	1	0
416	3	3	1	2	0	1	0	0	0	1	0	0
417	3	0	1	0	0	1	0	3	2	0	1	0
WARREN	6	1	3	4	3	1	0	5	4	0	0	0
305	4	1	0	0	1	0	0	3	3	0	0	0
306	2	0	3	4	2	1	0	2	1	0	0	0
WARWICK	66	8	20	27	18	0	2	24	18	7	4	1
210	3	0	0	0	1	0	0	4	4	0	1	0
211	9	1	2	1	1	0	0	2	2	0	1	0
WESTERLY	13	1	3	8	4	1	1	8	5	3	0	0
212	4	0	1	1	1	0	0	2	1	0	0	0
213	6	1	0	2	2	0	1	1	1	0	0	0
214	3	0	7	3	0	0	0	2	2	0	1	0
215	6	0	1	1	0	0	0	2	1	1	1	0
216	0	0	0	1	0	0	0	0	0	0	0	0
217	4	0	0	3	2	0	0	1	1	1	0	0
218	6	0	0	1	1	0	0	1	0	0	0	0
219	8	2	1	4	2	0	0	0	0	1	0	1
220	4	0	1	1	0	0	0	1	0	0	0	0
221	3	0	4	2	1	0	0	0	0	2	0	0
222	3	2	2	1	5	0	0	2	1	1	0	0
223	3	2	1	6	1	0	1	4	3	1	0	0
224	4	0	0	0	1	0	0	2	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	1	0	0	1	1	0	0	2	2	1	0	0
508	9	0	2	5	0	1	1	4	2	2	0	0
509	2	1	1	3	4	0	0	4	3	1	0	0
510	2	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	16	6	5	16	7	0	2	6	4	4	1	0
WOONSOCKET	42	7	13	22	6	3	6	9	5	5	0	0
201	4	2	1	4	3	0	1	3	3	0	0	0
202	2	2	0	3	0	0	0	1	0	1	0	0
203	6	1	2	5	3	0	1	1	1	1	1	0
204	2	1	2	4	0	0	0	1	0	2	0	0
205	2	0	0	0	1	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1988

TYPE OF ACCIDENT (ICD9 CODE)	ALL AGES	UNDER 1	1-4	5-14	15-19	20-24	25-44	45-64	65-84	85 & OVER
				AGE IN YEARS						
ALL ACCIDENTS (E800-949)	280	1	3	6	16	24	77	46	73	34
MOTOR VEHICLE ACCIDENTS(810-825)	142	0	2	3	14	18	51	20	26	8
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	47	0	2	1	4	5	18	9	7	1
COLLISION WITH PEDESTRIAN(814)	25	0	0	1	1	2	6	3	10	2
OTHER COLLISION ACCIDENTS(810,811, 813,815)	45	0	0	1	8	8	14	4	6	4
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	16	0	0	0	1	1	10	3	0	1
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	7	0	0	0	0	1	2	1	3	0
MOTOR VEHICLE NON-TRAFFIC ACCIDENTS (820-825)	2	0	0	0	0	1	1	0	0	0
WATER TRANSPORT ACCIDENTS(830-838)	2	0	0	0	0	1	1	0	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (840-845)	2	0	0	0	0	0	2	0	0	0
POISONING(850-869)	24	0	0	0	1	3	14	5	0	1
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	21	0	0	0	1	2	13	4	0	1
BY OTHER SOLIDS, LIQUIDS, GASES, AND VAPORS(860-869)	3	0	0	0	0	1	1	1	0	0
FALLS(880-888)	49	0	0	0	0	1	2	6	22	18
FIRES AND FLAMES(890-899)	9	0	0	1	0	0	0	3	4	1
DROWNING AND SUBMERSION(910)	9	0	1	1	0	1	5	1	0	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	12	0	0	1	0	0	0	5	5	1
ALL OTHER (RESIDUAL)	31	1	0	0	1	0	2	6	16	5

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1988
(Rhode Island Residents: Rate per 100,000 Population, Except Total Rate per 1,000)

Rank Order	Cause of Death(ICD9,1975)	1988		1987	Percent
		Number	Rate	Rate	Change
	BOTH SEXES				
	TOTAL	* 9724	9.8	9.8	0.0
1.	Diseases of the Heart(390-398,402,404-429)	3488	351.3	370.4	- 5.2
2.	Malignant Neoplasms(140-208)	2447	246.4	237.5	+ 3.7
3.	Cerebrovascular Diseases(430-438)	648	65.3	62.2	+ 5.0
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	361	36.4	37.7	- 3.4
5.	Diabetes Mellitus(250)	282	28.4	20.5	+38.5
6.	Accidents and Adverse Effects(E800-E949)	280	28.2	30.7	- 8.1
7.	Pneumonia and Influenza(480-487)	240	24.2	23.1	+ 4.8
8.	Chronic Liver Disease and Cirrhosis(571)	136	13.7	11.8	+16.1
9.	Atherosclerosis	104	10.5	10.8	- 2.8
10.	Suicide(E950-E959)	102	10.3	13.6	-24.3
	All Other Causes	1636	164.8	165.1	- 0.2
	MALE				
	TOTAL	4779	10.1	10.2	- 1.0
1.	Diseases of the Heart(390-398,402,404-429)	1659	350.7	377.4	- 7.1
2.	Malignant Neoplasms(140-208)	1263	267.0	255.0	+ 4.7
3.	Cerebrovascular Diseases(430-438)	258	54.5	48.7	+11.9
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	207	43.8	44.7	- 2.0
5.	Accidents and Adverse Effects(E800-E949)	181	38.3	42.8	-10.5
6.	Diabetes Mellitus(250)	125	26.4	18.9	+39.7
7.	Pneumonia and Influenza(480-487)	102	21.6	21.5	+ 0.5
8.	Chronic Liver Disease and Cirrhosis(571)	82	17.3	14.7	+17.7
9.	Suicide(E950-E959)	79	16.7	21.5	-22.3
10.	Atherosclerosis	40	8.5	8.9	- 4.5
	All Other Causes	783	165.5	155.4	+ 6.5
	FEMALE				
	TOTAL	4945	9.5	9.5	- 0.0
1.	Diseases of the Heart(390-398,402,404-429)	1829	351.8	364.0	- 3.4
2.	Malignant Neoplasms(140-208)	1184	227.7	221.6	+ 2.8
3.	Cerebrovascular Diseases(430-438)	390	75.0	74.4	+ 0.8
4.	Diabetes Mellitus(250)	157	30.2	21.9	+37.9
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	154	29.6	31.4	- 5.7
6.	Pneumonia and Influenza(480-487)	138	26.5	24.6	+ 7.7
7.	Accidents and Adverse Effects(E800-E949)	99	19.0	19.8	- 4.0
8.	Atherosclerosis(440)	64	12.3	12.4	- 0.8
9.	Septicemia(038)	56	10.8	9.5	+13.7
10.	Chronic Liver Disease and Cirrhosis(571)	54	10.4	9.1	+14.3
	All Other Causes	820	157.7	161.7	- 2.5

Table 32 - Five Leading Causes of Death in Specific Age Groups: Rhode Island, 1988
(Rhode Island Residents: Rate per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death(ICD9,1975)	1988		1987	Percent
		Number	Rate	Rate	Change
Under 5 Years	ALL CAUSES	130	218.7	233.8	- 6.5
1.	Certain Conditions Originating in the Perinatal Period (760-779)	57	95.9	89.8	+ 6.8
2.	Congenital Anomalies (740-759)	28	47.1	57.6	-18.2
3.	Accidents and Adverse Effects (E800-E949)	4	6.7	20.3	-67.0
3.	Acute Bronchitis and Bronchiolitis (466)	4	6.7	5.1	+31.4
3.	Homicide and Legal Intevention (E960-E978)	4	6.7	**	**
	All Other Causes	33	55.5	47.4	+ 17.1
5-19 Years	ALL CAUSES	58	24.5	32.8	-25.3
1.	Accidents and Adverse Effects (E800-E949)	22	9.3	18.8	-50.5
2.	Malignant Neoplasms* (140-208)	8	3.4	3.0	+13.3
2.	Homicide and Legal Intervention (E960-E978)	8	3.4	2.6	+30.8
4.	Suicide (E950-E959)	6	2.5	3.4	-26.5
5.	Diseases of the Heart (390-398,402,404-429)	2	0.8	**	**
	All Other Causes	12	5.1	2.6	+96.2
20-44 Years	ALL CAUSES	480	136.6	145.9	- 6.4
1.	Accidents and Adverse Effects (E800-E949)	101	28.7	32.1	-10.6
2.	Malignant Neoplasms* (140-208)	92	26.2	23.5	+11.5
3.	Suicide (E950-E959)	60	17.1	20.9	-18.2
4.	Diseases of the Hearth (390-398,402,404-429)	40	11.4	16.1	-29.2
5.	Homicide and Legal Intervention (E960-E978)	24	6.8	8.3	-18.1
	All Other Causes	163	46.4	45.0	+ 3.1

* For complete category title, see International Classification of Diseases, 1975 Revision

** There were no deaths from Homicide and Legal Intervention or Diseases of the Heart in this age group in 1987.

Table 32 - Five Leading Causes of Death in Specific Age Groups: Rhode Island, 1988
(Rhode Island Residents: Rate per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death(IC9D,1975)	1988 Number	1988 Rate	1987 Rate	Percent Change
45-64 Years	ALL CAUSES	1586	745.2	745.8	- 0.1
1.	Malignant Neoplasms* (140-208)	665	312.5	296.7	+5.3
2.	Diseases of the Heart (390-398,402,404-429)	457	214.7	231.4	- 7.2
3.	Chronic Liver Disease and Cirrhosis (571)	49	23.0	20.8	+10.6
4.	Diabetes Mellitus (250)	46	21.6	18.5	+16.8
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	46	21.6	19.4	+11.3
4.	Accidents and Adverse Effects (E800-E949)	46	21.6	17.5	+23.4
	All Other Causes	277	130.2	163.3	-20.3
65 Years and Over	ALL CAUSES	7467	5611.5	5599.9	+ 0.2
1.	Diseases of the Heart (390-398,402,404-429)	2986	2244.0	2350.8	- 4.5
2.	Malignant Neoplasms* (140-208)	1679	1261.8	1229.1	+ 2.7
3.	Cerebrovascular Diseases (430-438)	588	441.9	418.5	+ 5.6
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	309	232.2	246.0	- 5.6
5.	Diabetes Mellitus (250)	231	173.6	118.1	+47.0
	All Other Causes	1674	1258.0	1145.1	+ 9.9

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1988
(RHODE ISLAND OCCURRENCES)

CITY OR TOWN	MARRIAGES ACCORDING TO RESIDENCE PERSONS MARRIED	GROOM	BRIDE
TOTAL	16820	8410	8410
BARRINGTON	161	77	84
BRISTOL	320	152	168
BURRILLVILLE	184	89	95
CENTRAL FALLS	320	165	155
CHARLESTOWN	117	60	57
COVENTRY	420	204	216
CRANSTON	1100	518	582
CUMBERLAND	355	158	197
EAST GREENWICH	137	68	69
EAST PROVIDENCE	700	342	358
EXETER	60	30	30
FOSTER	39	21	18
GLOCESTER	104	45	59
HOPKINTON	89	40	49
JAMESTOWN	72	32	40
JOHNSTON	442	215	227
LINCOLN	250	125	125
LITTLE COMPTON	36	15	21
MIDDLETOWN	227	105	122
NARRAGANSETT	207	105	102
NEWPORT	519	267	252
NEW SHOREHAM	24	12	12
NORTH KINGSTOWN	346	171	175
NORTH PROVIDENCE	513	266	247
NORTH SMITHFIELD	104	53	51
PAWTUCKET	1175	561	614
PORTSMOUTH	191	87	104
PROVIDENCE	2217	1107	1110
RICHMOND	84	37	47
SCITUATE	125	58	67
SMITHFIELD	247	126	121
SOUTH KINGSTOWN	277	132	145
TIVERTON	150	68	82
WARREN	189	97	92
WARWICK	1303	623	680
WESTERLY	254	125	129
WEST GREENWICH	51	25	26
WEST WARWICK	544	276	268
WOONSOCKET	659	317	342
OTHER STATES OR FOREIGN PLACES	2508	1436	1072

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1988

AGE OF BRIDE IN YEARS	TOTAL	AGE OF GROOM IN YEARS UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	8410	194	1995	2719	1491	831	478	269	147	104	80	102	0
UNDER 20	562	134	303	93	19	7	3	3	0	0	0	0	0
20-24	2763	49	1350	1024	240	69	22	5	3	1	0	0	0
25-29	2445	9	273	1213	627	205	77	32	7	1	1	0	0
30-34	1265	1	50	310	427	294	125	42	15	1	0	0	0
35-39	623	0	16	62	137	172	125	68	25	10	5	3	0
40-44	331	1	2	12	29	61	93	64	32	22	6	9	0
45-49	189	0	1	3	9	20	27	48	33	30	13	5	0
50-54	95	0	0	0	2	2	5	5	27	20	21	13	0
55-59	53	0	0	0	0	1	1	2	5	13	19	12	0
60-64	36	0	0	2	1	0	0	0	0	6	12	15	0
65 & OVER	48	0	0	0	0	0	0	0	0	0	3	45	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1988

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8410	6116	204	2089	1	8410	5989	173	2248	0
UNDER 20	562	557	0	5	0	194	194	0	0	0
20-24	2763	2622	4	137	0	1995	1954	1	40	0
25-29	2445	1965	8	472	0	2719	2382	2	335	0
30-34	1265	702	20	542	1	1491	991	7	493	0
35-39	623	178	26	419	0	831	324	9	498	0
40-44	331	46	25	260	0	478	83	10	385	0
45-49	189	17	30	142	0	269	27	15	227	0
50-54	95	13	19	63	0	147	12	13	122	0
55-59	53	7	16	30	0	104	13	20	71	0
60-64	36	5	19	12	0	80	5	29	46	0
65 & OVER	48	4	37	7	0	102	4	67	31	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS RHODE ISLAND, 1988 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS MARRIAGE FOR BRIDE	TOTAL	NUMBER OF THIS MARRIAGE FOR GROOM			
		FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	8410	5989	2062	359	0
FIRST	6116	5081	940	95	0
SECOND	2021	835	1000	186	0
THIRD OR MORE	272	72	122	78	0
UNKNOWN	1	1	0	0	0

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1988

PREVIOUS MARITAL STATUS OF BRIDE	TOTAL	PREVIOUS MARITAL STATUS OF GROOM			
		SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	8410	5989	173	2248	0
SINGLE	6116	5081	39	996	0
WIDOWED	204	50	69	85	0
DIVORCED	2090	858	65	1167	0
UNKNOWN	0	0	0	0	0

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED
BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1988

		LAST GRADE COMPLETED BY GROOM					
			HIGH SCHOOL		COLLEGE		
LAST GRADE COMPLETED BY BRIDE	TOTAL	8 YEARS OR LESS	1-3 YEARS	4TH YEAR	1-3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	8410	276	879	3139	1713	2391	12
8 YEARS OR LESS	194	59	46	64	14	9	2
HIGH SCHOOL							
1 - 3 YEARS	809	86	261	350	84	27	1
4TH YEAR	2997	93	411	1662	503	326	2
COLLEGE							
1 - 3 YEARS	2128	25	136	720	688	558	1
4TH YEAR OR MORE	2269	10	24	342	422	1468	3
NOT STATED	13	3	1	1	2	3	3

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1988

AGE OF WIFE IN YEARS

AGE OF HUSBAND IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3794	21	471	864	807	608	411	279	134	75	43	47	34
UNDER 20	4	2	1	1	0	0	0	0	0	0	0	0	0
20-24	234	16	171	37	6	1	0	0	0	0	0	0	3
25-29	755	1	227	410	87	20	5	0	0	0	0	0	5
30-34	798	1	42	296	362	70	15	2	1	1	1	0	7
35-39	668	0	26	76	239	262	49	9	2	0	0	0	5
40-44	494	0	3	28	70	170	179	34	8	0	0	0	2
45-49	356	0	0	6	26	63	118	121	15	5	1	0	1
50-54	195	0	0	4	6	16	24	82	50	9	2	1	1
55-59	130	0	0	2	5	4	15	22	36	33	6	6	1
60-64	74	0	0	0	2	1	4	5	13	20	21	8	0
65 & OVER	63	0	0	1	0	0	0	4	7	6	12	32	1
UNKNOWN	23	1	1	3	4	1	2	0	2	1	0	0	8

TABLE 40 - DIVORCES BY NUMBER OF PREVIOUS MARRIAGES FOR WIFE AND HUSBAND, RHODE ISLAND, 1988
(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S PREVIOUS MARRIAGES	TOTAL DIVORCES	NUMBER OF WIFE'S PREVIOUS MARRIAGES FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3794	2997	658	104	15	20
FIRST	2967	2635	299	28	3	2
SECOND	699	320	315	56	6	2
THIRD	98	36	39	20	3	0
FOURTH OR MORE	11	4	4	0	3	0
UNKNOWN	19	2	1	0	0	16

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE, RHODE ISLAND, 1988
(RHODE ISLAND OCCURRENCES)

AGE GROUP IN YEARS	HUSBAND				WIFE			
	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3794	2967	808	19	3794	2997	777	20
UNDER 20	4	4	0	0	21	21	0	0
20-24	234	233	1	0	471	458	12	1
25-29	755	718	35	2	864	795	66	3
30-34	798	676	120	2	807	634	171	2
35-39	668	497	163	8	608	436	165	7
40-44	494	332	159	3	411	269	139	3
45-49	356	221	132	3	279	182	96	1
50-54	195	117	77	1	134	87	47	0
55-59	130	81	49	0	75	46	27	2
60-64	74	44	30	0	43	25	18	0
65 & OVER	63	27	36	0	47	18	29	0
UNKNOWN	23	17	6	0	34	26	7	1

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1988
(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	808	777
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	740	686
DEATH ONLY:	34	50
COMBINATION OF DEATH AND DIVORCE:	4	14
UNKNOWN	30	27

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1988
(RHODE ISLAND OCCURRENCES)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	NUMBER OF DIVORCES BY COUNTY				
			BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3589	3794	152	686	290	2248	418
NONE	0	1451	58	245	102	913	133
ONE	965	965	28	164	75	590	108
TWO	1620	810	37	167	56	453	97
THREE	723	241	16	44	21	125	35
FOUR	208	52	1	9	4	34	4
FIVE	60	12	0	2	1	8	1
SIX	6	1	0	0	0	0	1
SEVEN OR MORE	7	1	0	0	0	1	0
NOT STATED	*	261	12	55	31	124	39

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY HUSBAND AND WIFE: RHODE ISLAND, 1988
(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3794	100.0	3794	100.0
8 YEARS OR LESS	205	5.4	130	3.4
HIGH SCHOOL				
1 - 3 YEARS	537	14.2	501	13.2
4 YEARS	1579	41.6	1743	45.9
COLLEGE				
1 - 3 YEARS	592	15.6	697	18.4
4 YEARS OR MORE	624	16.4	476	12.5
NOT STATED	257	6.8	247	6.5

Rhode Island Department of Health
Division of Vital Records
101 Cannon Building
3 Capitol Hill
Providence, RI 02908-5097

BULK RATE
U. S. Postage
PAID
Providence, RI 02908
Permit No. 1286

Congressional Infor. Service
Attn: SRI
4520 East-West Highway
Bethesda, MD 20814